

DATA DICTIONARY FOR THE NASA PROPERTY DISPOSAL MANAGEMENT SYSTEM (NPDMS)

Release 4.2

PrISMS Contract

December 2003



National Aeronautics and
Space Administration

George C. Marshall Space Flight Center
Huntsville, AL 35812

TABLE OF CONTENTS

INTRODUCTION.....	1
SCREEN FIELDS.....	4
APPENDIX A ACCESS NAME TO SCREEN NAME CROSS REFERENCE	261
APPENDIX B DATABASE FIELDS THAT DO NOT APPEAR ON SCREEN.....	279
APPENDIX C ENTITY DEFINITIONS.....	326
APPENDIX D DESCRIPTIVE NAME TO ACCESS NAME CROSS-REFERENCE.....	335
APPENDIX E NPDMS STANDARD WORDS.....	352

INTRODUCTION

The NASA Property Disposal Management System (NPDMS) *Data Dictionary AIM-NPDMS-DD-04.5* will be issued with applicable deliverable documents (i.e., *NPDMS Requirement Specification AIM-NPDMS-RS-04* Document). The Data Dictionary is in five sections as follows:

1. The body of the Data Dictionary is sorted alphabetically by screen name as it appears on a screen. For example, the screen name CC (Condition Code) appears on several NPDMS screens, look-up CC and double check for more than one definition. Two definitions are given for CC. The first gives a detailed definition of condition codes and its possible values, while the second definition explains the use of CC at the component system level.
1. Appendix A provides the data base fields in alphabetically sorted order by Access Name and provides a cross-reference to the screen name.
1. Appendix B lists the data base fields alphabetically that do not appear on screens.
1. Appendix C provides the Entity Definitions in alphabetically sorted order by Entity Name.
1. Appendix D provides the data base fields in alphabetically sorted order by Descriptive Names and provides a cross-reference to the Access Name.
1. Appendix E provides the NPDMS Standard Words list. This listing contains the Prime, Modifier, and Class word and their abbreviations that make up NPDMS Access Names. The abbreviations for these words were developed using the National Institute for Standards and Technology (NIST) guidelines adopted by the NASA Automated Information Management (AIM) Program Office.

The following terms and definitions are provided as reference for this Data Dictionary:

ENTITY - An Entity is a person, place, thing, organization, concept or event about which an organization is interested in storing information (Attributes) on to accomplish the business mission. Example:

- REQUESTOR: An individual or agency who initiates a request to acquire Idle NASA Personal Property.

ATTRIBUTE - An attribute is a property or characteristic of an entity. For example, the entity REQUESTER has specific attributes (or data elements) that further describe it (including name, telephone, address, city, state, etc.). An attribute consists of the following:

- Descriptive Name
- Access Name
- Data Element Definition
- Format
- Length
- Edit Criteria
- Screen Name

ACCESS NAME - The Access Name is an abbreviated form of the Descriptive Name. It is the standard technical or system name formed by applying data processing syntactical and lexical rules. Using the descriptive name above, the Access Name would be:

- RQSTR-PHN-NMBR

DESCRIPTIVE NAME - An unabbreviated English-like phrase describing the data element. The Descriptive Name may be viewed as the standard user name. Example:

- REQUESTOR PHONE NUMBER

DATA ELEMENT DEFINITION - Identifies the essential qualities or meaning of the data element by providing a simple, precise narrative that presents only one acceptable interpretation of the element. Example:

- Data Element = REQUESTOR PHONE NUMBER
- Definition = The telephone number, including area code, of the person or contact requesting Idle NASA Personal Property.

FORMAT - A data element attribute that characterizes the type of data to be stored in the NPDMS Database.

- Alphanumeric
- Numeric

LENGTH - A data element attribute that indicates the maximum number of characters (length) to be stored in the NPDMS database.

- 10

EDIT CRITERIA - The processing rules that are applied against a data element to ensure erroneous data is not stored in the system.

- Free form. If entered, must include area code.

SCREEN NAME - The Screen Name is a label corresponding to a particular non-data or data element.

- Case No = PROP-CASE-NMBR

SCREEN FIELDS

SCREEN NAME: 1348 DOC
ACCESS NAME: RPT-1348-DCMNT-NMBR
ENTITY: REPORT
DESCRIPTIVE NAME: REPORT 1348 DOCUMENT NUMBER

DATA ELEMENT DEFINITION:

A unique aggregate number generated by the NPDMS and placed on each DD-1348-1A that is produced by the system. This field consists of the INST-FEDAAC-CODE, the Julian date (YDDD), and the serial number. The serial number is generated sequentially starting with 0001 using DRMO Serial Number Table- 112.

FORMAT: Alphanumeric

LENGTH: 14

EDIT CRITERIA

Generated like the PROP-CASE-NMBR (Positions 1-6 are the INST-FEDAAC-CODE, positions 7-10 are the current Julian date and positions 11-14 are the serial number).

SCREEN NAME: ABAND/DESTRUCT DOC NO
ACCESS NAME: PROP-ABNDSTRYD-DCMNT-NMBR
ENTITY: IDLE NASA PROPERTY
DESCRIPTIVE NAME: ABANDONED OR DESTROYED PROPERTY DOCUMENT NUMBER

DATA ELEMENT DEFINITION:

The number assigned to the document recording the property that was abandoned or destroyed.

FORMAT: Alphanumeric

LENGTH: 14

EDIT CRITERIA

Free form.

SCREEN NAME: ABANDONED OR DESTROYED
ACCESS NAME: PROP-ABNDSTRYD-IND
ENTITY: IDLE NASA PROPERTY
DESCRIPTIVE NAME: ABANDONED OR DESTROYED PROPERTY INDICATOR

DATA ELEMENT DEFINITION:

This field indicates if the property is being abandoned or destroyed. A - Abandoned D - Destroyed.

FORMAT: Alphanumeric

LENGTH: 1

EDIT CRITERIA

Possible values are 'A' or 'D'.

SCREEN NAME: **ACQ COST**
ACCESS NAME: PROP-ADJSTD-ACQSTN-COST-AMT
ENTITY: IDLE NASA PROPERTY
DESCRIPTIVE NAME: ADJUSTED ACQUISITION COST AMOUNT OF PROPERTY
DATA ELEMENT DEFINITION:
The current unit adjusted acquisition cost amount of the personal property.
FORMAT: Packed
LENGTH: 10.2
EDIT CRITERIA
User entered. Cannot be a negative amount.

SCREEN NAME: **ACTUAL PROP PAYMENT DATE**
ACCESS NAME: PROP-PYMNT-DATE
ENTITY: IDLE NASA PROPERTY
DESCRIPTIVE NAME: ACTUAL PROPERTY PAYMENT DATE
DATA ELEMENT DEFINITION:
The specific date on which the full payment for the sold personal property is received from the purchaser.
FORMAT: D
LENGTH:
EDIT CRITERIA
Entered. Cannot be greater than the ACTUAL PROP-RMVL-DATE. Display format: MM/DD/YY or MM/DD/YYYY. Stored in Internal Date format.

SCREEN NAME: **ACTUAL PROP REMOVAL DATE**
ACCESS NAME: PROP-RMVL-DATE
ENTITY: IDLE NASA PROPERTY
DESCRIPTIVE NAME: ACTUAL PROPERTY REMOVAL DATE
DATA ELEMENT DEFINITION:
The specific date on which the property was actually physically removed from the NASA storage facility by the new owner or their agent, including shippers.
FORMAT: D
LENGTH:

EDIT CRITERIA

User entered. Display format: MM = 1-12, DD = any number 1-31, YY or YYYY = current year. Stored in Internal Date format.

SCREEN NAME: **ACTUAL REMOVAL DATE**

ACCESS NAME: PROP-RMVL-DATE

ENTITY: IDLE NASA PROPERTY

DESCRIPTIVE NAME: ACTUAL PROPERTY REMOVAL DATE

DATA ELEMENT DEFINITION:

The specific date on which the property was actually physically removed from the NASA storage facility by the new owner or their agent, including shippers.

FORMAT: D

LENGTH:

EDIT CRITERIA

User entered. Display format: MM = 1-12, DD = any number 1-31, YY or YYYY = current year. Stored in Internal Date format.

SCREEN NAME: **ADDITIONAL COMPONENT ITEMS (Y/N)**

ACCESS NAME: NOT MAINTAINED

ENTITY:

DESCRIPTIVE NAME:

DATA ELEMENT DEFINITION:

This field allows for processing for additional item records associated with a specific property case number.

FORMAT: Alphanumeric

LENGTH: 1

EDIT CRITERIA

The possible values are Y or N.

SCREEN NAME: **ADDITIONAL OPTIONAL ITEM NAME**

ACCESS NAME: PROP-OPTNL-ITEM-NAME

ENTITY: IDLE NASA PROPERTY

DESCRIPTIVE NAME: PROPERTY ITEM OPTIONAL NAME

DATA ELEMENT DEFINITION:

Contains the TECHNICAL ITEM NAME from NSMS.

FORMAT: Alphanumeric

LENGTH: 240

EDIT CRITERIA

Extracted from NSMS if applicable, otherwise this field will be blank.

SCREEN NAME: ADDRESS (ABNDSTRYD FIRST LINE)

ACCESS NAME: PROP-ABNDSTRYD-LINE1-ADRS

ENTITY: IDLE NASA PROPERTY

DESCRIPTIVE NAME: ABANDONED OR DESTROYED PROPERTY SITE ADDRESS
LINE 1

DATA ELEMENT DEFINITION:

The local street/route/box number of the site where property was abandoned or destroyed.

FORMAT: Alphanumeric

LENGTH: 30

EDIT CRITERIA

Free form.

SCREEN NAME: ADDRESS (ABNDSTRYD SECOND LINE)

ACCESS NAME: PROP-ABNDSTRYD-LINE2-ADRS

ENTITY: IDLE NASA PROPERTY

DESCRIPTIVE NAME: ABANDONED OR DESTROYED PROPERTY SITE ADDRESS
LINE 2

DATA ELEMENT DEFINITION:

Continuation of the site address where property was abandoned or destroyed.

FORMAT: Alphanumeric

LENGTH: 30

EDIT CRITERIA

Free form.

SCREEN NAME: ADDRESS (BIDDER FIRST LINE)

ACCESS NAME: PROP-BIDDER-LINE1-ADRS

ENTITY: IDLE NASA PROPERTY

DESCRIPTIVE NAME: PROPERTY BIDDER LINE 1 ADDRESS

DATA ELEMENT DEFINITION:

The local street/route/box number of the individual or organization/company submitting a competitive bid for consideration to acquire a specific property lot offered for sale.

FORMAT: Alphanumeric

LENGTH: 30

EDIT CRITERIA

Must be entered, free form. If a particular bidder is awarded the sale, this field is moved to the RQSTR-LINE1-ADRS on the transaction record.

SCREEN NAME: ADDRESS (BIDDER SECOND LINE)

ACCESS NAME: PROP-BIDDER-LINE2-ADRS

ENTITY: IDLE NASA PROPERTY

DESCRIPTIVE NAME: PROPERTY BIDDER LINE 2 ADDRESS

DATA ELEMENT DEFINITION:

Continuation of the local address of the individual or organization/company submitting a competitive bid for consideration to acquire a specific property lot offered for sale.

FORMAT: Alphanumeric

LENGTH: 30

EDIT CRITERIA

Optional entry, free form. If a particular bidder is awarded the sale, this field is moved to the RQSTR-LINE2-ADRS on the transaction record.

SCREEN NAME: ADDRESS (DODAAC FIRST LINE)

ACCESS NAME: DRMO-DODAAC-LINE1-ADRS

ENTITY: DRMO

DESCRIPTIVE NAME: DRMO DODAAC ADDRESS LINE 1

DATA ELEMENT DEFINITION:

The local street/route/box number of a particular DODAAC.

FORMAT: Alphanumeric

LENGTH: 30

EDIT CRITERIA

Free form.

SCREEN NAME: **ADDRESS (DODAAC SECOND LINE)**
ACCESS NAME: DRMO-DODAAC-LINE2-ADRS
ENTITY: DRMO
DESCRIPTIVE NAME: DRMO DODAAC ADDRESS LINE 2
DATA ELEMENT DEFINITION:
Continuation of the local address for a particular DODAAC (e.g., Attn: Mail Stop 54).
FORMAT: Alphanumeric
LENGTH: 30
EDIT CRITERIA
Free form.

SCREEN NAME: **ADDRESS (GSA FIRST LINE)**
ACCESS NAME: GSA-LINE1-ADRS
ENTITY: GSA
DESCRIPTIVE NAME: GSA LINE 1 ADDRESS
DATA ELEMENT DEFINITION:
The local street/route/box number of a particular GSA Office.
FORMAT: Alphanumeric
LENGTH: 30
EDIT CRITERIA
Installation specific. Maintained in the NPDMS GSA Region Table-005.

SCREEN NAME: **ADDRESS (GSA SECOND LINE)**
ACCESS NAME: GSA-LINE2-ADRS
ENTITY: GSA
DESCRIPTIVE NAME: GSA LINE 2 ADDRESS
DATA ELEMENT DEFINITION:
Continuation of the local address for a particular GSA Office (e.g., Attn: Mail Stop 54).
FORMAT: Alphanumeric
LENGTH: 30
EDIT CRITERIA
Installation specific. Must be on the NPDMS GSA Region Table-005.

SCREEN NAME: **ADDRESS (INST FIRST LINE)**

ACCESS NAME: INST-LINE1-ADRS

ENTITY: NASA INSTALLATION

DESCRIPTIVE NAME: INSTALLATION LINE 1 ADDRESS

DATA ELEMENT DEFINITION:

The local street/route/box number of a particular NASA Installation.

FORMAT: Alphanumeric

LENGTH: 30

EDIT CRITERIA

Maintained in the NPDMS Center Profile Table-050.

SCREEN NAME: **ADDRESS (INST RPTNG CNTCT FIRST LINE)**

ACCESS NAME: INST-RPTNG-CNTCT-LINE1-ADRS

ENTITY: NASA INSTALLATION

DESCRIPTIVE NAME: REPORTING INSTALLATION CONTACT ADDRESS LINE 1

DATA ELEMENT DEFINITION:

The most current local street/route/box number of a reporting installation's person to contact.

FORMAT: Alphanumeric

LENGTH: 30

EDIT CRITERIA

Default maintained in the NPDMS Center Profile Table-050 (INST-LINE1-ADRS). If changed, free form but may not be blank.

SCREEN NAME: **ADDRESS (INST RPTNG CNTCT SECOND LINE)**

ACCESS NAME: INST-RPTNG-CNTCT-LINE2-ADRS

ENTITY: NASA INSTALLATION

DESCRIPTIVE NAME: REPORTING INSTALLATION CONTACT ADDRESS LINE 2

DATA ELEMENT DEFINITION:

Continuation of the most current local address of a reporting installation's person to contact.

FORMAT: Alphanumeric

LENGTH: 30

EDIT CRITERIA

Default maintained in the NPDMS Center Profile Table-050 (INST-LINE2-ADRS). If changed, free form.

SCREEN NAME: ADDRESS (INST SECOND LINE)
ACCESS NAME: INST-LINE2-ADRS
ENTITY: NASA INSTALLATION
DESCRIPTIVE NAME: INSTALLATION LINE 2 ADDRESS
DATA ELEMENT DEFINITION:
Continuation of the local address for a particular NASA Installation (e.g., Property and Supply Branch, Code 235.2).
FORMAT: Alphanumeric
LENGTH: 30
EDIT CRITERIA
Maintained in the NPDMS Center Profile Table-050.

SCREEN NAME: ADDRESS (LCTN FIRST LINE)
ACCESS NAME: PROP-LCTN-LINE1-ADRS
ENTITY: IDLE NASA PROPERTY
DESCRIPTIVE NAME: PROPERTY LOCATION LINE 1 ADDRESS
DATA ELEMENT DEFINITION:
The local street/route/box number of a particular item of property, if different than the INST-LINE1-ADRS.
FORMAT: Alphanumeric
LENGTH: 30
EDIT CRITERIA
Generated (pulled) from Center Profile Table and modifiable.

SCREEN NAME: ADDRESS (LCTN SECOND LINE)
ACCESS NAME: PROP-LCTN-LINE2-ADRS
PROP-LCTN-PODI-EMAIL-ADRS
PODI Email Address
ENTITY: IDLE NASA PROPERTY
DESCRIPTIVE NAME: PROPERTY LOCATION LINE 2 ADDRESS

DATA ELEMENT DEFINITION:

Continuation of the local address for a particular item of property (e.g., Property and Supply Branch, Code 235.2), if different than the INST-LINE2-ADRS.

FORMAT: Alphanumeric

LENGTH: 30

EDIT CRITERIA

Generated (pulled) from Center Profile Table and modifiable.

SCREEN NAME: ADDRESS (RECIPIENT FIRST LINE)

ACCESS NAME: RCPNT-ADRS-LINE1-TEXT

ENTITY:

DESCRIPTIVE NAME: RECIPIENT LINE 1 ADDRESS

DATA ELEMENT DEFINITION:

The local street/route/box number of the property recipient.

FORMAT: Alphanumeric

LENGTH: 30

EDIT CRITERIA:

Must be entered, free form. Maintained in NPDMS Recipient Table-170.

SCREEN NAME: ADDRESS (RECIPIENT SECOND LINE)

ACCESS NAME: RCPNT-ADRS-LINE2-TEXT

ENTITY:

DESCRIPTIVE NAME: RECIPIENT LINE 2 ADDRESS

DATA ELEMENT DEFINITION:

Continuation of the local street/route/box number of the property recipient.

FORMAT: Alphanumeric

LENGTH: 30

EDIT CRITERIA:

Optional entry, free form. Maintained in NPDMS Recipient Table-170.

SCREEN NAME: ADDRESS (RQSTR FIRST LINE)

ACCESS NAME: RQSTR-LINE1-ADRS

ENTITY: REQUESTOR
DESCRIPTIVE NAME: REQUESTOR ADDRESS LINE 1
DATA ELEMENT DEFINITION:
The local street/route/box number of the property Requestor.
FORMAT: Alphanumeric
LENGTH: 30
EDIT CRITERIA
Free form.

SCREEN NAME: ADDRESS (RQSTR SECOND LINE)
ACCESS NAME: RQSTR-LINE2-ADRS
ENTITY: REQUESTOR
DESCRIPTIVE NAME: REQUESTOR ADDRESS LINE 2
DATA ELEMENT DEFINITION:
Continuation of the local address of the property Requestor (e.g., Attn: Mail Stop 54).
FORMAT: Alphanumeric
LENGTH: 30
EDIT CRITERIA
Free form.

SCREEN NAME: ADJ DESC
ACCESS NAME: PROP-CNDTN-ADJSTMNT-DESC
ENTITY: IDLE NASA PROPERTY
DESCRIPTIVE NAME: PROPERTY CONDITION ADJUSTMENT DESCRIPTION
DATA ELEMENT DEFINITION:
An explanation as to why the property's physical condition or cost, or quantity was adjusted.
FORMAT: Alphanumeric
LENGTH: 80
EDIT CRITERIA
Free form but must be entered if the PROP-CNDTN-CODE, or PROP-ADJSTD-ACQSTN-COST-AMT, PROP-CUR-AVLBL-QTY is changed during a Receipt (T02) or Change (E02) transaction.

SCREEN NAME: **ADJ DESCRIPTION**
ACCESS NAME: PROP-CNDTN-ADJSTMNT-DESC
ENTITY: IDLE NASA PROPERTY
DESCRIPTIVE NAME: PROPERTY CONDITION ADJUSTMENT DESCRIPTION
DATA ELEMENT DEFINITION:
An explanation as to why the property's physical condition or cost, or quantity was adjusted.
FORMAT: Alphanumeric
LENGTH: 80
EDIT CRITERIA
Free form but must be entered if the PROP-CNDTN-CODE, or PROP-ADJSTD-ACQSTN-COST-AMT, PROP-CUR-AVLBL-QTY is changed during a Receipt (T02) or Change (E02) transaction.

SCREEN NAME: **ADJ - RECEIVED QTY**
ACCESS NAME: PROP-CUR-AVLBL-QTY
ENTITY: IDLE NASA PROPERTY
DESCRIPTIVE NAME: PROPERTY CURRENT AVAILABLE QUANTITY
DATA ELEMENT DEFINITION:
The current number of available items of personal property.
FORMAT: Numeric
LENGTH: 5.0
EDIT CRITERIA
Calculated; minus PROP-DSPSTN-QTY for disposition transactions; plus PROP-DSPSTN-QTY for disposition reversal transactions. Entered user value at time of add or change.

SCREEN NAME: **ADJUSTMENTS DESCRIPTION**
ACCESS NAME: PROP-CNDTN-ADJSTMNT-DESC
ENTITY: IDLE NASA PROPERTY
DESCRIPTIVE NAME: PROPERTY CONDITION ADJUSTMENT DESCRIPTION
DATA ELEMENT DEFINITION:
An explanation as to why the property's physical condition or cost, or quantity was adjusted.
FORMAT: Alphanumeric
LENGTH: 80
EDIT CRITERIA
Free form but must be entered if the PROP-CNDTN-CODE, or PROP-ADJSTD-ACQSTN-COST-AMT, PROP-CUR-AVLBL-QTY is changed during a Receipt (T02) or Change (E02) transaction.

SCREEN NAME: **ADPE IDENTIFICATION**

ACCESS NAME: PROP-ADP-CTGRY-ID

ENTITY: IDLE NASA PROPERTY

DESCRIPTIVE NAME: ADPE PROPERTY CATEGORY IDENTIFICATION

DATA ELEMENT DEFINITION:

Identifies the category of Automated Data Processing Equipment and associated supplies and equipment.

FORMAT: Alphanumeric

LENGTH: 1.0

EDIT CRITERIA

Maintained in the NPDMS ADPE Identification Code Table - 075.

0 = Items with no ADP components;

1 = Analog CPUs, ADP central processing units for computers analog;

2 = Digital CPUs, ADP central processing units for computers;

3 = Hybrid CPUs, ADP central processing units for computers;

4 = ADPE input/output and storage devices used to control and transfer information to and from a CPU;

5 = ADP accessorial equipment;

6 = Computer-readable format equipment;

7 = ADP supplies and support equipment;

8 = ADP components;

9 = To be assigned to an item containing embedded ADPE that meets one or more of the definitions for codes 1 through 6.

SCREEN NAME: **ADPE IDENTIFICATION CODE**

ACCESS NAME: SYS-REC-KEY

ENTITY: SYSTEM

DESCRIPTIVE NAME: SYSTEM RECORD KEY

DATA ELEMENT DEFINITION:

The values used with the SYS-TBL-ID providing access to the NPDMS Table File Records.

FORMAT: Alphanumeric

LENGTH: 10

EDIT CRITERIA

SYS-USER-ID for the User Access Table-001;

GSA-RGN-CODE for the GSA Region Table-005;

DRMO-DODAAC-CODE for the DRMO Routing Identifier Code Table-010;

CSTDN-ACNT-NMBR for the Exception Processing Table-015;

PROP-FSC-CODE for the Federal Supply Classification Code Table-020;

PROP-UOM-CODE for the Unit of Measure Table-025;
 PROP-SPLY-CNDTN-CODE for the Supply Condition Code Table-030;
 PROP-DSPSL-CNDTN-CODE for the Disposal Condition Code Table-035;
 INST-FEDAAC-CODE for the Performance Measures Table-040;
 PROP-DML-CODE for the Demilitarization Code Table-045;
 INST-NMBR for the Center Profile Table-050;
 INST-NMBR for Property Location Table-051;
 INST-NMBR, RPT-MAINT-JOB-TYPE & RPT-MAINT-JOB-NMBR for the Report/Maintenance Selection Table-055;
 NSMS-FIXED-SHELF-LIFE-CODE for Fixed Shelf Life Code Table-060;
 NSMS-SHELF-LIFE-EXTNSN-CODE for Shelf Life Extension Code Table-062;
 PROP-HAZMAT-CODE for Hazardous Materials Code Table-065;
 DRMO-CNTRLD-INV-ITEM-CODE for the Controlled Inventory Item Code Table-070;
 PROP-ADP-CTGRY-ID for the ADPE ID Code Table-075
 PROP-PRCS-MTLS-CODE for the Precious Metals Code Table-080;
 PROP-MMAC-CODE for the MMAC Table-085;
 DRMO-DSPSL-ATHRTY-CODE for the Disposal Authority Code Table-090;
 DRMO ADDITIONAL DATA CODE for the DRMO Additional Data Code Table-095;
 'ECN' & INST-NMBR for the Excess Case Number Serial Number Record-100;
 INST-NMBR for Installation Code Table-105;
 'ERN' & INST-NMBR for the Entry Reference Number Serial Number Record-110;
 'DOD' and INST-NMBR for the DRMO 1348 Serial Number Record-112;
 'SAL' and INST-NMBR for the Sale Number Serial Number Record-113;
 NEM' & INST-NMBR for the NP/NEMS Entry Reference Number Serial Number Record-115;
 INST-NMBR & RPT-END-DATE for the Monthly 623 Report Balance Record-120;
 INST-NMBR & RPT-END-DATE for the Annual 623 Report Balance Record-125;
 INST-NMBR & RPT-END-DATE for the 1800 Report Balance Record-130;
 'RCT' & INST-NMBR for the Sale Slip Serial Number Record-135;
 RPT-MAINT-JOB-TYPE & RPT-MAINT-JOB-NMBR for the JCL Table-140;
 PRINTER DESTINATION CODE for the Printer Destination Table-145;
 STATE ABBREVIATION for the State Table-150;
 INST-NMBR and PROPERTY TYPE for Screening Days Table-155;
 INST-DFLT-REIM-CODE for Reimbursement Code Table-160;
 PROP-HAZMAT-IND for Hazardous Material Indicator Code Table-165;
 RECIPIENT-CODE for Recipient Name Table-170;
 RCPNT-TYPE-CODE for Transfer Type Table-180;
 RCPNT-SUBTYPE-CODE for Transfer Subtype Table-190.

SCREEN NAME: **AGENCY IND**
ACCESS NAME: AGENCY-ID
ENTITY: FEDERAL AGENCY
DESCRIPTIVE NAME: FEDERAL AGENCY IDENTIFIER

DATA ELEMENT DEFINITION:

The acronym designated by the General Services Administration to identify the various NASA reporting locations loaded in GSA's FSS-23. See AGENCY-SITE-CODE for assigned acronym.

FORMAT: Alphanumeric

LENGTH: 4

EDIT CRITERIA

Installation specific. Maintained in the NPDMS Center Profile Table-050. Current values are:
NASA; NARC; NFRC; NGSC; NJPL; NJSC; NKSC; NLRC; NLEW; NMSC; NMAF; NSTL;
NWFC; NGTS; NREC.

SCREEN NAME:

AGENCY NAME

ACCESS NAME: RQSTR-ORGNZTN-NAME

ENTITY: REQUESTOR

DESCRIPTIVE NAME: REQUESTOR ORGANIZATION NAME

DATA ELEMENT DEFINITION:

The name identifying the organization, association, etc. requesting an item of personal property available for transfer, exchange, sale, donation, etc.

FORMAT: Alphanumeric

LENGTH: 40

EDIT CRITERIA

Free form.

SCREEN NAME:

AGENCY NAME (ABANDONED OR

DESTROYED PROPERTY)

ACCESS NAME: PROP-ABNDSTRYD-SITE-NAME

ENTITY: IDLE NASA PROPERTY

DESCRIPTIVE NAME: ABANDONED OR DESTROYED PROPERTY SITE NAME

DATA ELEMENT DEFINITION:

The name of the site where property was abandoned or destroyed.

FORMAT: Alphanumeric

LENGTH: 40

EDIT CRITERIA

Free form.

SCREEN NAME:

AGENCY/BUREAU CODE

ACCESS NAME: AGENCY-SITE-CODE

ENTITY: FEDERAL AGENCY

DESCRIPTIVE NAME: FEDERAL AGENCY SITE CODE

DATA ELEMENT DEFINITION:

A code used when reporting property to the General Services Administration via electronic media to identify the source of the data. The first two digits of the code identify to GSA the Federal Agency (80 is NASA) with the third and fourth digits of the code indicating the next major organizational level (Bureau) in that Federal Agency. In the case of NASA the third and fourth digits identify the NASA centers.

FORMAT: Alphanumeric

LENGTH: 4.0

EDIT CRITERIA

Installation specific. Maintained in the NPDMS Center Profile Table-050.

8000 = NASA;

8002 = NARC;

8003 = NFRC;

8004 = NGSC;

8005 = NJPL;

8006 = NJSC;

8007 = NKSC;

8008 = NLRC;

8009 = NLEW;

8010 = NMSC;

8011 = NMAF;

8012 = NSTL;

8014 = NWFC;

8017 = NGTS;

8097 = NREC.

SCREEN NAME: ALLOW IMMEDIATE SUBMISSION

ACCESS NAME: RPT-IMMED-SUBMSN-IND

ENTITY:

DESCRIPTIVE NAME: IMMEDIATE REPORT SUBMISSION INDICATOR

DATA ELEMENT DEFINITION:

Indicates if a report is to be submitted for immediate printing rather than being held until the run of the nightly batch process.

FORMAT: Alphanumeric

LENGTH: 1

EDIT CRITERIA

Y = immediate submission, blank = normal batch run.

SCREEN NAME: **APPROPRIATION ACCT NO.**
ACCESS NAME: PROP-APRPRTN-ACNT-NMBR
ENTITY: IDLE NASA PROPERTY
DESCRIPTIVE NAME: PROPERTY APPROPRIATION ACCOUNT NUMBER

DATA ELEMENT DEFINITION:

The appropriation account number for those idle cases where the net proceeds from a property disposition are authorized to be turned over to the reporting agency and not deposited in the U.S. Treasury as miscellaneous receipts. In most cases, proceeds from the sale of personal property shall be deposited into the U.S. Treasury as miscellaneous receipts. The exceptions are:

- 1)- where property sold was originally acquired by funds not appropriated from the general fund of the Treasury, or appropriated therefrom and by law reimbursable from assessments, taxes, or other revenues;
- 2)- where any contract entered into by any executive agency or any subcontract under such contract authorizes the proceeds of any sale of contractor inventory to be credited to the price or cost of the work covered by such contract or subcontract;
- 3)- when acquiring replacement personal property, similar items may be exchanged or sold and executive agencies are authorized to apply the exchange allowance or the proceeds from sale in such cases in total or in partial payment for the replacement property acquired; and
- 4)- Proceeds from the sale of abandoned or other unclaimed property shall be deposited in a special fund by the finding agency for a period of 3 years.

In exceptions 1) and 2) above, proceeds from the sale of such property will be deposited by the selling agency or by contractor or subcontractor to the reimbursable fund or appropriation or paid to the federal agency accountable for the property. Proceeds from the sale of property identified for Exchange/Sale may be applied in whole or part payment for similar items acquired for replacement purposes.

FORMAT: Alphanumeric
LENGTH: 48

EDIT CRITERIA

The specific appropriation account number or the appropriation station deposit symbol may be entered when the Reimbursement Code indicates that any proceeds from an exchange/sale of the property are to be returned to the reporting agency.

NOTE: Default appropriation account numbers may be entered for each reimbursement code maintained on the NPDMS reimbursement Code Table-160.

SCREEN NAME: **APPROPRIATION DATA**
ACCESS NAME: PROP-APRPRTN-ACNT-NMBR
ENTITY: IDLE NASA PROPERTY
DESCRIPTIVE NAME: PROPERTY APPROPRIATION ACCOUNT NUMBER

DATA ELEMENT DEFINITION:

The appropriation account number for those idle cases where the net proceeds from a property disposition are authorized to be turned over to the reporting agency and not deposited in the U.S.

Treasury as miscellaneous receipts. In most cases, proceeds from the sale of personal property shall be deposited into the U.S. Treasury as miscellaneous receipts. The exceptions are:

- 1)- where property sold was originally acquired by funds not appropriated from the general fund of the Treasury, or appropriated therefrom and by law reimbursable from assessments, taxes, or other revenues;
- 2)- where any contract entered into by any executive agency or any subcontract under such contract authorizes the proceeds of any sale of contractor inventory to be credited to the price or cost of the work covered by such contract or subcontract;
- 3)- when acquiring replacement personal property, similar items may be exchanged or sold and executive agencies are authorized to apply the exchange allowance or the proceeds from sale in such cases in total or in partial payment for the replacement property acquired; and
- 4)- Proceeds from the sale of abandoned or other unclaimed property shall be deposited in a special fund by the finding agency for a period of 3 years.

In exceptions 1) and 2) above, proceeds from the sale of such property will be deposited by the selling agency or by contractor or subcontractor to the reimbursable fund or appropriation or paid to the federal agency accountable for the property. Proceeds from the sale of property identified for Exchange/Sale may be applied in whole or part payment for similar items acquired for replacement purposes.

FORMAT: Alphanumeric

LENGTH: 48

EDIT CRITERIA

The specific appropriation account number or the appropriation station deposit symbol may be entered when the Reimbursement Code indicates that any proceeds from an exchange/sale of the property are to be returned to the reporting agency.

NOTE: Default appropriation account numbers may be entered for each reimbursement code maintained on the NPDMS reimbursement Code Table-160.

SCREEN NAME:

APPROVED BY

ACCESS NAME: PROP-TXN-APRVD-NAME

ENTITY: IDLE NASA PROPERTY

DESCRIPTIVE NAME: PROPERTY TRANSACTION APPROVED NAME

DATA ELEMENT DEFINITION:

The name of the GSA individual who verbally approved the property disposal.

FORMAT: Alphanumeric

LENGTH: 30

EDIT CRITERIA

Free form

SCREEN NAME: **APPROVED (TFR DCMT)**
ACCESS NAME: PROP-TRNSFR-DCMNT-APRVD-DATE
ENTITY: IDLE NASA PROPERTY
DESCRIPTIVE NAME: DATE PROPERTY TRANSFER DOCUMENT APPROVED
DATA ELEMENT DEFINITION:
The calendar date the authorized Government official (GSA or NASA) approved the paper transfer documentation needed to accomplish the disposal of personal property. This date is normally found on the appropriate transfer documentation immediately following the signature of the authorized approving Government official.
FORMAT: D
LENGTH:
EDIT CRITERIA
User entered. Display format: MM = 1-12, DD = 1-31 consistent with the month, YY or YYYY = current year. Stored in Internal Date format.

SCREEN NAME: **ARTIFACT**
ACCESS NAME: PROP-ARTFCT-IND
ENTITY: IDLE NASA PROPERTY
DESCRIPTIVE NAME: PROPERTY ARTIFACT INDICATOR
DATA ELEMENT DEFINITION:
An indicator which identifies unique objects that document the history of science and technology of aeronautics, astronautics and flight in atmosphere and space.
FORMAT: Alphanumeric
LENGTH: 1
EDIT CRITERIA
Y = yes; Blank = no, Default is no.

SCREEN NAME: **ARTIFACT (COMPONENT SYSTEM)**
ACCESS NAME: CMPNT-ARTFCT-IND
ENTITY: COMPONENT SYSTEM
DESCRIPTIVE NAME: COMPONENT SYSTEM ARTIFACT INDICATOR
DATA ELEMENT DEFINITION:
Used to indicate that an item of property belonging to a component system is an artifact.
FORMAT: Alphanumeric
LENGTH: 1

EDIT CRITERIA

Possible values are 'Y' and 'blank'.

SCREEN NAME: AVERAGE PROCESSING DAY

ACCESS NAME: AGENCY-AVRG-PRCSNG-DAYS-CNT

ENTITY: FEDERAL AGENCY

DESCRIPTIVE NAME: AGENCY AVERAGE PROCESSING DAYS COUNT

DATA ELEMENT DEFINITION:

A standard rate established by NASA Headquarters for the number of line items redistributed outside of NASA (Including NASA Contractors and Grantees) divided by the total line items reported excess to the Property Disposal Officer plus the total line items formally screened through NEMS but not reported to the PDO as excess, expressed by a percentage.

FORMAT: Packed

LENGTH: 3.0

EDIT CRITERIA

As supplied by HQ NASA and entered by the user. Stored on the NPDMS Performance Measures Table-040.

SCREEN NAME: BEGIN DATE (REPORTS)

ACCESS NAME: RPT-BGN-DATE

ENTITY: REPORT

DESCRIPTIVE NAME: REPORT BEGIN DATE

DATA ELEMENT DEFINITION:

The calendar date indicating the beginning of a specific reporting cycle.

FORMAT: D

LENGTH:

EDIT CRITERIA

User entered. Internal Date Format.

SCREEN NAME: BID AMOUNTS

ACCESS NAME: PROP-BID-AMT

ENTITY: IDLE NASA PROPERTY

DESCRIPTIVE NAME: PROPERTY BID AMOUNT

DATA ELEMENT DEFINITION:

The amount of money an individual, or organization/company, is bidding to be considered for award of a specific property lot offered for sale. If awarded the sale and the full PROP-BID-AMT is received in payment for the personal property, the bid amount becomes (is moved to) the PROP-SALE-PRCDS-AMT.

FORMAT: Packed

LENGTH: 10.2

EDIT CRITERIA

Must be entered, any dollar amount greater than zero.

SCREEN NAME:

BID MODIFICATION AMOUNT

ACCESS NAME: PROP-BID-MDFCTN-AMT

ENTITY: IDLE NASA PROPERTY

DESCRIPTIVE NAME: PROPERTY BID AMOUNT MODIFICATION

DATA ELEMENT DEFINITION:

Contains the modified (correct) bid amount determined by an apparent clerical mistake. Any clerical mistake apparent on the face of a bid may be corrected by the sales contracting officer prior to award if the sales contracting officer has first obtained from the bidder verification of the bid amount actually intended (e.g., a bidder bids \$10 each on 10 units, but shows an extended price of \$1,000.00).

FORMAT: Packed

LENGTH: 10.2

EDIT CRITERIA

User entered, any dollar amount greater than zero.

SCREEN NAME:

BIDDER NO

ACCESS NAME: PROP-BIDDER-NMBR; SYS-REC-KEY

ENTITY: IDLE NASA PROPERTY

DESCRIPTIVE NAME: PROPERTY BIDDER NUMBER

DATA ELEMENT DEFINITION:

A unique number used to identify a specific individual or organization/company submitting a competitive bid for consideration to acquire a specific property lot offered for sale. Also used to access the NPDMS Bidder file to extract specific bidder information (e.g., name, address, bid amount, etc.) for reporting and award purposes.

FORMAT: Alphanumeric

LENGTH: 10

EDIT CRITERIA

User entered, free form.

SCREEN NAME:

BIDDER NUMBER

ACCESS NAME:

PROP-BIDDER-NMBR; SYS-REC-KEY

ENTITY:

IDLE NASA PROPERTY

DESCRIPTIVE NAME:

PROPERTY BIDDER NUMBER

DATA ELEMENT DEFINITION:

A unique number used to identify a specific individual or organization/company submitting a competitive bid for consideration to acquire a specific property lot offered for sale. Also used to access the NPDMS Bidder file to extract specific bidder information (e.g., name, address, bid amount, etc.) for reporting and award purposes.

FORMAT:

Alphanumeric

LENGTH:

10

EDIT CRITERIA

User entered- free form.

SCREEN NAME:

BIN ID

ACCESS NAME:

PROP-LCTN-BIN-ID

ENTITY:

IDLE NASA PROPERTY

DESCRIPTIVE NAME:

PROPERTY LOCATION BIN IDENTIFICATION

DATA ELEMENT DEFINITION:

Identification of the physical storage Bin where an asset is located. The first two characters of this field identifies the primary Bin.

FORMAT:

Alphanumeric

LENGTH:

11

EDIT CRITERIA

Supplied by NSMS through the batch interface. Example: BIN-ID = WW-S-RRR-L-BBB-C
WHERE: WW= Warehouse-Id S = Stockroom RRR = Row L = Level or Shelf (starting from the floor) BBB = Bin C = Compartment

NOTE: The PROP-LCTN-BIN-ID will be stored without the dashes ('-').

SCREEN NAME: **BINDING**
ACCESS NAME: INST-RPT-BNDNG-CODE
ENTITY: NASA INSTALLATION
DESCRIPTIVE NAME: INSTALLATION REPORT BINDING CODE

DATA ELEMENT DEFINITION:

This field contains a one character default code that is used to designate how the output for a specific NPDMS report or maintenance job should be bound.

FORMAT: Alphanumeric

LENGTH: 1

EDIT CRITERIA

S = Stapled; U = Unbound; V = Velobound.

SCREEN NAME: **BINDING INSTRUCTIONS**
ACCESS NAME: RPT-BNDNG-CODE
ENTITY: REPORT
DESCRIPTIVE NAME: REPORT BINDING CODE

DATA ELEMENT DEFINITION:

This field contains a one character code that is used to designate how the output for a specific NPDMS report or maintenance job should be bound.

FORMAT: Alphanumeric

LENGTH: 1

EDIT CRITERIA

S = Stapled; U = Unbound; V = Velobound.

SCREEN NAME: **BLDG (INST CNTCT)**
ACCESS NAME: INST-CNTCT-BLDG-ADRS
ENTITY: NASA INSTALLATION
DESCRIPTIVE NAME: INSTALLATION CONTACT BUILDING ADDRESS

DATA ELEMENT DEFINITION:

The default building number where the reporting installation's contact (person) is located. Must be a valid number on NEMS Table 102 for controlled property.

FORMAT: Alphanumeric

LENGTH: 10

EDIT CRITERIA

Must match an entry on the NEMS Table 102 for controlled property. Maintained in the NPDMS Center Profile Table-050.

SCREEN NAME: **BLDG (LCTN)**
ACCESS NAME: PROP-LCTN-BLDG-ADRS
ENTITY: IDLE NASA PROPERTY
DESCRIPTIVE NAME: PROPERTY LOCATION BUILDING ADDRESS

DATA ELEMENT DEFINITION:

The number of the building or other generalized location where the personal property is located. This number must be a valid building number on NEMS Table 102.

FORMAT: Alphanumeric
LENGTH: 10

EDIT CRITERIA

For Controlled Property must be on NEMS Table-102; NOC = not on center. Optional user entry for Non-controlled property.

SCREEN NAME: **BLDG (RQSTR)**
ACCESS NAME: RQSTR-BLDG-ADRS
ENTITY: REQUESTOR
DESCRIPTIVE NAME: REQUESTOR BUILDING ADDRESS

DATA ELEMENT DEFINITION:

The number of the building or other generalized location where the personal property will be located. If a Controlled T05, then Building must match NEMS Table 102.

FORMAT: Alphanumeric
LENGTH: 10

EDIT CRITERIA

For Controlled property, Building must match NEMS Table 102.

SCREEN NAME: **BUILDING**
ACCESS NAME: PROP-LCTN-BLDG-ADRS
ENTITY: IDLE NASA PROPERTY
DESCRIPTIVE NAME: PROPERTY LOCATION BUILDING ADDRESS

DATA ELEMENT DEFINITION:

The number of the building or other generalized location where the personal property is located. This number must be a valid building number on NEMS Table 102.

FORMAT: Alphanumeric

LENGTH: 10

EDIT CRITERIA

For Controlled Property must be on NEMS Table 102; NOC = not on center. Optional user entry for non-controlled property.

SCREEN NAME: CAP SENS CODE

ACCESS NAME: PROP-CPTL-SNSTVTY-CODE

ENTITY: IDLE NASA PROPERTY

DESCRIPTIVE NAME: CAPITAL PROPERTY SENSITIVITY CODE

DATA ELEMENT DEFINITION:

The mechanism for reporting capital equipment items to the financial management organization for entry in the general ledger 1500-series accounts established for equipment. The six capital/sensitive codes provide the distinction among capital, capital-sensitive, noncapital-sensitive, noncapital-nonsensitive controlled, contractor-held, and noncontrolled equipment items for reporting and control purposes.

FORMAT: Alphanumeric

LENGTH: 1

EDIT CRITERIA

Maintained in the NEMS Table - 130 valid codes are:

M = Capital Equipment - Nonsensitive

N = Non-capital Equipment - Sensitive

P = Capital equipment - Sensitive

Q = Non-capital Nonsensitive controlled equipment

E = Contractor equipment - Reportable for reutilization

X = Non-controlled Equipment

SCREEN NAME: **CATEGORY**
ACCESS NAME: PROP-CTGRY-CODE
ENTITY:
DESCRIPTIVE NAME: PROPERTY CATEGORY CODE
DATA ELEMENT DEFINITION:

The 1 character code for the category of the transaction. Valid values are:

S = Stevenson/Wydler

B = SBIR

O = Other

FORMAT: Alphanumeric

LENGTH: 1

EDIT CRITERIA:

Must be equal S, B, or O.

SCREEN NAME: **CC**
ACCESS NAME: PROP-CNDTN-CODE-GRP
ENTITY: IDLE NASA PROPERTY
DESCRIPTIVE NAME: PROPERTY CONDITION CODE

DATA ELEMENT DEFINITION:

A code that indicates the physical condition and usability of personal property.

FORMAT: Alphanumeric

LENGTH: 2

EDIT CRITERIA

A one position right-justified entry indicates the PROP-DSPSL-CNDTN-CODE along with the valid values being:

1 = Excellent, Property which is in new condition or unused condition and can be used immediately without modifications or repairs.

4 = Usable, Property which shows some wear, but can be used without significant repair.

7 = Repairable, Property which is unusable in its current condition, but can be economically repaired.

X = Salvage, Property which has value in excess of its basic material content, but repair or rehabilitation is impractical and/or uneconomical. Purpose is clearly impractical. Repair for any use would exceed 65% of the original acquisition cost.

S = Scrap, Property which has no value except basic material content.

A two position entry indicates the inclusion of the PROP-SPLY-CNDTN-CODE in the first position. This code is mandatory for all DRMO excess, with the valid values being:

A = Serviceable - issue w/o qualification;

B = Serviceable - with qualification;

C = Serviceable - priority issue;
D = Serviceable - test / modification;
E = Unserviceable - limited restoration;
F = Unserviceable - repairable;
G = Unserviceable - incomplete;
H = Unserviceable - condemned;
S = Unserviceable - scrap.

Must match an entry in the NPDMS Supply Condition Code Table-030 and/or the NPDMS Disposal Condition Code Table-035.

SCREEN NAME: CC (COMPONENT SYSTEM)
ACCESS NAME: CMPNT-CNDTN-CODE-GRP
ENTITY: COMPONENT SYSTEM
DESCRIPTIVE NAME: COMPONENT SYSTEM CONDITION CODE

DATA ELEMENT DEFINITION:

A code that indicates the overall physical condition and serviceability of a component system idle property.

NOTE: This field will be blank if the property is not part of a component system.

FORMAT: Alphanumeric

LENGTH: 2

EDIT CRITERIA

User entered, see PROP-CNDTN-CODE-GRP for **EDIT CRITERIA**.

SCREEN NAME: CENTER CONTACT
ACCESS NAME: INST-CNTCT-NAME
ENTITY: NASA INSTALLATION
DESCRIPTIVE NAME: INSTALLATION CONTACT NAME

DATA ELEMENT DEFINITION:

The default reporting installation contact (person's name).

FORMAT: Alphanumeric

LENGTH: 30

EDIT CRITERIA

Maintained in the NPDMS Center Profile Table-050.

SCREEN NAME: **CENTER NAME**
ACCESS NAME: INST-DFLT-NAME
ENTITY: NASA INSTALLATION
DESCRIPTIVE NAME: INSTALLATION DEFAULT NAME
DATA ELEMENT DEFINITION:
The reporting installation name (e.g., NASA / Goddard Space Flight Center).
FORMAT: Alphanumeric
LENGTH: 40
EDIT CRITERIA
Maintained in the NPDMS Center Profile Table-050.

SCREEN NAME: **CERTIFIER'S NAME**
ACCESS NAME: PROP-Y2K-CRTFR-NAME
ENTITY:
DESCRIPTIVE NAME: PROPERTY Y2K CERTIFER'S NAME
DATA ELEMENT DEFINITION:
Name of person certifying the Y2K status of the property.
FORMAT: Alphanumeric
LENGTH: 30
EDIT CRITERIA:
Free form but must be entered for FSG 65 (Medical).

SCREEN NAME: **CHANGE ANOTHER ITEM (Y/N)**
ACCESS NAME: NOT MAINTAINED
ENTITY:
DESCRIPTIVE NAME:
DATA ELEMENT DEFINITION:
This field allows for changing of another item record associated with a particular property case number.
FORMAT: Alphanumeric
LENGTH: 1
EDIT CRITERIA
The possible values are Y or N.

SCREEN NAME: CHOICE
ACCESS NAME: NOT MAINTAINED
ENTITY:

DESCRIPTIVE NAME:

DATA ELEMENT DEFINITION:

A one character field used to navigate within the case review process. This field is used on ND4000MA, ND4000MB, ND4000MC and ND4000MD.

FORMAT: Alphanumeric

LENGTH: 1

EDIT CRITERIA

The possible values are Next Item = I, Scr Dates = S, Frz Data = F, Txn Data = T, Exit = . (period).

SCREEN NAME: CHOICE
ACCESS NAME: NOT MAINTAINED
ENTITY:

DESCRIPTIVE NAME:

DATA ELEMENT DEFINITION:

A one character field that allows the user to choose an awardee. This field is used on ND4950MB.

FORMAT: Alphanumeric

LENGTH: 1

EDIT CRITERIA

The possible values are X or blank.

SCREEN NAME: CITY (ABNDSTRYD)
ACCESS NAME: PROP-ABNDSTRYD-CITY-ADRS
ENTITY: IDLE NASA PROPERTY
DESCRIPTIVE NAME: ABANDONED OR DESTROYED PROPERTY SITE CITY ADDRESS

DATA ELEMENT DEFINITION:

The city of the site where property was abandoned or destroyed.

FORMAT: Alphanumeric

LENGTH: 20

EDIT CRITERIA

Free form.

SCREEN NAME: CITY (BIDDER)
ACCESS NAME: PROP-BIDDER-CITY-ADRS
ENTITY: IDLE NASA PROPERTY
DESCRIPTIVE NAME: PROPERTY BIDDER CITY ADDRESS

DATA ELEMENT DEFINITION:

The city where the individual, or organization/company, submitting a competitive bid for consideration to acquire a specific property lot offered for sale is located.

FORMAT: Alphanumeric

LENGTH: 20

EDIT CRITERIA

Free form. If a particular bidder is awarded the sale, this field is moved to the RQSTR-CITY-ADRS on the transaction record.

SCREEN NAME: CITY (DRMO DODAAC)
ACCESS NAME: DRMO-DODAAC-CITY-ADRS
ENTITY: DRMO
DESCRIPTIVE NAME: DRMO DODAAC CITY ADDRESS

DATA ELEMENT DEFINITION:

The city where a particular DODAAC is located.

FORMAT: Alphanumeric

LENGTH: 20

EDIT CRITERIA

Free form. Maintained in the NPDMS DRMO DODAAC Code Table-010.

SCREEN NAME: CITY (GSA)
ACCESS NAME: GSA-CITY-ADRS
ENTITY: GSA
DESCRIPTIVE NAME: GSA CITY ADDRESS

DATA ELEMENT DEFINITION:

The city where a particular GSA office is located.

FORMAT: Alphanumeric

LENGTH: 20

EDIT CRITERIA

Installation specific. Maintained in the NPDMS GSA Region Table-005.

SCREEN NAME: CITY (INST)

ACCESS NAME: INST-CITY-ADRS

ENTITY: NASA INSTALLATION

DESCRIPTIVE NAME: INSTALLATION CITY ADDRESS

DATA ELEMENT DEFINITION:

The city where a particular NASA Installation is located.

FORMAT: Alphanumeric

LENGTH: 20

EDIT CRITERIA

Maintained in the NPDMS Center Profile Table-050.

SCREEN NAME: CITY (INST RPTNG CNTCT)

ACCESS NAME: INST-RPTNG-CNTCT-CITY-ADRS

ENTITY: NASA INSTALLATION

DESCRIPTIVE NAME: REPORTING INSTALLATION CONTACT CITY ADDRESS

DATA ELEMENT DEFINITION:

Name of the City where the reporting installation's contact is located.

FORMAT: Alphanumeric

LENGTH: 20

EDIT CRITERIA

Default maintained in the NPDMS Center Profile Table-050 (INST-CITY-ADRS). If changed, free form but may not be blank.

SCREEN NAME: CITY (LCTN)

ACCESS NAME: PROP-LCTN-CITY-ADRS

ENTITY: IDLE NASA PROPERTY

DESCRIPTIVE NAME: PROPERTY LOCATION CITY ADDRESS

DATA ELEMENT DEFINITION:

The city where a particular item of property is located, if it is different than INST-CITY-ADRS.

FORMAT: Alphanumeric

LENGTH: 20

EDIT CRITERIA

Generated (pulled) from Center Profile Table-050 and modifiable.

SCREEN NAME: CITY (RECIPIENT)

ACCESS NAME: RCPNT-ADRS-CITY-NAME

ENTITY:

DESCRIPTIVE NAME: RECIPIENT CITY ADDRESS

DATA ELEMENT DEFINITION:

The city where a particular property recipient is located.

FORMAT: Alphanumeric

LENGTH: 20

EDIT CRITERIA:

Free form. Maintained in NPDMS Recipient Table-170.

SCREEN NAME: CITY (RQSTR)

ACCESS NAME: RQSTR-CITY-ADRS

ENTITY: REQUESTOR

DESCRIPTIVE NAME: REQUESTOR CITY ADDRESS

DATA ELEMENT DEFINITION:

The city where a particular property Requestor is located.

FORMAT: Alphanumeric

LENGTH: 20

EDIT CRITERIA

Free form.

SCREEN NAME: COMP SYSTEM

ACCESS NAME: CMPNT-NAME

ENTITY: COMPONENT SYSTEM

DESCRIPTIVE NAME: COMPONENT SYSTEM NAME

DATA ELEMENT DEFINITION:

If an idle case is a component system, this field identifies the kind of system (e.g., IBM 370 Computer System). If the idle case is not a component system, then this field will be blank.

FORMAT: Alphanumeric

LENGTH: 30

EDIT CRITERIA

Free form.

SCREEN NAME: COMPANY NAME

ACCESS NAME: RQSTR-ORGNZTN-NAME

ENTITY: REQUESTOR

DESCRIPTIVE NAME: REQUESTOR ORGANIZATION NAME

DATA ELEMENT DEFINITION:

The name identifying the organization, association, etc., requesting an item of personal property available for transfer, exchange, sale, donation, etc.

FORMAT: Alphanumeric

LENGTH: 40

EDIT CRITERIA

Free form.

SCREEN NAME: COMPANY NAME (BIDDER)

ACCESS NAME: PROP-BIDDER-CMPNY-NAME

ENTITY: IDLE NASA PROPERTY

DESCRIPTIVE NAME: PROPERTY BIDDER COMPANY NAME

DATA ELEMENT DEFINITION:

Contains the name of an organization/company submitting a competitive bid for consideration to acquire a specific property lot offered for sale.

FORMAT: Alphanumeric

LENGTH: 40

EDIT CRITERIA

Must be entered if PROP-BIDDER-LAST-NAME is 'blank', free form. If a particular bidder is awarded the sale, this field is moved to the RQSTR-QRGNZTN-NAME on the transaction record.

SCREEN NAME: **COMPONENT INFORMATION**
ACCESS NAME: CMPNT-NAME
ENTITY: COMPONENT SYSTEM
DESCRIPTIVE NAME: COMPONENT SYSTEM NAME

DATA ELEMENT DEFINITION:

If an idle case is a component system, this field identifies the kind of system (e.g., IBM 370 Computer System). If the idle case is not a component system, then this field will be blank.

FORMAT: Alphanumeric

LENGTH: 30

EDIT CRITERIA

Free form.

SCREEN NAME: **COMPONENT SYSTEM NAME**
ACCESS NAME: CMPNT-NAME
ENTITY: COMPONENT SYSTEM
DESCRIPTIVE NAME: COMPONENT SYSTEM NAME

DATA ELEMENT DEFINITION:

If an idle case is a component system, this field identifies the kind of system (e.g., IBM 370 Computer System). If the idle case is not a component system, then this field will be blank.

FORMAT: Alphanumeric

LENGTH: 30

EDIT CRITERIA

Free form.

SCREEN NAME: **COMPONENT SYSTEM - NAME**
ACCESS NAME: CMPNT-NAME
ENTITY: COMPONENT SYSTEM
DESCRIPTIVE NAME: COMPONENT SYSTEM NAME

DATA ELEMENT DEFINITION:

If an idle case is a component system, this field identifies the kind of system (e.g., IBM 370 Computer System). If the idle case is not a component system, then this field will be blank.

FORMAT: Alphanumeric

LENGTH: 30

EDIT CRITERIA

Free form.

SCREEN NAME: COND
ACCESS NAME: PROP-CNDTN-CODE-GRP
ENTITY: IDLE NASA PROPERTY
DESCRIPTIVE NAME: PROPERTY CONDITION CODE

DATA ELEMENT DEFINITION:

A code that indicates the physical condition and usability of personal property.

FORMAT: Alphanumeric

LENGTH: 2

EDIT CRITERIA

A one position right-justified entry indicates the PROP-DSPSL-CNDTN-CODE along with the valid values being:

A one position right-justified entry indicates the PROP-DSPSL-CNDTN-CODE along with the valid values being:

1 = Excellent, Property which is in new condition or unused condition and can be used immediately without modifications or repairs.

4 = Usable, Property which shows some wear, but can be used without significant repair.

7 = Repairable, Property which is unusable in its current condition, but can be economically repaired.

X = Salvage, Property which has value in excess of its basic material content, but repair or rehabilitation is impractical and/or uneconomical. Purpose is clearly impractical. Repair for any use would exceed 65% of the original acquisition cost.

S = Scrap, Property which has no value except basic material content.

A two position entry indicates the inclusion of the PROP-SPLY-CNDTN-CODE in the first position. This code is mandatory for all DRMO excess, with the valid values being:

A = serviceable - issue w/o qualification;

B = serviceable - with qualification;

C = serviceable - priority issue;

D = serviceable - test / modification;

E = unserviceable - limited restoration;

F = unserviceable - repairable;

G = unserviceable - incomplete;

H = unserviceable - condemned;

S = unserviceable - scrap.

Must match an entry in the NPDMS Supply Condition Code Table-030 and/or the NPDMS Disposal Condition Code Table-035.

SCREEN NAME: COND (COMPONENT SYSTEM)
ACCESS NAME: CMPNT-CNDTN-CODE-GRP

ENTITY: COMPONENT SYSTEM

DESCRIPTIVE NAME: COMPONENT SYSTEM CONDITION CODE

DATA ELEMENT DEFINITION:

A code that indicates the overall physical condition and serviceability of a component system idle property.

NOTE: This field will be blank if the property is not part of a component system.

FORMAT: Alphanumeric

LENGTH: 2

EDIT CRITERIA

User entered, see PROP-CNDTN-CODE-GRP for **EDIT CRITERIA**.

SCREEN NAME: CONTACT PERSON

ACCESS NAME: PROP-CNTCT-NAME

ENTITY: IDLE NASA PROPERTY

DESCRIPTIVE NAME: PROPERTY CONTACT NAME

DATA ELEMENT DEFINITION:

The field containing the contact person for the property when it is different than the INST-RPTNG-CNTCT-NAME.

FORMAT: Alphanumeric

LENGTH: 30

EDIT CRITERIA

Generated (pulled) from Center Profile Table and modifiable.

SCREEN NAME: CONTACT PERSON (INST RPTNG CNTCT)

ACCESS NAME: INST-RPTNG-CNTCT-NAME

ENTITY: NASA INSTALLATION

DESCRIPTIVE NAME: REPORTING INSTALLATION CONTACT NAME

DATA ELEMENT DEFINITION:

The most current name of the person to contact at a reporting installation.

FORMAT: Alphanumeric

LENGTH: 30

EDIT CRITERIA

Default maintained in the NPDMS Center Profile Table-050 (INST-CNTCT-NAME). If changed, free form but may not be blank.

SCREEN NAME: CONTR PROP
ACCESS NAME: CNTRCTR-HELD-PROP-IND
ENTITY: CONTRACTOR
DESCRIPTIVE NAME: CONTRACTOR HELD PROPERTY INDICATOR

DATA ELEMENT DEFINITION:

Used to indicate if the property is government furnished property to a NASA contractor and will be disposed of in accordance with FAR plant clearance regulations as excess contractor inventory property instead of normal FPMR procedures.

FORMAT: Alphanumeric

LENGTH: 1

EDIT CRITERIA

Possible values are 'Y' and 'blank'.

SCREEN NAME: CONTR/GRANT NO
ACCESS NAME: INST-CNTRCT-GRANT-NMBR
ENTITY: NASA INSTALLATION
DESCRIPTIVE NAME: INSTALLATION CONTRACT/GRANT NUMBER

DATA ELEMENT DEFINITION:

A unique identifier assigned to each NASA contract or grant pursuant to NASA Procurement Regulations.

FORMAT: Alphanumeric

LENGTH: 12

EDIT CRITERIA

May not be entered if either the CNTRCTR-HELD-PROP-IND or the PROP-GRANT-IND not equal 'Y'. Free Form.

SCREEN NAME: CONTR/GRANTEE NO
ACCESS NAME: INST-CNTRCT-GRANT-NMBR
ENTITY: NASA INSTALLATION
DESCRIPTIVE NAME: INSTALLATION CONTRACT/GRANT NUMBER

DATA ELEMENT DEFINITION:

A unique identifier assigned to each NASA contract or grant pursuant to NASA Procurement Regulations.

FORMAT: Alphanumeric

LENGTH: 12

EDIT CRITERIA

May not be entered if either the CNTRCTR-HELD-PROP-IND or the PROP-GRANT-IND not equal 'Y'. Free Form.

SCREEN NAME: CONTRACT PROP REMOVAL DATE

ACCESS NAME: PROP-CNTRCT-RMVL-DATE

ENTITY: IDLE NASA PROPERTY

DESCRIPTIVE NAME: CONTRACT PROPERTY REMOVAL DATE

DATA ELEMENT DEFINITION:

The contract binding date stated in the terms of sale whereby the purchaser must remove the sold personal property from the government's facilities or be placed in default and face potential loss of their right to acquire the property.

FORMAT: D

LENGTH:

EDIT CRITERIA

Entered. Display format: MM/DD/YY or MM/DD/YYYY. Stored in Internal Date format.

SCREEN NAME: CONTROLLED INVENTORY ITEM CODE

ACCESS NAME: SYS-REC-KEY

ENTITY: SYSTEM

DESCRIPTIVE NAME: SYSTEM RECORD KEY

DATA ELEMENT DEFINITION:

The values used with the SYS-TBL-ID providing access to the NPDMS Table File Records.

FORMAT: Alphanumeric

LENGTH: 10

EDIT CRITERIA

SYS-USER-ID for the User Access Table-001;
GSA-RGN-CODE for the GSA Region Table-005;
DRMO-DODAAC-CODE for the DRMO Routing Identifier Code Table-010;
CSTDN-ACNT-NMBR for the Exception Processing Table-015;
PROP-FSC-CODE for the Federal Supply Classification Code Table-020;
PROP-UOM-CODE for the Unit of Measure Table-025;

PROP-SPLY-CNDTN-CODE for the Supply Condition Code Table-030;
 PROP-DSPSL-CNDTN-CODE for the Disposal Condition Code Table-035;
 INST-FEDAAC-CODE for the Performance Measures Table-040;
 PROP-DML-CODE for the Demilitarization Code Table-045;
 INST-NMBR for the Center Profile Table-050;
 INST-NMBR for Property Location Table-051;
 INST-NMBR, RPT-MAINT-JOB-TYPE & RPT-MAINT-JOB-NMBR for the Report/Maintenance Selection Table-055;
 NSMS-FIXED-SHELF-LIFE-CODE for Fixed Shelf Life Code Table-060;
 NSMS-SHELF-LIFE-EXTNSN-CODE for Shelf Life Extension Code Table-062;
 PROP-HAZMAT-CODE for Hazardous Materials Code Table-065;
 DRMO-CNTRLD-INV-ITEM-CODE for the Controlled Inventory Item Code Table-070;
 PROP-ADP-CTGRY-ID for the ADPE ID Code Table-075;
 PROP-PRCS-MTLS-CODE for the Precious Metals Code Table-080;
 PROP-MMAC-CODE for the MMAC Table-085;
 DRMO-DSPSL-ATHRTY-CODE for the Disposal Authority Code Table-090;
 DRMO ADDITIONAL DATA CODE for the DRMO Additional Data Code Table-095;
 'ECN' & INST-NMBR for the Excess Case Number Serial Number Record-100;
 INST-NMBR for Installation Code Table-105;
 'ERN' & INST-NMBR for the Entry Reference Number Serial Number Record-110;
 'DOD' and INST-NMBR for the DRMO 1348 Serial Number Record-112;
 'SAL' and INST-NMBR for the Sale Number Serial Number Record-113;
 'NEM' & INST-NMBR for the NP/NEMS Entry Reference Number Serial Number Record-115;
 INST-NMBR & RPT-END-DATE for the Monthly 623 Report Balance Record-120;
 INST-NMBR & RPT-END-DATE for the Annual 623 Report Balance Record-125;
 INST-NMBR & RPT-END-DATE for the 1800 Report Balance Record-130;
 'RCT' & INST-NMBR for the Sale Slip Serial Number Record-135;
 RPT-MAINT-JOB-TYPE & RPT-MAINT-JOB-NMBR for the JCL Table-140;
 PRINTER DESTINATION CODE for the Printer Destination Table-145;
 STATE ABBREVIATION for the State Table-150;
 INST-NMBR and PROPERTY TYPE for Screening Days Table-155;
 INST-DFLT-REIM-CODE for Reimbursement Code Table-160;
 PROP-HAZMAT-IND for Hazardous Material Indicator Code Table-165;
 RECIPIENT-CODE for Recipient Name Table-170;
 RCPNT-TYPE-CODE for Transfer Type Table-180;
 RCPNT-SUBTYPE-CODE for Transfer Subtype Table-190.

SCREEN NAME: CONVERT ITEM (Y/N)

ACCESS NAME: NOT MAINTAINED

ENTITY:

DESCRIPTIVE NAME:

DATA ELEMENT DEFINITION:

This field allows for the conversion of a different component item associated with a specific property case number to a stand alone single item record.

FORMAT: Alphanumeric

LENGTH: 1

EDIT CRITERIA

The possible values are Y or N.

SCREEN NAME: COUNTRY (LCTN)

ACCESS NAME: PROP-LCTN-CNTRY-ADRS

ENTITY: IDLE NASA PROPERTY

DESCRIPTIVE NAME: PROPERTY LOCATION COUNTRY ADDRESS

DATA ELEMENT DEFINITION:

The field containing the country of location for Foreign personal property.

FORMAT: Alphanumeric

LENGTH: 30

EDIT CRITERIA

Free form.

SCREEN NAME: COUNTRY (RQSTR)

ACCESS NAME: RQSTR-CNTRY-ADRS

ENTITY: REQUESTOR

DESCRIPTIVE NAME: REQUESTOR COUNTRY ADDRESS

DATA ELEMENT DEFINITION:

Is the country where the property requestor is located. This field is necessary for foreign donations.

FORMAT: Alphanumeric

LENGTH: 30

EDIT CRITERIA

Free form.

SCREEN NAME: COUNTRY CODE

ACCESS NAME: PROP-LCTN-CNTRY-CODE

ENTITY: REQUESTOR

DESCRIPTIVE NAME: COUNTRY CODE

DATA ELEMENT DEFINITION:

Two character country code if property is foreign.

FORMAT: Alphanumeric

LENGTH: 2

EDIT CRITERIA

Must be valid country code in Table 210.

SCREEN NAME: CRITERIA 1

ACCESS NAME: RPT-DATA1-TEXT

ENTITY:

DESCRIPTIVE NAME: REPORT DATA TEXT 1

DATA ELEMENT DEFINITION:

Text header information identifying a data element field used in the selection criteria for a specific center unique report.

FORMAT: Alphanumeric

LENGTH: 30

EDIT CRITERIA

Free form. Stored on the NPDMS Report Table-055.

SCREEN NAME: CRITERIA 2

ACCESS NAME: RPT-DATA2-TEXT

ENTITY:

DESCRIPTIVE NAME: REPORT DATA TEXT 2

DATA ELEMENT DEFINITION:

Text header information identifying a data element field used in the selection criteria for a specific center unique report.

FORMAT: Alphanumeric

LENGTH: 30

EDIT CRITERIA

Free form. Stored on the NPDMS Report Table-055.

SCREEN NAME: CRITERIA 3

ACCESS NAME: RPT-DATA3-TEXT

ENTITY:

DESCRIPTIVE NAME: REPORT DATA TEXT 3

DATA ELEMENT DEFINITION:

Text header information identifying a data element field used in the selection criteria for a specific center unique report.

FORMAT: Alphanumeric

LENGTH: 30

EDIT CRITERIA

Free form. Stored on the NPDMS Report Table-055.

SCREEN NAME: CRITERIA 4

ACCESS NAME: RPT-DATA4-TEXT

ENTITY:

DESCRIPTIVE NAME: REPORT DATA TEXT 4

DATA ELEMENT DEFINITION:

Text header information identifying a data element field used in the selection criteria for a specific center unique report.

FORMAT: Alphanumeric

LENGTH: 30

EDIT CRITERIA

Free form. Stored on the NPDMS Report Table-055.

SCREEN NAME: CRITERIA 5

ACCESS NAME: RPT-DATA5-TEXT

ENTITY:

DESCRIPTIVE NAME: REPORT DATA TEXT 5

DATA ELEMENT DEFINITION:

Text header information identifying a data element field used in the selection criteria for a specific center unique report.

FORMAT: Alphanumeric

LENGTH: 30

EDIT CRITERIA

Free form. Stored on the NPDMS Report Table-055.

SCREEN NAME: CUR ACQ COST
ACCESS NAME: PROP-ADJSTD-ACQSTN-COST-AMT
ENTITY: IDLE NASA PROPERTY
DESCRIPTIVE NAME: ADJUSTED ACQUISITION COST AMOUNT OF PROPERTY
DATA ELEMENT DEFINITION:
The current unit adjusted acquisition cost amount of the personal property.
FORMAT: Packed
LENGTH: 10.2
EDIT CRITERIA
User entered. Cannot be a negative amount.

SCREEN NAME: CUR QTY
ACCESS NAME: PROP-CUR-AVLBL-QTY
ENTITY: IDLE NASA PROPERTY
DESCRIPTIVE NAME: PROPERTY CURRENT AVAILABLE QUANTITY
DATA ELEMENT DEFINITION:
The current number of available items of personal property.
FORMAT: Numeric
LENGTH: 5.0
EDIT CRITERIA
Calculated; minus PROP-DSPSTN-QTY for disposition transactions; plus PROP-DSPSTN-QTY for disposition reversal transactions. Entered user value at time of add or change.

SCREEN NAME: CURR ACQ COST
ACCESS NAME: PROP-ADJSTD-ACQSTN-COST-AMT
ENTITY: IDLE NASA PROPERTY
DESCRIPTIVE NAME: ADJUSTED ACQUISITION COST AMOUNT OF PROPERTY
DATA ELEMENT DEFINITION:
The current unit adjusted acquisition cost amount of the personal property.
FORMAT: Packed
LENGTH: 10.2
EDIT CRITERIA
User entered. Cannot be a negative amount.

SCREEN NAME: **CURR QTY**
ACCESS NAME: PROP-CUR-AVLBL-QTY
ENTITY: IDLE NASA PROPERTY
DESCRIPTIVE NAME: PROPERTY CURRENT AVAILABLE QUANTITY
DATA ELEMENT DEFINITION:
The current number of available items of personal property.
FORMAT: Numeric
LENGTH: 5.0
EDIT CRITERIA
Calculated; minus PROP-DSPSTN-QTY for disposition transactions; plus PROP-DSPSTN-QTY for disposition reversal transactions. Entered user value at time of add or change.

SCREEN NAME: **CURRENT ACQ COST**
ACCESS NAME: PROP-ADJSTD-ACQSTN-COST-AMT
ENTITY: IDLE NASA PROPERTY
DESCRIPTIVE NAME: ADJUSTED ACQUISITION COST AMOUNT OF PROPERTY
DATA ELEMENT DEFINITION:
The current unit adjusted acquisition cost amount of the personal property.
FORMAT: Packed
LENGTH: 10.2
EDIT CRITERIA
User entered. Cannot be a negative amount.

SCREEN NAME: **CURRENT AVAILABLE QTY**
ACCESS NAME: PROP-CUR-AVLBL-QTY
ENTITY: IDLE NASA PROPERTY
DESCRIPTIVE NAME: PROPERTY CURRENT AVAILABLE QUANTITY
DATA ELEMENT DEFINITION:
The current number of available items of personal property.
FORMAT: Numeric
LENGTH: 5.0
EDIT CRITERIA
Calculated; minus PROP-DSPSTN-QTY for disposition transactions; plus PROP-DSPSTN-QTY for disposition reversal transactions. Entered user value at time of add or change.

SCREEN NAME: CURRENT QTY
ACCESS NAME: PROP-CUR-AVLBL-QTY
ENTITY: IDLE NASA PROPERTY
DESCRIPTIVE NAME: PROPERTY CURRENT AVAILABLE QUANTITY
DATA ELEMENT DEFINITION:
The current number of available items of personal property.
FORMAT: Numeric
LENGTH: 5.0
EDIT CRITERIA
Calculated; minus PROP-DSPSTN-QTY for disposition transactions; plus PROP-DSPSTN-QTY for disposition reversal transactions. Entered user value at time of add or change.

SCREEN NAME: CUST ACCT NO
ACCESS NAME: CSTDN-ACNT-NMBR; SYS-REC KEY
ENTITY: CUSTODIAN
DESCRIPTIVE NAME: CUSTODIAN ACCOUNT NUMBER
DATA ELEMENT DEFINITION:
Identifies who the idle personal property belongs to when reported to the PDO. An account number pertains to only one custodian, although a custodian may have more than one account.
FORMAT: Alphanumeric
LENGTH: 5
EDIT CRITERIA
If entered, must match NEMS Custodian Account Number Table 078 (for Controlled Property only).

SCREEN NAME: CUST ACCT NO
ACCESS NAME: RQSTR-CSTDN-ACNT -NMBR
ENTITY: REQUESTOR
DESCRIPTIVE NAME: REQUESTOR CUSTODIAN ACCOUNT NUMBER
DATA ELEMENT DEFINITION:
Is the custodian account number of the property custodian requesting an item of personal property. For controlled items, this number must be a valid entry on NEMS Table 078.
FORMAT: Alphanumeric
LENGTH: 5

EDIT CRITERIA

Must be on NEMS Table 078 for controlled property when processing a Utilized by Generating NASA Centers disposition transaction.

SCREEN NAME: CUST ACCT NO
ACCESS NAME: SYS-REC-KEY
ENTITY: SYSTEM
DESCRIPTIVE NAME: SYSTEM RECORD KEY

DATA ELEMENT DEFINITION:

The values used with the SYS-TBL-ID providing access to the NPDMS Table File Records.

FORMAT: Alphanumeric

LENGTH: 10

EDIT CRITERIA

SYS-USER-ID for the User Access Table-001;
GSA-RGN-CODE for the GSA Region Table-005;
DRMO-DODAAC-CODE for the DRMO Routing Identifier Code Table-010;
CSTDN-ACNT-NMBR for the Exception Processing Table-015;
PROP-FSC-CODE for the Federal Supply Classification Code Table-020;
PROP-UOM-CODE for the Unit of Measure Table-025;
PROP-SPLY-CNDTN-CODE for the Supply Condition Code Table-030;
PROP-DSPSL-CNDTN-CODE for the Disposal Condition Code Table-035;
INST-FEDAAC-CODE for the Performance Measures Table-040;
PROP-DML-CODE for the Demilitarization Code Table-045;
INST-NMBR for the Center Profile Table-050;
INST-NMBR for Property Location Table-051;
INST-NMBR, RPT-MAINT-JOB-TYPE & RPT-MAINT-JOB-NMBR for the Report/Maintenance Selection Table-055;
NSMS-FIXED-SHELF-LIFE-CODE for Fixed Shelf Life Code Table-060;
NSMS-SHELF-LIFE-EXTNSN-CODE for Shelf Life Extension Code Table-062;
PROP-HAZMAT-CODE for Hazardous Materials Code Table-065;
DRMO-CNTRLD-INV-ITEM-CODE for the Controlled Inventory Item Code Table-070;
PROP-ADP-CTGRY-ID for the ADPE ID Code Table-075;
PROP-PRCS-MTLS-CODE for the Precious Metals Code Table-080;
PROP-MMAC-CODE for the MMAC Table-085;
DRMO-DSPSL-ATHRTY-CODE for the Disposal Authority Code Table-090;
DRMO ADDITIONAL DATA CODE for the DRMO Additional Data Code Table-095;
'ECN' & INST-NMBR for the Excess Case Number Serial Number Record-100;
INST-NMBR for Installation Code Table-105;
'ERN' & INST-NMBR for the Entry Reference Number Serial Number Record-110;
'DOD' and INST-NMBR for the DRMO 1348 Serial Number Record-112;
'SAL' and INST-NMBR for the Sale Number Serial Number Record-113;
'NEM' & INST-NMBR for the NP/NEMS Entry Reference Number Serial Number Record-115;
INST-NMBR & RPT-END-DATE for the Monthly 623 Report Balance Record-120;
INST-NMBR & RPT-END-DATE for the Annual 623 Report Balance Record-125;
INST-NMBR & RPT-END-DATE for the 1800 Report Balance Record-130;

'RCT' & INST-NMBR for the Sale Slip Serial Number Record-135;
RPT-MAINT-JOB-TYPE & RPT-MAINT-JOB-NMBR for the JCL Table-140;
PRINTER DESTINATION CODE for the Printer Destination Table-145;
STATE ABBREVIATION for the State Table-150;
INST-NMBR and PROPERTY TYPE for Screening Days Table-155;
INST-DFLT-REIM-CODE for Reimbursement Code Table-160;
PROP-HAZMAT-IND for Hazardous Material Indicator Code Table-165;
RECIPIENT-CODE for Recipient Name Table-170;
RCPNT-TYPE-CODE for Transfer Type Table-180;
RCPNT-SUBTYPE-CODE for Transfer Subtype Table-190.

SCREEN NAME: DATE BID AWARDED
ACCESS NAME: PROP-BID-AWARD-DATE
ENTITY: IDLE NASA PROPERTY
DESCRIPTIVE NAME: DATE PROPERTY BID AWARDED

DATA ELEMENT DEFINITION:

The calendar date a property bidder is awarded the sale of personal property. This is the PROP-SALE-DATE for sealed bids or the PROP-NTFCTN-LTR-SENT-DATE for spot bid or auction sale awards, if the sales contract is not completed the day of the sale.

FORMAT: D

LENGTH:

EDIT CRITERIA

Generated same as PROP-SALE-DATE for sealed bids (PROP-SALE-MTHD-ID = '1'). Must be entered if PROP-SALE-MTHD-ID = '2' or '3'. Display format: MM/DD/YY or MM/DD/YYYY. Stored in Internal Date format.

SCREEN NAME: DATE FOUND
ACCESS NAME: UNCLMD-FOUND-DATE
ENTITY: ABANDONED OR OTHER UNCLAIMED PROPERTY
DESCRIPTIVE NAME: UNCLAIMED PROPERTY FOUND DATE

DATA ELEMENT DEFINITION:

The calendar date on which unclaimed property was found.

FORMAT: D

LENGTH:

EDIT CRITERIA

Must be entered if UNCLMD-IND equals 'Y'. Cannot be later than the current system date. Display format MM/DD/YY or MM/DD/YYYY, stored in Internal Date format.

SCREEN NAME: **DATE LASTED UPDATED**

ACCESS NAME: SYS-AUDIT-DATE

ENTITY: SYSTEM

DESCRIPTIVE NAME: SYSTEM AUDIT DATE

DATA ELEMENT DEFINITION:

For audit purposes, the calendar date a case or table record was last updated in the system by a user.

FORMAT: D

LENGTH:

EDIT CRITERIA

Generated. *DATX (Internal Date format)

SCREEN NAME: **DATE PROP ABANDONED OR DESTROYED**

ACCESS NAME: PROP-ABNDSTRYD-DATE

ENTITY: IDLE NASA PROPERTY

DESCRIPTIVE NAME: ACTUAL DATE PROPERTY ABANDONED OR DESTROYED

DATA ELEMENT DEFINITION:

The calendar date on which the property was actually abandoned or destroyed.

FORMAT: D

LENGTH:

EDIT CRITERIA

User Entered. Display format: MM = 1-12, DD = any number 1-31, YY or YYYY = current year. Stored in Internal Date format.

SCREEN NAME: **DATE PROP DETERMINED LOST**

ACCESS NAME: PROP-DTRMND-LOST-DATE

ENTITY: IDLE NASA PROPERTY

DESCRIPTIVE NAME: DATE PROPERTY DETERMINED TO BE LOST

DATA ELEMENT DEFINITION:

The calendar date on which a property item was determined to be lost. Entered on a T04 Transaction.

FORMAT: D

LENGTH:

EDIT CRITERIA

User entered. Display format: MM = 1-12, DD = 1-31 consistent with the month, YY or YYYY = current year. Stored in Internal Date format.

SCREEN NAME: DATE SENT TO GSA QUANTITY
ACCESS NAME: PROP-RMVL-DATE
ENTITY: IDLE NASA PROPERTY
DESCRIPTIVE NAME: ACTUAL PROPERTY REMOVAL DATE

DATA ELEMENT DEFINITION:

The specific date on which the property was actually physically removed from the NASA storage facility by the new owner or their agent, including shippers.

FORMAT: D

LENGTH:

EDIT CRITERIA

User entered. Display format: MM = 1-12, DD = any number 1-31, YY or YYYY = current year. Stored in Internal Date format.

SCREEN NAME: DAYS
ACCESS NAME: INST-DLNQNT-DAYS-NMBR
ENTITY: NASA INSTALLATION
DESCRIPTIVE NAME: INSTALLATION DEFAULT NUMBER OF FREEZE
DELINQUENT DAYS

DATA ELEMENT DEFINITION:

The default number of days provided in the center's profile table added to the the effective date of a freeze (F00) transaction in order to establish the PROP-FREEZE-DLNQNT-DATE.

FORMAT: Numeric

LENGTH: 2

EDIT CRITERIA

Maintained in the NPDMS Center Profile Table-050.

SCREEN NAME: DAYS DONATION SCREENING
ACCESS NAME: SYS-SRPLS-DAYS-CNT
ENTITY: SYSTEM

DESCRIPTIVE NAME: SYSTEM COUNT OF SURPLUS PROPERTY DONATION
SCREENING DAYS

DATA ELEMENT DEFINITION:

System count of the default number of calendar days that surplus property undergoes the required donation screening.

FORMAT: P

LENGTH: 3.0

EDIT CRITERIA

Default maintained on ND-Table 155 and modifiable. At the time of an initial NPDMS add, this count is added to the SRPLSPROP-DNTN-BGN-DATE to establish the SRPLSPROP-DNTN-END-DATE.

SCREEN NAME: DAYS INSTALLATION SCREENING

ACCESS NAME: SYS-INST-DAYS-CNT

ENTITY: SYSTEM

DESCRIPTIVE NAME: SYSTEM COUNT OF INSTALLATION SCREENING DAYS

DATA ELEMENT DEFINITION:

System count of the default number of calendar days that personal property undergoes the required internal screening for the owning installation.

FORMAT: P

LENGTH: 3.0

EDIT CRITERIA

Default maintained on ND-Table 155 and modifiable. At the time of an initial NPDMS add, this count is added to the current system date to establish the PROP-INST-END-DATE.

SCREEN NAME: DAYS NASA-WIDE SCREENING

ACCESS NAME: SYS-NASA-DAYS-CNT

ENTITY: SYSTEM

DESCRIPTIVE NAME: SYSTEM COUNT OF NASA SCREENING DAYS

DATA ELEMENT DEFINITION:

System count of the default number of calendar days that personal property undergoes the required internal NASA screening for all installations.

FORMAT: P

LENGTH: 3.0

EDIT CRITERIA

Default maintained on ND-Table 155 and modifiable. At the time of an initial NPDMS add, this count is added to the current system date to establish the PROP-NASA-END-DATE.

SCREEN NAME: DAYS OTHER FEDERAL SCREENING
ACCESS NAME: SYS-OFA-DAYS-CNT
ENTITY: SYSTEM
DESCRIPTIVE NAME: SYSTEM COUNT OF OTHER FEDERAL AGENCY
SCREENING DAYS

DATA ELEMENT DEFINITION:

System count of the default number of calendar days that personal property undergoes the required external NASA screening for all other federal agencies.

FORMAT: P
LENGTH: 3.0

EDIT CRITERIA

Default maintained on ND-Table 155 and modifiable. At the time of an initial NPDMS add, this count is added to the PROP-OFA-BGN-DATE to establish the PROP-OFA-END-DATE.

SCREEN NAME: DD-1348-1A
ACCESS NAME: RPT-1348-DCMNT-NMBR
ENTITY: REPORT
DESCRIPTIVE NAME: REPORT 1348 DOCUMENT NUMBER

DATA ELEMENT DEFINITION:

A unique aggregate number generated by the NPDMS and placed on each DD-1348-1A that is produced by the system. This field consists of the INST-FEDAAC-CODE, the Julian date (YDDD), and the serial number. The serial number is generated sequentially starting with 0001 using DRMO Serial Number Table - 112.

FORMAT: Alphanumeric
LENGTH: 14

EDIT CRITERIA

Generated like the PROP-CASE-NMBR (Positions 1-6 are the INST-FEDAAC-CODE, positions 7-10 are the current Julian date and positions 11-14 are the serial number).

SCREEN NAME: **DEFAULT REIMBURSEMENT CODE**
ACCESS NAME: INST-DFLT-REIM-CODE; SYS-REC-KEY
ENTITY:
DESCRIPTIVE NAME: INSTALLATION DEFAULT REIMBURSEMENT CODE
DATA ELEMENT DEFINITION:
The reimbursement code designated by each NASA Center s PDO as the default value for property with regard to eligibility for reimbursement, donation, or sales.
FORMAT: Alphanumeric
LENGTH: 1
EDIT CRITERIA
Installation specific. Maintained on the NPDMS Center Profile Table-050 and moved to the PROP-REIM-CODE at the time of initial add. This is an optional field but if entered code must be on the NPDMS Reimbursement Code Table-160.

SCREEN NAME: **DEFINITION (CNDTN CODE DFNTN1)**
ACCESS NAME: PROP-CNDTN-CODE-DFNTN1-TEXT
ENTITY: IDLE NASA PROPERTY
DESCRIPTIVE NAME: PROPERTY CONDITION CODE DEFINITION 1 TEXT
DATA ELEMENT DEFINITION:
This field contains the textual definition for either the PROP-DSPSL-CNDTN-CODE or the PROP-SPLY-CNDTN-CODE
FORMAT: Alphanumeric
LENGTH: 130
EDIT CRITERIA
Free form. Maintained in the NPDMS Supply Condition Code Table-030 or Disposal Condition Code Table-035.

SCREEN NAME: **DEFINITION (CNDTN CODE DFNTN2)**
ACCESS NAME: PROP-CNDTN-CODE-DFNTN2-TEXT
ENTITY: IDLE NASA PROPERTY
DESCRIPTIVE NAME: PROPERTY CONDITION CODE DEFINITION 2 TEXT
DATA ELEMENT DEFINITION:
This field contains the continuation of the textual definition for either the PROP-DSPSL-CNDTN-CODE or the PROP-SPLY-CNDTN-CODE.
FORMAT: Alphanumeric
LENGTH: 130

EDIT CRITERIA

Free form. Maintained in the NPDMS Supply Condition Code Table-030 or Disposal Condition Code Table-035.

SCREEN NAME: **DEFINITION (HAZMAT IND)**

ACCESS NAME: PROP-HAZMAT-IND-TEXT

ENTITY:

DESCRIPTIVE NAME: HAZARDOUS MATERIALS PROPERTY INDICATOR CODE
TEXT

DATA ELEMENT DEFINITION:

The text definition of a code established in the DLSC Total Item Record (TIR) to indicate to users of the federal catalog system all known or suspected hazardous items as defined by safety/health, transaction and/or environmental regulations. (Ref. DoD 4100.39-M, Volume 10, Chapter 4, Table 179).

FORMAT: Alphanumeric

LENGTH: 240

EDIT CRITERIA

Free form but may not be blank. Maintained on NPDMS Hazardous Material Indicator Code Table-165.

SCREEN NAME: **DELINQUENT DATE**

ACCESS NAME: PROP-FREEZE-DLNQNT-DATE

ENTITY: IDLE NASA PROPERTY

DESCRIPTIVE NAME: FREEZE PROPERTY TRANSACTION DELINQUENT DATE

DATA ELEMENT DEFINITION:

The effective date of a freeze (F00) transaction + the number of days provided in the center's profile table. This date may be shortened or extended by the PDO. This date will be updated when all disposition transactions are processed from a freeze transaction (i.e., the PROP-PRCSNG-PRTY-IND was initially set to 1, 2 or 3).

FORMAT: D

LENGTH:

EDIT CRITERIA

Generated and user changeable. Default is 14 days. Display format: MM = 1-12; DD=1-31 consistent with the month; YY or YYYY = current year. Stored in Internal Date format.

SCREEN NAME: **DESC (PRNTR)**
ACCESS NAME: SYS-PRNTR-DESC
ENTITY: SYSTEM
DESCRIPTIVE NAME: SYSTEM PRINTER LOCATION DESCRIPTION
DATA ELEMENT DEFINITION:
 Descriptive text for the location of a local printer.
FORMAT: Alphanumeric
LENGTH: 40
EDIT CRITERIA
 Installation specific. Maintained on NPDMS Table-145.

SCREEN NAME: **DESCRIPTION (RPT MAINT NAME)**
ACCESS NAME: RPT-MAINT-NAME
ENTITY: REPORT
DESCRIPTIVE NAME: REPORT/MAINTENANCE NAME
DATA ELEMENT DEFINITION:
 The name associated with a specific NPDMS report or maintenance job. Current values are:
 Awaiting Pickup
 Pending GSA Acknowledgement
 Sales Listing
 Items reported to GSA Over 180 Days
 Foreign Screening Report
 Freeze Status Report
 NEMS Transaction Interface Report
 Property Held by Property Disposal Officer
 623 Monthly Report of Utilization/Disposal of Idle NASA Personal Property
 623 Annual Report of Utilization/Disposal of Idle NASA Personal Property
 NASA Form 811 - Classification of Property as Scrap or Salvage
 NASA form 812 - Authorization to Abandon/Destroy Surplus Property
 Idle Property Screening List
 Daily Transaction Report
 Annual Report of Exchange/Sale Transactions
 Sales Prep Report
 Abstract of Bids
 Bidder's Notification of Award
 Final Inventory/Reconciliation Report
 Post Inventory Report
 Performance Measures Report
 NSMS Accepted Items Report
 NSMS Rejected Items Report
 NSMS Matched/Overage/Underage Report
 Sales Slip, Sale of Government Personal Property
 Foreign Disposal Approval Report

Cases Eligible For Transfer To DRMO Report
 NASA Supply Management System Interface
 GSA Magnetic Tape Generation
 SF-120 Report of Excess Personal Property Generation
 SF-120 Withdrawal/Correction Generation
 DD-1348-1A DRMO Issue Release/Receipt Document Generation
 NASA 1638 NPDMS Idle Personal Property Pickup Authorization Generation
 Active to History File Processing
 ERN and Serial Number Reset
 Status Flag Reset
 Annual Report of Personal Property provided to Non-Federal Organizations
 Equipment Available under the Stevenson-Wydler Act for Region
 Status Report for Cases Undergoing other Federal Agency Screening
 Status Report for Cases Undergoing Surplus Property Donation
 Equipment Available for Federal Agencies - By Region
 IFM Interface File
 Archive History Files
 Final Dispositions for each FSC Within a Date Range

FORMAT: Alphanumeric

LENGTH: 65

EDIT CRITERIA
Generated.

SCREEN NAME: **DESTINATION**

ACCESS NAME: SYS-REC-KEY

ENTITY: SYSTEM

DESCRIPTIVE NAME: SYSTEM RECORD KEY

DATA ELEMENT DEFINITION:

The values used with the SYS-TBL-ID providing access to the NPDMS Table File Records.

FORMAT: Alphanumeric

LENGTH: 10

EDIT CRITERIA

SYS-USER-ID for the User Access Table-001;
 GSA-RGN-CODE for the GSA Region Table-005;
 DRMO-DODAAC-CODE for the DRMO Routing Identifier Code Table-010;
 CSTDN-ACNT-NMBR for the Exception Processing Table-015;
 PROP-FSC-CODE for the Federal Supply Classification Code Table-020;
 PROP-UOM-CODE for the Unit of Measure Table-025;
 PROP-SPLY-CNDTN-CODE for the Supply Condition Code Table-030;
 PROP-DSPSL-CNDTN-CODE for the Disposal Condition Code Table-035;
 INST-FEDAAC-CODE for the Performance Measures Table-040;

PROP-DML-CODE for the Demilitarization Code Table-045;
 INST-NMBR for the Center Profile Table-050;
 INST-NMBR for Property Location Table-051;
 INST-NMBR, RPT-MAINT-JOB-TYPE & RPT-MAINT-JOB-NMBR for the Report/Maintenance Selection Table-055;
 NSMS-FIXED-SHELF-LIFE-CODE for Fixed Shelf Life Code Table-060;
 NSMS-SHELF-LIFE-EXTNSN-CODE for Shelf Life Extension Code Table-062;
 PROP-HAZMAT-CODE for Hazardous Materials Code Table-065;
 DRMO-CNTRLD-INV-ITEM-CODE for the Controlled Inventory Item Code Table-070;
 PROP-ADP-CTGRY-ID for the ADPE ID Code Table-075;
 PROP-PRCS-MTLS-CODE for the Precious Metals Code Table-080;
 PROP-MMAC-CODE for the MMAC Table-085;
 DRMO-DSPSL-ATHRTY-CODE for the Disposal Authority Code Table-090;
 DRMO ADDITIONAL DATA CODE for the DRMO Additional Data Code Table-095;
 'ECN' & INST-NMBR for the Excess Case Number Serial Number Record-100;
 INST-NMBR for Installation Code Table-105;
 'ERN' & INST-NMBR for the Entry Reference Number Serial Number Record-110;
 'DOD' and INST-NMBR for the DRMO 1348 Serial Number Record-112;
 'SAL' and INST-NMBR for the Sale Number Serial Number Record-113;
 'NEM' & INST-NMBR for the NP/NEMS Entry Reference Number Serial Number Record-115;
 INST-NMBR & RPT-END-DATE for the Monthly 623 Report Balance Record-120;
 INST-NMBR & RPT-END-DATE for the Annual 623 Report Balance Record-125;
 INST-NMBR & RPT-END-DATE for the 1800 Report Balance Record-130;
 'RCT' & INST-NMBR for the Sale Slip Serial Number Record-135;
 RPT-MAINT-JOB-TYPE & RPT-MAINT-JOB-NMBR for the JCL Table-140;
 PRINTER DESTINATION CODE for the Printer Destination Table-145;
 STATE ABBREVIATION for the State Table-150;
 INST-NMBR and PROPERTY TYPE for Screening Days Table-155;
 INST-DFLT-REIM-CODE for Reimbursement Code Table-160;
 PROP-HAZMAT-IND for Hazardous Material Indicator Code Table-165;
 RECIPIENT-CODE for Recipient Name Table-170;
 RCPNT-TYPE-CODE for Transfer Type Table-180;
 RCPNT-SUBTYPE-CODE for Transfer Subtype Table-190.

SCREEN NAME:	DISP COST
ACCESS NAME:	PROP-DSPSTN-ACQSTN-COST-AMT
ENTITY:	IDLE NASA PROPERTY
DESCRIPTIVE NAME:	PROPERTY DISPOSITION ACQUISITION COST AMOUNT
DATA ELEMENT DEFINITION:	
The dollar amount of items requested for reutilization, transfer, survey, or scrap on a freeze (F00), disposition (T03-T20), or reversal (RT03-RT20) transaction. Derived by multiplying the PROP-ADJSTD-ACQSTN-COST-AMT by the PROP-DSPSTN-QTY.	
FORMAT:	Packed
LENGTH:	10.2

EDIT CRITERIA

Calculated.

SCREEN NAME: DISP QTY
ACCESS NAME: PROP-DSPSTN-QTY
ENTITY: IDLE NASA PROPERTY
DESCRIPTIVE NAME: PROPERTY DISPOSITION QUANTITY

DATA ELEMENT DEFINITION:

The number of items requested for a freeze (F00), disposition (T03-T20), or reversal (RT03-RT20) transaction.

FORMAT: Numeric

LENGTH: 5.0

EDIT CRITERIA

Any number from 1-99999, that does not reduce the PROP-CUR-AVLBL-QTY to less than zero.

SCREEN NAME: DISPOSAL AUTHORITY CODE
ACCESS NAME: DRMO-DSPSL-ATHRTY-CODE; SYS-REC-KEY
ENTITY: DRMO
DESCRIPTIVE NAME: DRMO DISPOSAL AUTHORITY CODE

DATA ELEMENT DEFINITION:

Indicates that property item(s) being transferred to a DRMO are authorized to be transferred to disposal because of instructions of the IMM/ICP relayed through the MRP or other proper authority.

FORMAT: Alphanumeric

LENGTH: 1

EDIT CRITERIA

Maintained in the NPDMS Disposal Authority Code Table - 090. Default is 'N'.

M = Items are IMM/ICP stocks and are being transferred to disposal by authority of the responsible IMM;

N = Items are not reportable by virtue of an exclusion to the MRP or other specific criteria such as extended dollar value or condition limitations on excess reporting and are duly authorized to be transferred to disposal;

R = Items have been reported to the IMM/ICP under MILSTRIP MRP procedures and are considered excess to that IMM/ICPs authorized retention levels. This disposal action is under S/A retention levels and instructions.

SCREEN NAME: DISPOSAL CC
ACCESS NAME: PROP-DSPSL-CNDTN-CODE; SYS-REC-KEY
ENTITY: IDLE NASA PROPERTY
DESCRIPTIVE NAME: PROPERTY DISPOSAL CONDITION CODE, RECORD KEY

DATA ELEMENT DEFINITION:

The right-most position of the PROP-CNDTN-CODE entered to indicate the physical condition and usability of an personal property. Also used with SYS-TBL-ID to access the NPDMS Table File.

FORMAT: Alphanumeric

LENGTH: 1

EDIT CRITERIA

See PROP-CNDTN-CODE. Must match an entry in the NPDMS Disposal Condition Code Table-035.

SCREEN NAME: DISPOSAL CONDITION CODE
ACCESS NAME: SYS-REC-KEY
ENTITY: SYSTEM
DESCRIPTIVE NAME: SYSTEM RECORD KEY

DATA ELEMENT DEFINITION:

The values used with the SYS-TBL-ID providing access to the NPDMS Table File Records.

FORMAT: Alphanumeric

LENGTH: 10

EDIT CRITERIA

SYS-USER-ID for the User Access Table-001;
GSA-RGN-CODE for the GSA Region Table-005;
DRMO-DODAAC-CODE for the DRMO Routing Identifier Code Table-010;
CSTDN-ACNT-NMBR for the Exception Processing Table-015;
PROP-FSC-CODE for the Federal Supply Classification Code Table-020;
PROP-UOM-CODE for the Unit of Measure Table-025;
PROP-SPLY-CNDTN-CODE for the Supply Condition Code Table-030;
PROP-DSPSL-CNDTN-CODE for the Disposal Condition Code Table-035;
INST-FEDAAC-CODE for the Performance Measures Table-040;
PROP-DML-CODE for the Demilitarization Code Table-045;
INST-NMBR for the Center Profile Table-050;
INST-NMBR for Property Location Table-051;
INST-NMBR, RPT-MAINT-JOB-TYPE & RPT-MAINT-JOB-NMBR for the Report/Maintenance Selection Table-055;
NSMS-FIXED-SHELF-LIFE-CODE for Fixed Shelf Life Code Table-060;
NSMS-SHELF-LIFE-EXTNSN-CODE for Shelf Life Extension Code Table-062;
PROP-HAZMAT-CODE for Hazardous Materials Code Table-065;
DRMO-CNTRLD-INV-ITEM-CODE for the Controlled Inventory Item Code Table-070;
PROP-ADP-CTGRY-ID for the ADPE ID Code Table-075;

PROP-PRCS-MTLS-CODE for the Precious Metals Code Table-080;
 PROP-MMAC-CODE for the MMAC Table-085;
 DRMO-DSPSL-ATHRTY-CODE for the Disposal Authority Code Table-090;
 DRMO ADDITIONAL DATA CODE for the DRMO Additional Data Code Table-095;
 'ECN' & INST-NMBR for the Excess Case Number Serial Number Record-100;
 INST-NMBR for Installation Code Table-105;
 'ERN' & INST-NMBR for the Entry Reference Number Serial Number Record-110;
 'DOD' and INST-NMBR for the DRMO 1348 Serial Number Record-112;
 'SAL' and INST-NMBR for the Sale Number Serial Number Record-113;
 'NEM' & INST-NMBR for the NP/NEMS Entry Reference Number Serial Number Record-115;
 INST-NMBR & RPT-END-DATE for the Monthly 623 Report Balance Record-120;
 INST-NMBR & RPT-END-DATE for the Annual 623 Report Balance Record-125;
 INST-NMBR & RPT-END-DATE for the 1800 Report Balance Record-130;
 'RCT' & INST-NMBR for the Sale Slip Serial Number Record-135;
 RPT-MAINT-JOB-TYPE & RPT-MAINT-JOB-NMBR for the JCL Table-140;
 PRINTER DESTINATION CODE for the Printer Destination Table-145;
 STATE ABBREVIATION for the State Table-150;
 INST-NMBR and PROPERTY TYPE for Screening Days Table-155;
 INST-DFLT-REIM-CODE for Reimbursement Code Table-160;
 PROP-HAZMAT-IND for Hazardous Material Indicator Code Table-165;
 RECIPIENT-CODE for Recipient Name Table-170;
 RCPNT-TYPE-CODE for Transfer Type Table-180;
 RCPNT-SUBTYPE-CODE for Transfer Subtype Table-190.

SCREEN NAME: **DISPOSAL REASON**
ACCESS NAME: PROP-DSPSL-RSN-TEXT
ENTITY:
DESCRIPTIVE NAME: PROPERTY DISPOSAL REASON TEXT

DATA ELEMENT DEFINITION:

The Disposal Reason (in text form) as to why a property item was excessed as scrap/salvage or abandonment/destruction.

FORMAT: Alphanumeric
LENGTH: 72 (1:10)

EDIT CRITERIA

Supplied by NSMS (TXN-DSPSL-CMNTS, A72/1:10) during batch add otherwise, user entered free form with no edit check. Stored on the NPDMS Text Descriptions file in a MU field with up to 10 occurrences.

SCREEN NAME: **DISPOSITION DATE**
ACCESS NAME: PROP-DSPSTN-TXN-DATE

ENTITY: IDLE NASA PROPERTY
DESCRIPTIVE NAME: PROPERTY DISPOSITION TRANSACTION DATE
DATA ELEMENT DEFINITION:
The calendar date on which the final disposition or disposition reversal transaction was entered.
FORMAT: D
LENGTH:
EDIT CRITERIA
Generated. Displayed in format MM = 1-12; DD = 1-31 consistent with month; YY or YYYY = current year. Stored in Internal Date format.

SCREEN NAME: DISPOSITION QTY
ACCESS NAME: PROP-DSPSTN-QTY
ENTITY: IDLE NASA PROPERTY
DESCRIPTIVE NAME: PROPERTY DISPOSITION QUANTITY
DATA ELEMENT DEFINITION:
The number of items requested for a freeze (F00), disposition (T03-T20), or reversal (RT03-RT20) transaction.
FORMAT: Numeric
LENGTH: 5.0
EDIT CRITERIA
Any number from 1-99999, that does not reduce the PROP-CUR-AVLBL-QTY to less than zero.

SCREEN NAME: DISTRIBUTION (CENTER)
ACCESS NAME: INST-RPT-RQSTR-NAME
ENTITY: REPORT
DESCRIPTIVE NAME: INSTALLATION REPORT REQUESTOR NAME
DATA ELEMENT DEFINITION:
This field will contain the default name of an individual or entity who requested a specific NPDMS report or maintenance job.
FORMAT: Alphanumeric
LENGTH: 30
EDIT CRITERIA
Installation specific. The default is maintained in the NPDMS Center Profile Table-050.

SCREEN NAME: **DISTRIBUTION (REPORT)**
ACCESS NAME: RPT-RQSTR-NAME
ENTITY: REPORT
DESCRIPTIVE NAME: REPORT REQUESTOR NAME

DATA ELEMENT DEFINITION:

This field will contain the name of the individual or entity who requested a specific NPDMS report or maintenance job.

FORMAT: Alphanumeric

LENGTH: 30

EDIT CRITERIA

Installation specific. The default is maintained in the NPDMS Center Profile Table-050.

SCREEN NAME: **DML CODE**
ACCESS NAME: PROP-DML-CODE; SYS-REC-KEY
ENTITY: IDLE NASA PROPERTY
DESCRIPTIVE NAME: PROPERTY DEMILITARIZATION CODE

DATA ELEMENT DEFINITION:

A code used to identify the demilitarization process needed for the disposal of idle NASA personal property. Also used with SYS-TBL-ID to access the NPDMS Table File.

FORMAT: Alphanumeric

LENGTH: 1

EDIT CRITERIA

Source DoD Manual 4160.21-M-1, Appendix 3. Maintained on NPDMS Table-045. Valid codes are:

A. Non-MLI -- Demilitarization not required.

B. MLI--Demilitarization required.

C. MLI-- Remove, and/or demilitarize installed key point(s), as prescribed in DoD Manual 4160.21-M-1, or lethal parts, components and accessories.

D. MLI-- Demilitarize by mutilation (make unfit for intended purpose) by melting, cutting, tearing, scratching, crushing, breaking, punching, neutralizing, etc. (as an alternative, burial or deep water dumping may be used when authorized).

E. MLI--Demilitarize by burning, shredding, or pulping.

F. MLI--Demilitarization instructions to be furnished by the Item/Technical Manager.

G. MLI--Demilitarization required--item to be demilitarized prior to physical transfer to the DPDO. This code is normally limited to ammunition, explosives, and other dangerous articles.

H. MLI--Remove and/or demilitarize installed key point (s), as prescribed in DoD Manual 4160.21-M-1, or lethal parts, components and accessories overseas only. Demilitarization not required in the U.S., Puerto Rico, American Samoa, Guam, The Trust Territory of the Pacific Islands, and The Virgin Islands.

J. MLI--Demilitarize by mutilation (make unfit for intended purpose) by melting, cutting, tearing, scratching, crushing, breaking, punching, neutralizing, etc., overseas only. (as an alternative, burial or deep water dumping may be used when authorized.) Demilitarization not required in the U.S., Puerto Rico, American Samoa, Guam, The Trust Territory of the Pacific Islands, and The Virgin Islands.

K. MLI--Demilitarize by burning, shredding, or pulping overseas only. Demilitarization not required in the U.S., Puerto Rico, American Samoa, Guam, The Trust Territory of the Pacific Islands, and The Virgin Islands.

L. MLI--Demilitarize by mutilation (make unfit for intended purpose) by melting, cutting, tearing, scratching, crushing, breaking, punching, neutralizing, etc. (As an alternative, burial or deep water dumping may be used when authorized.) This code will be applied only to items identified as being a component key point on a major end item.

M. MLI--Demilitarize by mutilation (make unfit for intended purpose) by melting, cutting, tearing, scratching, crushing, breaking, punching, neutralizing, etc., overseas only. (as an alternative, burial or deep water dumping may be used when authorized.) This code will be applied only to items identified as being a component key point on a major end item. Demilitarization not required in the U.S., Puerto Rico, American Samoa, Guam, The Trust Territory of the Pacific Islands, and The Virgin Islands.

N. MLI or non-MLI with sensitive applications--Demilitarize by removing and destroying all name plates, label plates, meter face plates, tags, stickers, documents or markings which relate the item to a weapons system or sensitive end item application. Demilitarization will be performed by the generating activity prior to physical transfer of the item to the disposal activity.

NOTE: This code will not be used for Army and Air Force managed items.

NOTE: When reporting to GSA and a DML Code is entered the demilitarization codes apply only to items identified with 5 of the codes. These 5 codes are: C, D, E, F, L (source 41 CFR 101-43-4801 (7-1-91 Edition)).

SCREEN NAME:	DML CODE
ACCESS NAME:	SYS-REC-KEY
ENTITY:	SYSTEM
DESCRIPTIVE NAME:	SYSTEM RECORD KEY

DATA ELEMENT DEFINITION:

The values used with the SYS-TBL-ID providing access to the NPDMS Table File Records.

FORMAT: Alphanumeric

LENGTH: 10

EDIT CRITERIA

SYS-USER-ID for the User Access Table-001;
GSA-RGN-CODE for the GSA Region Table-005;
DRMO-DODAAC-CODE for the DRMO Routing Identifier Code Table-010;
CSTDN-ACNT-NMBR for the Exception Processing Table-015;
PROP-FSC-CODE for the Federal Supply Classification Code Table-020;
PROP-UOM-CODE for the Unit of Measure Table-025;
PROP-SPLY-CNDTN-CODE for the Supply Condition Code Table-030;
PROP-DSPSL-CNDTN-CODE for the Disposal Condition Code Table-035;
INST-FEDAAC-CODE for the Performance Measures Table-040;
PROP-DML-CODE for the Demilitarization Code Table-045;
INST-NMBR for the Center Profile Table-050;
INST-NMBR for Property Location Table-051;
INST-NMBR, RPT-MAINT-JOB-TYPE & RPT-MAINT-JOB-NMBR for the Report/Maintenance Selection Table-055;
NSMS-FIXED-SHELF-LIFE-CODE for Fixed Shelf Life Code Table-060;
NSMS-SHELF-LIFE-EXTNSN-CODE for Shelf Life Extension Code Table-062;
PROP-HAZMAT-CODE for Hazardous Materials Code Table-065;
DRMO-CNTRLD-INV-ITEM-CODE for the Controlled Inventory Item Code Table-070;
PROP-ADP-CTGRY-ID for the ADPE ID Code Table-075;
PROP-PRCS-MTLS-CODE for the Precious Metals Code Table-080;
PROP-MMAC-CODE for the MMAC Table-085;
DRMO-DSPSL-ATHRTY-CODE for the Disposal Authority Code Table-090;
DRMO ADDITIONAL DATA CODE for the DRMO Additional Data Code Table-095;
'ECN' & INST-NMBR for the Excess Case Number Serial Number Record-100;
INST-NMBR for Installation Code Table-105;
'ERN' & INST-NMBR for the Entry Reference Number Serial Number Record-110;
'DOD' and INST-NMBR for the DRMO 1348 Serial Number Record-112;
'SAL' and INST-NMBR for the Sale Number Serial Number Record-113;
'NEM' & INST-NMBR for the NP/NEMS Entry Reference Number Serial Number Record-115;
INST-NMBR & RPT-END-DATE for the Monthly 623 Report Balance Record-120;
INST-NMBR & RPT-END-DATE for the Annual 623 Report Balance Record-125;
INST-NMBR & RPT-END-DATE for the 1800 Report Balance Record-130;
'RCT' & INST-NMBR for the Sale Slip Serial Number Record-135; RPT-MAINT-JOB-TYPE & RPT-MAINT-JOB-NMBR for the JCL Table-140;
PRINTER DESTINATION CODE for the Printer Destination Table-145;
STATE ABBREVIATION for the State Table-150;
INST-NMBR and PROPERTY TYPE for Screening Days Table-155;
INST-DFLT-REIM-CODE for Reimbursement Code Table-160;
PROP-HAZMAT-IND for Hazardous Material Indicator Code Table-165;
RECIPIENT-CODE for Recipient Name Table-170;
RCPNT-TYPE-CODE for Transfer Type Table-180;
RCPNT-SUBTYPE-CODE for Transfer Subtype Table-190.

SCREEN NAME:	DML CODE (COMPONENT SYSTEM)
ACCESS NAME:	CMPNT-DML-CODE

ENTITY: COMPONENT SYSTEM
DESCRIPTIVE NAME: COMPONENT SYSTEM DEMILITARIZATION CODE
DATA ELEMENT DEFINITION:
This field contains the highest Demilitarization Code entered for all components.
FORMAT: Alphanumeric
LENGTH: 1
EDIT CRITERIA
System.

SCREEN NAME: DML DEFINITION (DML CODE DFNTN1)
ACCESS NAME: PROP-DML-CODE1-DESC
ENTITY: IDLE NASA PROPERTY
DESCRIPTIVE NAME: PROPERTY DEMILITARIZATION CODE 1 DESCRIPTION
DATA ELEMENT DEFINITION:
The description associated with the PROP-DML-CODE entry.
FORMAT: Alphanumeric
LENGTH: 240
EDIT CRITERIA
Maintained in the NPDMS Demilitarization Code Table-045.

SCREEN NAME: DML DEFINITION (DML CODE DFNTN2)
ACCESS NAME: PROP-DML-CODE2-DESC
ENTITY: IDLE NASA PROPERTY
DESCRIPTIVE NAME: PROPERTY DEMILITARIZATION CODE 2 DESCRIPTION
DATA ELEMENT DEFINITION:
A continuation field for the description associated with the PROP-DML-CODE entry.
FORMAT: Alphanumeric
LENGTH: 240
EDIT CRITERIA
Maintained in the NPDMS Demilitarization Code Table-045.

SCREEN NAME: DML PRIORITY
ACCESS NAME: PROP-DML-RANK
ENTITY: IDLE NASA PROPERTY
DESCRIPTIVE NAME: PROPERTY DEMILITARIZATION CODE RANK

DATA ELEMENT DEFINITION:

Numerical description ranking the priority of demilitarization codes established for the disposal of Idle NASA personal property. The lower the numerical ranking of a DML Code, the greater the priority.

FORMAT: Packed

LENGTH: 2.0

EDIT CRITERIA

Must be a unique whole number greater than zero. Maintained on NPDMS Demilitarization Code Table-045. See PROP-DML-CODE.

RANK	DML CODE
1	G
2	M (foreign)
3	L
4	J (foreign)
5	D
6	H (foreign)
7	C
8	K (Foreign)
9	E
10	N
RANK	DML CODE (Continued)
11	B
12	F
1	A

SCREEN NAME: DOC NO
ACCESS NAME: PROP-RQST-DCMNT-NMBR
ENTITY: IDLE NASA PROPERTY
DESCRIPTIVE NAME: PROPERTY REQUEST DOCUMENT NUMBER

DATA ELEMENT DEFINITION:

The number assigned by the requesting organization that uniquely identifies that request document.

FORMAT: Alphanumeric

LENGTH: 14

EDIT CRITERIA

Free Form.

SCREEN NAME: **DOCUMENT IDENTIFIER CODE**
ACCESS NAME: RPT-1348-DCMNT-ID
ENTITY: REPORT
DESCRIPTIVE NAME: REPORT 1348 DOCUMENT IDENTIFIER

DATA ELEMENT DEFINITION:

The DD-1348-1A field which provides a means for identifying a document as to the system to which it pertains and further identifies such document as to its intended purpose and usage.

FORMAT: Alphanumeric

LENGTH: 3

EDIT CRITERIA

Default is 'TID'.

SCREEN NAME: **DODAAC**
ACCESS NAME: DRMO-DODAAC-CODE; SYS-REC-KEY
ENTITY: DRMO
DESCRIPTIVE NAME: DRMO DEPARTMENT OF DEFENSE AREA ACTIVITY CODE

DATA ELEMENT DEFINITION:

The Department of Defense Area Activity Code which uniquely identifies the various Defense Reutilization and Marketing Service Activities.

FORMAT: Alphanumeric

LENGTH: 6

EDIT CRITERIA

Maintained in the NPDMS DRMO DODAAC Code Table - 010.

SCREEN NAME: **DONATION BEGIN DT**
ACCESS NAME: SRPLSPROP-DNTN-BGN-DATE
ENTITY: SURPLUS PROPERTY
DESCRIPTIVE NAME: SURPLUS PROPERTY DONATION SCREENING BEGIN DATE

DATA ELEMENT DEFINITION:

The calendar date on which surplus personal property begins the required 21 day donation screening period.

FORMAT: D

LENGTH:

EDIT CRITERIA

Generated and modifiable. Display Format: MM/DD/YY or MM/DD/YYYY. Stored in Internal

Date format. Generated as follows: Set to equal the PROP-OFA-END-DATE plus 1 day at the time of initial add into NPDMS.

SCREEN NAME: DONATION END DT
ACCESS NAME: SRPLSPROP-DNTN-END-DATE
ENTITY: SURPLUS PROPERTY
DESCRIPTIVE NAME: SURPLUS PROPERTY DONATION SCREENING END DATE

DATA ELEMENT DEFINITION:

The calendar date on which surplus personal property completes the required 21 day donation screening period.

FORMAT: D

LENGTH:

EDIT CRITERIA

System generated at the time of Add and modifiable. Display format: MM/DD/YY or MM/DD/YYYY. Stored in Internal Date format. This date is generated using default values maintained on ND-Table-155 (Screening Days Table) as follows:

If Reportable ADPE with a PROP-ADJSTD-ACQSTN-COST-AMT GE \$1,000,000.00 and less than 9 years, default is the SRPLSPROP-DNTN-BGN-DATE plus the default number of Surplus screening days for reportable ADPE property.

If the EXCHNGSL-IND equals Y, default is the SRPLSPROP-DNTN-BGN-DATE plus the default number of Surplus screening days for Exchange/Sale property.

If Non-reportable ADPE (FSG 70) with a PROP-ADJSTD-ACQSTN-COST-AMT less than \$1,000,000.00, default is the SRPLSPROP-DNTN-BGN-DATE plus the default number of Surplus screening days for Non-reportable ADPE property.

For all other reportable and non-reportable property, default is the SRPLSPROP-DNTN-BGN-DATE plus the default number of Surplus screening days for all other property.

If changed, cannot be earlier than the PROP-OFA-BGN-DATE.

SCREEN NAME: DONATION SCREENING BEGIN DATES
ACCESS NAME: SRPLSPROP-DNTN-BGN-DATE
ENTITY: SURPLUS PROPERTY
DESCRIPTIVE NAME: SURPLUS PROPERTY DONATION SCREENING BEGIN DATE

DATA ELEMENT DEFINITION:

The calendar date on which surplus personal property begins the required 21 day donation screening period.

FORMAT: D

LENGTH:

EDIT CRITERIA

Generated and modifiable. Display Format: MM/DD/YY or MM/DD/YYYY. Stored in Internal Date format. Generated as follows: Set to equal the PROP-OFA-END-DATE plus 1 day at the time of initial add into NPDMS.

SCREEN NAME: DONATION SCREENING END DATES

ACCESS NAME: SRPLSPROP-DNTN-END-DATE

ENTITY: SURPLUS PROPERTY

DESCRIPTIVE NAME: SURPLUS PROPERTY DONATION SCREENING END DATE

DATA ELEMENT DEFINITION:

The calendar date on which surplus personal property completes the required 21 day donation screening period.

FORMAT: D

LENGTH:

EDIT CRITERIA

System generated at the time of Add and modifiable. Display format: MM/DD/YY or MM/DD/YYYY. Stored in Internal Date format. This date is generated using default values maintained on ND-Table-155 (Screening Days Table) as follows:

If Reportable ADPE with a PROP-ADJSTD-ACQSTN-COST-AMT GE \$1,000,000.00 and less than 9 years, default is the SRPLSPROP-DNTN-BGN-DATE plus the default number of Surplus screening days for reportable ADPE property.

If the EXCHNGSL-IND equals Y, default is the SRPLSPROP-DNTN-BGN-DATE plus the default number of Surplus screening days for Exchange/Sale property.

If Non-reportable ADPE (FSG 70) with a PROP-ADJSTD-ACQSTN-COST-AMT less than \$1,000,000.00, default is the SRPLSPROP-DNTN-BGN-DATE plus the default number of Surplus screening days for Non-reportable ADPE property.

For all other reportable and non-reportable property, default is the SRPLSPROP-DNTN-BGN-DATE plus the default number of Surplus screening days for all other property.

If changed, cannot be earlier than the PROP-OFA-BGN-DATE.

SCREEN NAME: DONEE AGENCY
ACCESS NAME: RQSTR-ORGNZTN-NAME
ENTITY: REQUESTOR
DESCRIPTIVE NAME: REQUESTOR ORGANIZATION NAME

DATA ELEMENT DEFINITION:

The name identifying the organization, association, etc. requesting an item of personal property available for transfer, exchange, sale, donation, etc.

FORMAT: Alphanumeric

LENGTH: 40

EDIT CRITERIA

Free form.

SCREEN NAME: DRMO
ACCESS NAME: DRMO-RPT-IND
ENTITY: DRMO
DESCRIPTIVE NAME: DRMO REPORT INDICATOR

DATA ELEMENT DEFINITION:

When this indicator is set to 'Y' on the Case Record, the case can be transferred to the DRMO when NASA Screening has completed.

FORMAT: Alphanumeric

LENGTH: 1

EDIT CRITERIA

Y = yes; Blank = no. Default maintained in the NPDMS Center Profile Table-050.

SCREEN NAME: DRMO DISPOSAL AUTHORITY CODE
ACCESS NAME: SYS-REC-KEY
ENTITY: SYSTEM
DESCRIPTIVE NAME: SYSTEM RECORD KEY

DATA ELEMENT DEFINITION:

The values used with the SYS-TBL-ID providing access to the NPDMS Table File Records.

FORMAT: Alphanumeric

LENGTH: 10

EDIT CRITERIA

SYS-USER-ID for the User Access Table-001;
GSA-RGN-CODE for the GSA Region Table-005;

DRMO-DODAAC-CODE for the DRMO Routing Identifier Code Table-010;
 CSTDN-ACNT-NMBR for the Exception Processing Table-015;
 PROP-FSC-CODE for the Federal Supply Classification Code Table-020;
 PROP-UOM-CODE for the Unit of Measure Table-025;
 PROP-SPLY-CNDTN-CODE for the Supply Condition Code Table-030;
 PROP-DSPSL-CNDTN-CODE for the Disposal Condition Code Table-035;
 INST-FEDAAC-CODE for the Performance Measures Table-040;
 PROP-DML-CODE for the Demilitarization Code Table-045;
 INST-NMBR for the Center Profile Table-050;
 INST-NMBR for Property Location Table-051;
 INST-NMBR, RPT-MAINT-JOB-TYPE & RPT-MAINT-JOB-NMBR for the Report/Maintenance Selection Table-055;
 NSMS-FIXED-SHELF-LIFE-CODE for Fixed Shelf Life Code Table-060;
 NSMS-SHELF-LIFE-EXTNSN-CODE for Shelf Life Extension Code Table-062;
 PROP-HAZMAT-CODE for Hazardous Materials Code Table-065;
 DRMO-CNTRLD-INV-ITEM-CODE for the Controlled Inventory Item Code Table-070;
 PROP-ADP-CTGRY-ID for the ADPE ID Code Table-075;
 PROP-PRCS-MTLS-CODE for the Precious Metals Code Table-080;
 PROP-MMAC-CODE for the MMAC Table-085;
 DRMO-DSPSL-ATHRTY-CODE for the Disposal Authority Code Table-090;
 DRMO ADDITIONAL DATA CODE for the DRMO Additional Data Code Table-095;
 'ECN' & INST-NMBR for the Excess Case Number Serial Number Record-100;
 INST-NMBR for Installation Code Table-105;
 'ERN' & INST-NMBR for the Entry Reference Number Serial Number Record-110;
 'DOD' and INST-NMBR for the DRMO 1348 Serial Number Record-112;
 'SAL' and INST-NMBR for the Sale Number Serial Number Record-113;
 'NEM' & INST-NMBR for the NP/NEMS Entry Reference Number Serial Number Record-115;
 IINST-NMBR & RPT-END-DATE for the Monthly 623 Report Balance Record-120;
 INST-NMBR & RPT-END-DATE for the Annual 623 Report Balance Record-125;
 INST-NMBR & RPT-END-DATE for the 1800 Report Balance Record-130;
 'RCT' & INST-NMBR for the Sale Slip Serial Number Record-135;
 RPT-MAINT-JOB-TYPE & RPT-MAINT-JOB-NMBR for the JCL Table-140;
 PRINTER DESTINATION CODE for the Printer Destination Table-145;
 STATE ABBREVIATION for the State Table-150;
 INST-NMBR and PROPERTY TYPE for Screening Days Table-155;
 INST-DFLT-REIM-CODE for Reimbursement Code Table-160;
 PROP-HAZMAT-IND for Hazardous Material Indicator Code Table-165;
 RECIPIENT-CODE for Recipient Name Table-170;
 RCPNT-TYPE-CODE for Transfer Type Table-180;
 RCPNT-SUBTYPE-CODE for Transfer Subtype Table-190.

SCREEN NAME:	DRMO DODAAC
ACCESS NAME:	DRMO-DODAAC-CODE; SYS-REC-KEY
ENTITY:	DRMO
DESCRIPTIVE NAME:	DRMO DEPARTMENT OF DEFENSE AREA ACTIVITY CODE

DATA ELEMENT DEFINITION:

The Department of Defense Area Activity Code which uniquely identifies the various Defense Reutilization and Marketing Service Activities.

FORMAT: Alphanumeric

LENGTH: 6

EDIT CRITERIA

Maintained in the NPDMS DRMO DODAAC Code Table-010.

SCREEN NAME: DRMO DODAAC

ACCESS NAME: SYS-REC-KEY

ENTITY: SYSTEM

DESCRIPTIVE NAME: SYSTEM RECORD KEY

DATA ELEMENT DEFINITION:

The values used with the SYS-TBL-ID providing access to the NPDMS Table File Records.

FORMAT: Alphanumeric

LENGTH: 10

EDIT CRITERIA

SYS-USER-ID for the User Access Table-001;
GSA-RGN-CODE for the GSA Region Table-005;
DRMO-DODAAC-CODE for the DRMO Routing Identifier Code Table-010;
CSTDN-ACNT-NMBR for the Exception Processing Table-015;
PROP-FSC-CODE for the Federal Supply Classification Code Table-020;
PROP-UOM-CODE for the Unit of Measure Table-025;
PROP-SPLY-CNDTN-CODE for the Supply Condition Code Table-030;
PROP-DSPSL-CNDTN-CODE for the Disposal Condition Code Table-035;
INST-FEDAAC-CODE for the Performance Measures Table-040;
PROP-DML-CODE for the Demilitarization Code Table-045;
INST-NMBR for the Center Profile Table-050;
INST-NMBR for Property Location Table-051;
INST-NMBR, RPT-MAINT-JOB-TYPE & RPT-MAINT-JOB-NMBR for the Report/Maintenance Selection Table-055;
NSMS-FIXED-SHELF-LIFE-CODE for Fixed Shelf Life Code Table-060;
NSMS-SHELF-LIFE-EXTNSN-CODE for Shelf Life Extension Code Table-062;
PROP-HAZMAT-CODE for Hazardous Materials Code Table-065;
DRMO-CNTRLD-INV-ITEM-CODE for the Controlled Inventory Item Code Table-070;
PROP-ADP-CTGRY-ID for the ADPE ID Code Table-075;
PROP-PRCS-MTLS-CODE for the Precious Metals Code Table-080;
PROP-MMAC-CODE for the MMAC Table-085;
DRMO-DSPSL-ATHRTY-CODE for the Disposal Authority Code Table-090;
DRMO ADDITIONAL DATA CODE for the DRMO Additional Data Code Table-095;
'ECN' & INST-NMBR for the Excess Case Number Serial Number Record-100;
INST-NMBR for Installation Code Table-105;
'ERN' & INST-NMBR for the Entry Reference Number Serial Number Record-110;

'DOD' and INST-NMBR for the DRMO 1348 Serial Number Record-112;
 'SAL' and INST-NMBR for the Sale Number Serial Number Record-113;
 'NEM' & INST-NMBR for the NP/NEMS Entry Reference Number Serial Number Record-115;
 INST-NMBR & RPT-END-DATE for the Monthly 623 Report Balance Record-120;
 INST-NMBR & RPT-END-DATE for the Annual 623 Report Balance Record-125;
 INST-NMBR & RPT-END-DATE for the 1800 Report Balance Record-130;
 'RCT' & INST-NMBR for the Sale Slip Serial Number Record-135;
 RPT-MAINT-JOB-TYPE & RPT-MAINT-JOB-NMBR for the JCL Table-140;
 PRINTER DESTINATION CODE for the Printer Destination Table-145;
 STATE ABBREVIATION for the State Table-150;
 INST-NMBR and PROPERTY TYPE for Screening Days Table-155;
 INST-DFLT-REIM-CODE for Reimbursement Code Table-160;
 PROP-HAZMAT-IND for Hazardous Material Indicator Code Table-165;
 RECIPIENT-CODE for Recipient Name Table-170;
 RCPNT-TYPE-CODE for Transfer Type Table-180;
 RCPNT-SUBTYPE-CODE for Transfer Subtype Table-190.

SCREEN NAME: DRMO DODAAC CONTACT NAME

ACCESS NAME: DRMO-DODAAC-CNTCT-NAME

ENTITY: DRMO

DESCRIPTIVE NAME: DRMO DODAAC CONTACT NAME

DATA ELEMENT DEFINITION:

The field containing the contact person's name at a particular DRMO DODAAC.

FORMAT: Alphanumeric

LENGTH: 30

EDIT CRITERIA

User entered. Free form however must be entered. Maintained on the DRMO DODAAC Table-010

SCREEN NAME: DRMO DODAAC (INST)

ACCESS NAME: INST-DRMO-DODAAC-CODE

ENTITY: NASA INSTALLATION

DESCRIPTIVE NAME: INSTALLATION DRMO DODAAC CODE

DATA ELEMENT DEFINITION:

A six digit code used to identify the primary Department of Defense Reutilization and Marketing Office (DRMO) used by a specific NASA Installation Property Disposal Officer (PDO) to report and transfer NASA personal property to for further disposal processing. The DRMO chosen by the NASA installation PDO in this data field will become the default DRMO maintained in the NPDMS center profile record for use whenever doing an add transaction to NPDMS.

FORMAT: Alphanumeric

LENGTH: 6

EDIT CRITERIA

Installation specific, but must be on the NPDMS DODAAC Code Table-010. Default maintained in the NPDMS Center Profile Table-050.

SCREEN NAME: **DRMO DODAAC NAME**

ACCESS NAME: DRMO-DODAAC-NAME

ENTITY: DRMO

DESCRIPTIVE NAME: DRMO DODAAC NAME

DATA ELEMENT DEFINITION:

The name of the DODAAC.

FORMAT: Alphanumeric

LENGTH: 40

EDIT CRITERIA

Free form.

SCREEN NAME: **DRMO DODAAC PHONE**

ACCESS NAME: DRMO-DODAAC-PHN-NMBR

ENTITY: DRMO

DESCRIPTIVE NAME: DRMO DODAAC PHONE NUMBER

DATA ELEMENT DEFINITION:

The telephone number, including area code, associated with a specific DODAAC.

FORMAT: Alphanumeric

LENGTH: 10.0

EDIT CRITERIA

Free form. If entered, Area Code must be included.

SCREEN NAME: **DRMO DODAAC RIC**

ACCESS NAME: DRMO-DODAAC-RIC-CODE

ENTITY: DRMO

DESCRIPTIVE NAME: DRMO DODAAC ROUTING IDENTIFIER CODE

DATA ELEMENT DEFINITION:

This field contains SOS codes, inter-system routing codes, intra-system routing codes, and consignor (shipper) codes on NPDMS Table 010.

FORMAT: Alphanumeric

LENGTH: 3

EDIT CRITERIA

Maintained in the NPDMS DRMO DODAAC Code Table-010. All 3 characters must be filled and the first character must begin with 'S'.

SCREEN NAME: DRMO DT

ACCESS NAME: RPT-1348-GNRTN-DATE

ENTITY: REPORT

DESCRIPTIVE NAME: REPORT 1348 GENERATION DATE

DATA ELEMENT DEFINITION:

The calendar date on which the DD-1348-1A was generated by NPDMS.

FORMAT: D

LENGTH:

EDIT CRITERIA

Generated. Display format: MM = any number 1-12; DD = any number 1-31 and consistent with month; YY or YYYY = current year. Stored in Internal Date format.

SCREEN NAME: DRMO RECEIVING (ADDITIONAL DATA CODE)

ACCESS NAME: DRMO-RCVNG-CODE; SYS-REC-KEY

ENTITY: DRMO

DESCRIPTIVE NAME: DRMO RECEIVING CODE

DATA ELEMENT DEFINITION:

Additional DRMO receiving information code to appear on DD-1348-1A.

FORMAT: Alphanumeric

LENGTH: 3

EDIT CRITERIA

Maintained in the NPDMS DRMO Additional Data Codes Table-095.

SCREEN NAME: DRMO UNIT PACKAGE QUANTITY
ACCESS NAME: NOT MAINTAINED
ENTITY: DRMO
DESCRIPTIVE NAME: DRMO PROPERTY UNIT PACKAGE QUANTITY
DATA ELEMENT DEFINITION:
The number of units of issue in a package. Entered on the DD form 1348-1A if required by the shipper.
FORMAT: Numeric
LENGTH: 3.0
EDIT CRITERIA
Free form.

SCREEN NAME: DT SHIPPD
ACCESS NAME: PROP-SHPMNT-DATE
ENTITY: IDLE NASA PROPERTY
DESCRIPTIVE NAME: PROPERTY SHIPMENT DATE
DATA ELEMENT DEFINITION:
The calendar date that an idle personal property item was shipped.
FORMAT: D
LENGTH:
EDIT CRITERIA
Display format: MM = 1-12, DD = 1-31 consistent with the month, YY or YYYY = current year.
Stored in Internal Date format.

SCREEN NAME: ECN
ACCESS NAME: NEMS-ECN-NMBR
ENTITY: NEMS
DESCRIPTIVE NAME: NEMS EQUIPMENT CONTROL NUMBER
DATA ELEMENT DEFINITION:
A unique bar-coded identification number affixed to each item of NASA-held, controlled equipment. May be referred to as 'Tag Number' or 'ECN'.
FORMAT: Alphanumeric
LENGTH: 7
EDIT CRITERIA
Position 1, any alphanumeric character, no space; positions 2-6 any valid number.

SCREEN NAME: **EFFECTIVE DATE**
ACCESS NAME: RPT-EFFCTV-DATE
ENTITY: REPORT
DESCRIPTIVE NAME: REPORT EFFECTIVE DATE

DATA ELEMENT DEFINITION:

This element is used to trigger the execution of standard and on-request NPDMS reports and maintenance jobs. If this Julian date is equal to or less than the current date, the program contained in the Report Record will be executed. If the program is for a standard report or maintenance job, this date will be incremented by the RPT-FREQ and the Report Record will be updated when the programs successfully completes.

FORMAT: D

LENGTH:

EDIT CRITERIA

Display Format: MM/DD/YY or MM/DD/YYYY. Stored in Internal Date format.

SCREEN NAME: **END DATE (IND)**
ACCESS NAME: RPT-END-DATE-IND
ENTITY:
DESCRIPTIVE NAME: REPORT END DATE INDICATOR

DATA ELEMENT DEFINITION:

Indicates if a report ending date is a required entry for a specific NPDMS report.

FORMAT: Alphanumeric

LENGTH: 1

EDIT CRITERIA

O = required for on-request reports, R = required on a regularly scheduled report. B = required for both on-request and regularly scheduled reports, and a blank space = not required.

SCREEN NAME: **END DT (NASA-WIDE SCREENING)**
ACCESS NAME: PROP-NASA-END-DATE
ENTITY: IDLE NASA PROPERTY
DESCRIPTIVE NAME: NASA WIDE SCREENING END DATE OF PROPERTY

DATA ELEMENT DEFINITION:

The calendar date on which personal property completes the required internal NASA screening period at all NASA installations.

FORMAT: D

LENGTH:

EDIT CRITERIA

System generated at the time of Add and modifiable. Display format: MM/DD/YY or MM/DD/YYYY. Stored in Internal Date format. This date is generated using default values maintained on ND-Table-155 (Screening Days Table) as follows:

If Reportable ADPE with a PROP-ADJSTD-ACQSTN-COST-AMT GE \$1,000,000.00 and less than 9 years old, default is the PROP-NASA-BGN-DATE plus the default number of NASA screening days for reportable ADPE property.

If the EXCHNGSL-IND equals 'Y' , default is the PROP-NASA-BGN-DATE plus the default number of NASA screening days for Exchange/Sale property.

If Non-reportable ADPE (FSG 70) with PROP-ADJSTD-ACQSTN-COST-AMT less than \$1,000,000.00, default is the PROP-NASA-BGN-DATE plus the default number of NASA screening days for Non-reportable ADPE property.

For all other reportable and non-reportable property, default is the PROP-NASA-BGN-DATE plus the default number of NASA screening days for all other property.

If date changed, cannot be earlier than the PROP-INST-BGN-DATE.

SCREEN NAME: ENDING DATE (REPORTS)

ACCESS NAME: RPT-END-DATE

ENTITY: REPORT

DESCRIPTIVE NAME: REPORT END DATE

DATA ELEMENT DEFINITION:

The calendar date indicating the ending of a specific reporting cycle.

FORMAT: D

LENGTH:

EDIT CRITERIA

User entered. Display format MM/DD/YY or MM/DD/YYYY. Stored in Internal Date format. For reports 008, 009, and 010 when they have a RPT-FREQ of 4 (monthly) or 7 (annually), the RPT-END-DATE is updated the same as the next RPT-EFFCTV-DATE.

SCREEN NAME: ERN
ACCESS NAME: PROP-ERN-NMBR
ENTITY: IDLE NASA PROPERTY
DESCRIPTIVE NAME: PROPERTY TRANSACTION ENTRY REFERENCE NUMBER

DATA ELEMENT DEFINITION:

A unique control number generated by NPDMS for each transaction input to NPDMS. The PROP-ERN-NMBR consists of the subinstallation number; the Julian date (YDDD); and a sequence number assigned each transaction processed during the day, starting each day with 0001.

FORMAT: Alphanumeric

LENGTH: 10.0

EDIT CRITERIA

Generated by the NPDMS for NPDMS transactions. The current available sequence number is contained in the ERN Serial Number Record maintained in the NPDMS Table-110.

SCREEN NAME: EXC/SALE
ACCESS NAME: EXCHNGSL-IND
ENTITY: EXCHANGE/SALE PROPERTY
DESCRIPTIVE NAME: EXCHANGE/SALE PROPERTY INDICATOR

DATA ELEMENT DEFINITION:

Identifies personal property not excess to the needs of the owning agency but eligible for replacement, which is exchanged or sold under the provisions of FPMR 101-46 in order to apply the exchange allowance or proceeds of sale, in whole or part payment, for replacement with a similar (like) item. Exchange/Sale property is not available for donation.

FORMAT: Alphanumeric

LENGTH: 1

EDIT CRITERIA

Y = yes; Blank = no, but if yes, must match FSC EXCHNGSL-FSC-ALWD-IND in the NPDMS FSC Code Table-020 and PROP-APRPRTN-ACNT-NMBR may be entered. Default is no.

SCREEN NAME: EXP DATE (EXPRTN)
ACCESS NAME: PROP-SHELF-LIFE-EXPRTN-DATE
ENTITY: PROPERTY
DESCRIPTIVE NAME: SHELF LIFE PROPERTY EXPIRATION DATE

DATA ELEMENT DEFINITION:

The calendar date on which items designated as Supply and Materials Inventory Idle Property are no longer usable for their primary function.

FORMAT: D

LENGTH:

EDIT CRITERIA

Generated from NSMS and modifiable. Display format: MM = 1-12; DD = 1-31 consistent with month; YY or YYYY = current year. Stored in Internal Date format.

SCREEN NAME: EXP DATE (EXPTNSN)

ACCESS NAME: PROP-SHELF-LIFE-EXTNSN-DATE

ENTITY: PROPERTY

DESCRIPTIVE NAME: SHELF LIFE PROPERTY EXTENSION DATE

DATA ELEMENT DEFINITION:

The date through which items designated as Supply and Materials Inventory Idle Property are extended as useful for their primary purpose.

FORMAT: D

LENGTH:

EDIT CRITERIA

Generated from NSMS and modifiable. Display format: MM = 1-12; DD = 1-31 consistent with month; YY or YYYY = current year. Stored in Internal Date format.

SCREEN NAME: EXPLANATION (ADP CTGRY)

ACCESS NAME: PROP-ADP-CTGRY-DESC

ENTITY: IDLE NASA PROPERTY

DESCRIPTIVE NAME: ADPE PROPERTY CATEGORY DESCRIPTION

DATA ELEMENT DEFINITION:

A description of the category Identification Codes used for Automated Data Processing Equipment.

FORMAT: Alphanumeric

LENGTH: 120

EDIT CRITERIA

Extracted from NPDMS Table 075. See PROP-ADP-CTGRY-ID

SCREEN NAME: EXPLANATION (DRMO CNTRLD INV)

ACCESS NAME: DRMO-CNTRLD-INV-DESC

ENTITY: DRMO

DESCRIPTIVE NAME: DRMO CONTROLLED INVENTORY ITEM CODE
DESCRIPTION

DATA ELEMENT DEFINITION:

This field contains the description of the DRMO Controlled Inventory Item Code indicating the security classification and/or security risk or pilferage controls for the storage and transportation of property.

FORMAT: Alphanumeric

LENGTH: 78

EDIT CRITERIA

Extracted from the NPDMS Controlled Inventory Item Code Table-070. See DRMO-CNTRLD-INV-CODE.

SCREEN NAME: **EXPLANATION (DRMO DSPSL)**

ACCESS NAME: DRMO-DSPSL-ATHRTY-DESC

ENTITY: DRMO

DESCRIPTIVE NAME: DRMO DISPOSAL AUTHORITY CODE DESCRIPTION

DATA ELEMENT DEFINITION:

The description associated with the DRMO-Disposal-Authority-Code entry.

FORMAT: Alphanumeric

LENGTH: 250

EDIT CRITERIA

Extracted from the NPDMS Disposal Authority Code Table-090. See DRMO-DSPSL-ATHRTY-CODE.

SCREEN NAME: **EXPLANATION (DRMO RECEIVING)**

ACCESS NAME: DRMO-RCVNG-TEXT

ENTITY: DRMO

DESCRIPTIVE NAME: DRMO RECEIVING INFORMATION TEXT

DATA ELEMENT DEFINITION:

This field is for an textual explanation of the additional DRMO receiving information code on the DD-1348-1A.

FORMAT: Alphanumeric

LENGTH: 200

EDIT CRITERIA

Free form.

SCREEN NAME: EXPLANATION (DRMO SHIPPING)
ACCESS NAME: DRMO-SHPNG-TEXT
ENTITY: DRMO
DESCRIPTIVE NAME: DRMO SHIPPING EXPLANATION TEXT
DATA ELEMENT DEFINITION:
Textual explanation of additional DRMO shipping information on the DD-1348-1A.
FORMAT: Alphanumeric
LENGTH: 150
EDIT CRITERIA
Free form.

SCREEN NAME: EXPLANATION (HAZMAT)
ACCESS NAME: PROP-HAZMAT-DESC
ENTITY: IDLE NASA PROPERTY
DESCRIPTIVE NAME: HAZARDOUS MATERIALS PROPERTY DESCRIPTION
DATA ELEMENT DEFINITION:
This field is for a description of the Hazardous Materials Code identifying explosives and other dangerous articles which require special attention in shipment.
FORMAT: Alphanumeric
LENGTH: 240
EDIT CRITERIA
Extracted from the NPDMS Hazardous Materials Code Table-065.

SCREEN NAME: EXT DATE (EXPTNSN)
ACCESS NAME: PROP-SHELF-LIFE-EXTNSN-DATE
ENTITY: PROPERTY
DESCRIPTIVE NAME: SHELF LIFE PROPERTY EXTENSION DATE
DATA ELEMENT DEFINITION:
The date through which items designated as Supply and Materials Inventory Idle Property are extended as useful for their primary purpose.
FORMAT: D

LENGTH:

EDIT CRITERIA

Generated from NSMS and modifiable. Display format: MM = 1-12; DD = 1-31 consistent with month; YY or YYYY = current year. Stored in Internal Date format.

SCREEN NAME: EXTERNAL (AGENCY EXTRNL)

ACCESS NAME: AGENCY-EXTRNL-DSTRBTN-RATE

ENTITY: FEDERAL AGENCY

DESCRIPTIVE NAME: EXTERNAL AGENCY DISTRIBUTION RATE

DATA ELEMENT DEFINITION:

A standard rate established by NASA Headquarters for the number of line items redistributed outside of NASA (Including NASA Contractors and Grantees) divided by the total line items reported excess to the Property Disposal Officer plus the total line items formally screened through NEMS but not reported to the PDO as excess, expressed by a percentage.

FORMAT: Packed

LENGTH: 3.0

EDIT CRITERIA

As supplied by HQ NASA and entered by the user. Stored on the NPDMS Performance Measures Table-040.

SCREEN NAME: EXTERNAL (INST EXTRNL)

ACCESS NAME: INST-EXTRNL-DSTRBTN-RATE

ENTITY: NASA INSTALLATION

DESCRIPTIVE NAME: INSTALLATION EXTERNAL DISTRIBUTION RATE

DATA ELEMENT DEFINITION:

A rate (established by NASA Headquarters) for the number of line items redistributed outside of NASA (Excluding NASA Contractors and Grantees) by a particular Installation divided by the total line items reported excess to the Property Disposal Officer plus the total line items formally screened through NEMS but not reported to the PDO as excess, expressed by a percentage.

FORMAT: Packed

LENGTH: 3.0

EDIT CRITERIA

As supplied by HQ NASA and entered by the user. Stored on the NPDMS Performance Measures Table-040.

SCREEN NAME: FAIR MKT
ACCESS NAME: PROP-FMV-AMT
ENTITY: IDLE NASA PROPERTY
DESCRIPTIVE NAME: FAIR MARKET VALUE AMOUNT OF PROPERTY

DATA ELEMENT DEFINITION:

The amount of money to be reimbursed to the reporting agency. This is the best estimate of the gross proceeds that would be recovered if reimbursable property were to be sold by competitive bid.

FORMAT: Packed
LENGTH: 10.2

EDIT CRITERIA

User entered dollar amount.

SCREEN NAME: FAX (INST)
ACCESS NAME: INST-FAX-NMBR
ENTITY:
DESCRIPTIVE NAME: REPORTING INSTALLATION FAX TELEPHONE NUMBER

DATA ELEMENT DEFINITION:

The FAX telephone number of the individual to contact at a reporting installation.

FORMAT: Alphanumeric
LENGTH: 10

EDIT CRITERIA

Default maintained on the NPDMS Center Profile Table-050 and displayed at the time of initial add. Modifiable but may not be blank.

SCREEN NAME: FAX (LCTN)
ACCESS NAME: PROP-LCTN-FAX-NMBR
ENTITY:
DESCRIPTIVE NAME: PROPERTY LOCATION FAX PHONE NUMBER

DATA ELEMENT DEFINITION:

The FAX telephone number of the individual to contact where a particular item of property is located.

FORMAT: Alphanumeric
LENGTH: 10

EDIT CRITERIA

Default maintained on Center Profile Table-050 and displayed at the time of initial add.
Modifiable but may not be blank.

SCREEN NAME: FEDSTRIP AAC
ACCESS NAME: INST-FEDAAC-CODE
ENTITY: NASA INSTALLATION
DESCRIPTIVE NAME: INSTALLATION FEDERAL ACTIVITY ADDRESS CODE

DATA ELEMENT DEFINITION:

A six digit code assigned by the General Services Administration (GSA) to uniquely identify Federal organizations authorized to receive Federal sources of supply and support services, including GSA disposal support services.

FORMAT: Alphanumeric

LENGTH: 6.0

EDIT CRITERIA

Must be one of the following contained on the Center Profile Table-050.

809101 = AMES (M);
809103 = AMES (D);
803226 = GSFC;
807402 = JSC;
804235 = KSC;
803301 = LaRC;
805501 = LeRC;
804101 = MSFC;
804412 = NSTL (STENNIS- SSC);
807504 = WSTF.

SCREEN NAME: FEDSTRIP AAC
ACCESS NAME: SYS-REC-KEY
ENTITY: SYSTEM
DESCRIPTIVE NAME: SYSTEM RECORD KEY

DATA ELEMENT DEFINITION:

The values used with the SYS-TBL-ID providing access to the NPDMS Table File Records.

FORMAT: Alphanumeric

LENGTH: 10

EDIT CRITERIA

SYS-USER-ID for the User Access Table-001;
GSA-RGN-CODE for the GSA Region Table-005;

DRMO-DODAAC-CODE for the DRMO Routing Identifier Code Table-010;
 CSTDN-ACNT-NMBR for the Exception Processing Table-015;
 PROP-FSC-CODE for the Federal Supply Classification Code Table-020;
 PROP-UOM-CODE for the Unit of Measure Table-025;
 PROP-SPLY-CNDTN-CODE for the Supply Condition Code Table-030;
 PROP-DSPSL-CNDTN-CODE for the Disposal Condition Code Table-035;
 INST-FEDAAC-CODE for the Performance Measures Table-040;
 PROP-DML-CODE for the Demilitarization Code Table-045;
 INST-NMBR for the Center Profile Table-050;
 INST-NMBR for Property Location Table-051;
 INST-NMBR, RPT-MAINT-JOB-TYPE & RPT-MAINT-JOB-NMBR for the Report/Maintenance Selection Table-055;
 NSMS-FIXED-SHELF-LIFE-CODE for Fixed Shelf Life Code Table-060;
 NSMS-SHELF-LIFE-EXTNSN-CODE for Shelf Life Extension Code Table-062;
 PROP-HAZMAT-CODE for Hazardous Materials Code Table-065;
 DRMO-CNTRLD-INV-ITEM-CODE for the Controlled Inventory Item Code Table-070;
 PROP-ADP-CTGRY-ID for the ADPE ID Code Table-075;
 PROP-PRCS-MTLS-CODE for the Precious Metals Code Table-080;
 PROP-MMAC-CODE for the MMAC Table-085;
 DRMO-DSPSL-ATHRTY-CODE for the Disposal Authority Code Table-090;
 DRMO ADDITIONAL DATA CODE for the DRMO Additional Data Code Table-095;
 'ECN' & INST-NMBR for the Excess Case Number Serial Number Record-100;
 INST-NMBR for Installation Code Table-105;
 'ERN' & INST-NMBR for the Entry Reference Number Serial Number Record-110;
 'DOD' and INST-NMBR for the DRMO 1348 Serial Number Record-112;
 'SAL' and INST-NMBR for the Sale Number Serial Number Record-113;
 'NEM' & INST-NMBR for the NP/NEMS Entry Reference Number Serial Number Record-115;
 INST-NMBR & RPT-END-DATE for the Monthly 623 Report Balance Record-120;
 INST-NMBR & RPT-END-DATE for the Annual 623 Report Balance Record-125;
 INST-NMBR & RPT-END-DATE for the 1800 Report Balance Record-130;
 'RCT' & INST-NMBR for the Sale Slip Serial Number Record-135;
 RPT-MAINT-JOB-TYPE & RPT-MAINT-JOB-NMBR for the JCL Table-140;
 PRINTER DESTINATION CODE for the Printer Destination Table-145;
 STATE ABBREVIATION for the State Table-150;
 INST-NMBR and PROPERTY TYPE for Screening Days Table-155;
 INST-DFLT-REIM-CODE for Reimbursement Code Table-160;
 PROP-HAZMAT-IND for Hazardous Material Indicator Code Table-165;
 RECIPIENT-CODE for Recipient Name Table-170;
 RCPNT-TYPE-CODE for Transfer Type Table-180;
 RCPNT-SUBTYPE-CODE for Transfer Subtype Table-190.

SCREEN NAME:	FIRST NAME (BIDDER)
ACCESS NAME:	PROP-BIDDER-FIRST-NAME
ENTITY:	IDLE NASA PROPERTY
DESCRIPTIVE NAME:	PROPERTY BIDDER FIRST NAME

DATA ELEMENT DEFINITION:

Contains the first name of the individual, or the first name of the contact representing an organization/company, submitting a competitive bid for consideration to acquire a specific property lot offered for sale.

FORMAT: Alphanumeric

LENGTH: 10

EDIT CRITERIA

Must be entered if the PROP-BIDDER-CMPNY-NAME is 'blank', free form. If a particular bidder is awarded the sale, this field is compressed into the RQSTR-NAME on the transaction record.

SCREEN NAME: FIXED SHELF LIFE CODE

ACCESS NAME: NOT MAINTAINED

ENTITY: IDLE NASA PROPERTY

DESCRIPTIVE NAME: FIXED SHELF LIFE CODE OF PROPERTY

DATA ELEMENT DEFINITION:

An individual item of supply which is determined, through an evaluation of technical test data and/or actual experience, to be an item with a definite non-extendible period of shelf-life.

FORMAT: Alphanumeric

LENGTH: 1

EDIT CRITERIA

0 = Non-deteriorative item;

A = 1 month;

B = 2 months;

C = 3 months;

D = 4 months;

E = 5 months;

F = 6 months;

G = 9 months;

H = 12 months;

J = 15 months;

K = 18 months;

L = 21 months;

M = 24 months;

N = 27 months;

P = 30 months;

Q = 36 months;

R = 48 months;

S = 60 months;

X = items with shelf-life period greater than 60 months.

SCREEN NAME: FOREIGN PROP
ACCESS NAME: PROP-FRGN-IND
ENTITY: IDLE NASA PROPERTY
DESCRIPTIVE NAME: FOREIGN PROPERTY INDICATOR

DATA ELEMENT DEFINITION:

Identifies foreign property as personal property located outside the States of the Union, the District of Columbia, the Commonwealth of Puerto Rico, American Samoa, Guam, the Commonwealth of the Northern Mariana Islands, the Trust Territory of the Pacific Islands, and the Virgin Islands.

FORMAT: Alphanumeric

LENGTH: 1

EDIT CRITERIA

Value 'Y' = Yes, 'blank' = No

SCREEN NAME: FOREIGN PROP IND
ACCESS NAME: PROP-FRGN-IND
ENTITY: IDLE NASA PROPERTY
DESCRIPTIVE NAME: FOREIGN PROPERTY INDICATOR

DATA ELEMENT DEFINITION:

Identifies foreign property as personal property located outside the States of the Union, the District of Columbia, the Commonwealth of Puerto Rico, American Samoa, Guam, the Commonwealth of the Northern Mariana Islands, the Trust Territory of the Pacific Islands, and the Virgin Islands.

FORMAT: Alphanumeric

LENGTH: 1

EDIT CRITERIA

Value 'Y' = Yes, 'blank' = No

SCREEN NAME: FREEZE DATE
ACCESS NAME: PROP-FREEZE-DATE
ENTITY: IDLE NASA PROPERTY
DESCRIPTIVE NAME: PROPERTY FREEZE TRANSACTION DATE

DATA ELEMENT DEFINITION:

The effective calendar date of a freeze (F00) transaction. This date will be on all disposition transactions processed from a freeze transaction (i.e., the PROP-PRCSNG-PTY-IND was initially set to 1, 2, or 3).

FORMAT: D

LENGTH:

EDIT CRITERIA

Generated. Display format: MM = 1-12; DD = 1-31 consistent with month; YY or YYYY = current year. Stored in Internal Date format.

SCREEN NAME: FREEZE TYPE

ACCESS NAME: RQSTR-AGENCY-ID

ENTITY: REQUESTOR

DESCRIPTIVE NAME: REQUESTOR AGENCY IDENTIFIER

DATA ELEMENT DEFINITION:

The type of agency requesting property available for transfer, exchange, sale, donation, etc.:

N = NASA activity (including contractors and grantees);

E = Vendor;

F = Other Federal Agency (including contractors and grantees);

D = Donation;

S = Sold.

FORMAT: Alphanumeric

LENGTH: 1

EDIT CRITERIA

User-entered, valid codes are 'N', 'E', 'F', 'D', or 'S'.

SCREEN NAME: FREQUENCY

ACCESS NAME: RPT-FREQ

ENTITY: REPORT

DESCRIPTIVE NAME: REPORT FREQUENCY

DATA ELEMENT DEFINITION:

The frequency that a standard NPDMS report or maintenance job is to be run.

FORMAT: Alphanumeric

LENGTH: 2

EDIT CRITERIA

0 = On Request;

1 = Daily;

2 = Weekly;

3 = Biweekly (14 Days);

4 = Monthly;

5 = Quarterly;

6 = Semiannually;
7 = Annually.

SCREEN NAME: FROZEN
ACCESS NAME: PROP-DSPSTN-QTY
ENTITY: IDLE NASA PROPERTY
DESCRIPTIVE NAME: PROPERTY DISPOSITION QUANTITY
DATA ELEMENT DEFINITION:
The number of items requested for a freeze (F00), disposition (T03-T20), or reversal (RT03-RT20) transaction.
FORMAT: Numeric
LENGTH: 5.0
EDIT CRITERIA
Any number from 1-99999, that does not reduce the PROP-CUR-AVLBL-QTY to less than zero.

SCREEN NAME: FSC CODE
ACCESS NAME: PROP-FSC-CODE; SYS-REC-KEY
ENTITY: IDLE NASA PROPERTY
DESCRIPTIVE NAME: PROPERTY FSC CODE
DATA ELEMENT DEFINITION:
The Federal Supply Classification Code portion of the PROP-NSN-NMBR. Also used with SYS-TBL-ID to access the NPDMS Table File.
FORMAT: Alphanumeric
LENGTH: 4.0
EDIT CRITERIA
Positions 1-2 federal supply group, which classifies similar items into groups; 3-4 federal supply class, which classifies similar items within groups into classes. Maintained in the NPDMS FSC Code Table-020.

SCREEN NAME: FSC CODE
ACCESS NAME: SYS-REC-KEY
ENTITY: SYSTEM
DESCRIPTIVE NAME: SYSTEM RECORD KEY

DATA ELEMENT DEFINITION:

The values used with the SYS-TBL-ID providing access to the NPDMS Table File Records.

FORMAT: Alphanumeric

LENGTH: 10

EDIT CRITERIA

SYS-USER-ID for the User Access Table-001;
GSA-RGN-CODE for the GSA Region Table-005;
DRMO-DODAAC-CODE for the DRMO Routing Identifier Code Table-010;
CSTDN-ACNT-NMBR for the Exception Processing Table-015;
PROP-FSC-CODE for the Federal Supply Classification Code Table-020;
PROP-UOM-CODE for the Unit of Measure Table-025;
PROP-SPLY-CNDTN-CODE for the Supply Condition Code Table-030;
PROP-DSPSL-CNDTN-CODE for the Disposal Condition Code Table-035;
INST-FEDAAC-CODE for the Performance Measures Table-040;
PROP-DML-CODE for the Demilitarization Code Table-045;
INST-NMBR for the Center Profile Table-050;
INST-NMBR for Property Location Table-051;
INST-NMBR, RPT-MAINT-JOB-TYPE & RPT-MAINT-JOB-NMBR for the Report/Maintenance Selection Table-055;
NSMS-FIXED-SHELF-LIFE-CODE for Fixed Shelf Life Code Table-060;
NSMS-SHELF-LIFE-EXTNSN-CODE for Shelf Life Extension Code Table-062;
PROP-HAZMAT-CODE for Hazardous Materials Code Table-065;
DRMO-CNTRLD-INV-ITEM-CODE for the Controlled Inventory Item Code Table-070;
PROP-ADP-CTGRY-ID for the ADPE ID Code Table-075;
PROP-PRCS-MTLS-CODE for the Precious Metals Code Table-080;
PROP-MMAC-CODE for the MMAC Table-085;
DRMO-DSPSL-ATHRTY-CODE for the Disposal Authority Code Table-090;
DRMO ADDITIONAL DATA CODE for the DRMO Additional Data Code Table-095;
'ECN' & INST-NMBR for the Excess Case Number Serial Number Record-100;
INST-NMBR for Installation Code Table-105;
'ERN' & INST-NMBR for the Entry Reference Number Serial Number Record-110;
'DOD' and INST-NMBR for the DRMO 1348 Serial Number Record-112;
'SAL' and INST-NMBR for the Sale Number Serial Number Record-113;
'NEM' & INST-NMBR for the NP/NEMS Entry Reference Number Serial Number Record-115;
INST-NMBR & RPT-END-DATE for the Monthly 623 Report Balance Record-120;
INST-NMBR & RPT-END-DATE for the Annual 623 Report Balance Record-125;
INST-NMBR & RPT-END-DATE for the 1800 Report Balance Record-130;
'RCT' & INST-NMBR for the Sale Slip Serial Number Record-135;
RPT-MAINT-JOB-TYPE & RPT-MAINT-JOB-NMBR for the JCL Table-140;
PRINTER DESTINATION CODE for the Printer Destination Table-145;
STATE ABBREVIATION for the State Table-150;
INST-NMBR and PROPERTY TYPE for Screening Days Table-155;
INST-DFLT-REIM-CODE for Reimbursement Code Table-160;
PROP-HAZMAT-IND for Hazardous Material Indicator Code Table-165;
RECIPIENT-CODE for Recipient Name Table-170;
RCPNT-TYPE-CODE for Transfer Type Table-180;
RCPNT-SUBTYPE-CODE for Transfer Subtype Table-190.

SCREEN NAME: **FSC CODE (COMPONENT SYSTEM)**

ACCESS NAME: CMPNT-FSC-CODE

ENTITY: COMPONENT SYSTEM

DESCRIPTIVE NAME: COMPONENT SYSTEM FSC CODE

DATA ELEMENT DEFINITION:

The Federal Supply Classification (FSC) Code of a component system. This field consists of the federal supply group, which classifies similar items into groups; and the federal supply class, which classifies similar items within groups. Since reportability for a component system is determined at the case, not item level, this field is necessary.

FORMAT: Alphanumeric

LENGTH: 4.0

EDIT CRITERIA

User entered. Positions 1-2 federal supply group, which classifies similar items into groups; 3-4 federal supply class, which classifies similar items within groups into sub-classes. Must be in the NPDMS Federal Supply Classification Code Table-020.

SCREEN NAME: **FSC EXCHANGE/SALE ALLOWED**

ACCESS NAME: EXCHNGSL-FSC-ALWD-IND

ENTITY: EXCHANGE/SALE PROPERTY

DESCRIPTIVE NAME: EXCHANGE/SALE PROPERTY FSC ALLOWED INDICATOR

DATA ELEMENT DEFINITION:

The field indicating whether a specific PROP-FSC-GROUP-CODE is or is not allowed in the Exchange / Sale Program.

FORMAT: Alphanumeric

LENGTH: 1

EDIT CRITERIA

Y = yes; Blank = no. Maintained in the NPDMS FSC Code Table-020.

SCREEN NAME: **FSC GROUP NAME**

ACCESS NAME: PROP-FSC-GRP-NAME

ENTITY: IDLE NASA PROPERTY

DESCRIPTIVE NAME: PROPERTY FSC GROUP NAME

DATA ELEMENT DEFINITION:

The federal supply classification group name.

FORMAT: Alphanumeric

LENGTH: 100

EDIT CRITERIA

Per Cataloging Handbook H2-1. Maintained in the NPDMS Federal Supply Classification Code Table-020.

SCREEN NAME: FSC MINIMUM CONDITION
ACCESS NAME: PROP-FSC-MIN-CNDTN-CODE
ENTITY: IDLE NASA PROPERTY
DESCRIPTIVE NAME: PROPERTY FSC MINIMUM DISPOSAL CONDITION CODE

DATA ELEMENT DEFINITION:

The minimum PROP-DSPSL-CNDTN-CODE associated with a specific Federal Supply Classification group or Federal Supply class used to determine a Personal Property's reportability to GSA.

FORMAT: Alphanumeric

LENGTH: 1

EDIT CRITERIA

1-9, inclusive. Maintained in the NPDMS Federal Supply Classification Code Table-020.

SCREEN NAME: FSC MINIMUM COST
ACCESS NAME: PROP-FSC-MIN-COST-AMT
ENTITY: IDLE NASA PROPERTY
DESCRIPTIVE NAME: PROPERTY FSC MINIMUM COST AMOUNT

DATA ELEMENT DEFINITION:

The minimum cost associated with a specific Federal Supply Classification group used to determine an Idle Property's reportability to GSA.

FORMAT: Packed

LENGTH: 10.2

EDIT CRITERIA

Specific to Federal Supply Classification codes. Maintained in the NPDMS Federal Supply Classification Code Table-020.

SCREEN NAME: FSC REPORTABLE IND
ACCESS NAME: PROP-RPTBL-FSC-IND
ENTITY: IDLE NASA PROPERTY

DESCRIPTIVE NAME: PROPERTY REPORTABLE FSC INDICATOR

DATA ELEMENT DEFINITION:

Identifies if an item of personal property has a Federal Supply Classification Code that indicates the item be reported to GSA.

FORMAT: Alphanumeric

LENGTH: 1

EDIT CRITERIA

Y = yes; Blank = no. Maintained in the NPDMS Federal Supply Classification Code Table-020.

SCREEN NAME: FUNCTION

ACCESS NAME: NOT MAINTAINED

ENTITY:

DESCRIPTIVE NAME:

DATA ELEMENT DEFINITION:

This field allows for the addition or deletion of item record from the Inventory file.

FORMAT: Numeric

LENGTH: 2.0

EDIT CRITERIA

The possible values are A=Add , D=Delete or Blank.

SCREEN NAME: GRANTEE PROP

ACCESS NAME: PROP-GRANT-IND

ENTITY: IDLE NASA PROPERTY

DESCRIPTIVE NAME: GRANTEE PROPERTY INDICATOR

DATA ELEMENT DEFINITION:

Indicates that the property being reported for disposal processing is from a grantee.

FORMAT: Alphanumeric

LENGTH: 1

EDIT CRITERIA

Possible values are 'Y' or blank.

SCREEN NAME: GSA
ACCESS NAME: NOT MAINTAINED
ENTITY:
DESCRIPTIVE NAME:
DATA ELEMENT DEFINITION:
Designate a sale as being GSA sale.
FORMAT: Alphanumeric
LENGTH: 1
EDIT CRITERIA
Free form.

SCREEN NAME: GSA CONTROL NO
ACCESS NAME: GSA-CNTRL-NMBR
ENTITY: GSA
DESCRIPTIVE NAME: GSA CONTROL NUMBER
DATA ELEMENT DEFINITION:
Number assigned by the General Services Administration (GSA) to identify personal property for Federal and donation screening. Although the property case number is the primary cross reference with GSA during all phases of disposal including sales, the GSA control number may be used as an optional secondary reference during the Federal and donation screening periods.
FORMAT: Alphanumeric
LENGTH: 14
EDIT CRITERIA
GSA supplied.

SCREEN NAME: GSA CONTROL NUMBER
ACCESS NAME: GSA-CNTRL-NMBR
ENTITY: GSA
DESCRIPTIVE NAME: GSA CONTROL NUMBER
DATA ELEMENT DEFINITION:
Number assigned by the General Services Administration (GSA) to identify personal property for Federal and donation screening. Although the property case number is the primary cross reference with GSA during all phases of disposal including sales, the GSA control number may be used as an optional secondary reference during the Federal and donation screening periods.
FORMAT: Alphanumeric
LENGTH: 14

EDIT CRITERIA

GSA supplied.

SCREEN NAME: GSA DTE
ACCESS NAME: GSA-RPT-DATE
ENTITY: GSA
DESCRIPTIVE NAME: GSA REPORT DATE

DATA ELEMENT DEFINITION:

The calendar date when personal property is reported via electronic media or hardcopy SF-120 to the General Services Administration (GSA) for federal screening, donation screening and/or sales action. This date is system generated.

FORMAT: D

LENGTH:

EDIT CRITERIA

Generated. Display format: MM = Any number 1-12; DD = Any number 1-31 and consistent with month; YY or YYYY = current year. Stored in Internal Date format.

SCREEN NAME: GSA ITEM DESCRIPTION
ACCESS NAME: NOT MAINTAINED
ENTITY: SYSTEM
DESCRIPTIVE NAME: GSA ITEM DESCRIPTION

DATA ELEMENT DEFINITION:

The description of the NASA excess being reported on the tape sent to the GSA. This field is on GSA Record Type 'D' of which there can be 51 per item excessed. This data element will be developed by combining existing data elements and is not maintained on the NPDMS data base.

FORMAT: Alphanumeric

LENGTH: 79

EDIT CRITERIA

The following NPDMS Data Elements are within the 'D' records only if they contain data and that data is not None or Unknown:

If a component item:

ITEM-NAME,
PROP-CUR-AVLBL-QTY
PROP-UOM-CODE (only if qty > 1).

For all property:

PROP-MFG-NAME,

PROP-MFG-MODEL-NMBR,
PROP-MFG-PART-NMBR,
PROP-MFG-YR,
PROP-MFG-SERIAL-NMBR, PROP-DESC (up to 40 occurrences),
PROP-SHELF-LIFE-TYPE,
PROP-SHELF-LIFE-EXPRTN-DATE or PROP-SHELF-LIFE-EXTNSN-DATE,
PROP-HAZMAT-CODE & PROP-HAZMAT-DESC,
WRHS-LCTN-ADRS, and
Any freeze referral information.

SCREEN NAME: GSA ITEM NAME
ACCESS NAME: NOT MAINTAINED
ENTITY: SYSTEM
DESCRIPTIVE NAME: GSA ITEM NAME

DATA ELEMENT DEFINITION:

The field in which the PROP-ITEM-NAME is reported on the tape to the GSA. This field is not maintained on the NPDMS data base.

FORMAT: Alphanumeric

LENGTH: 69

EDIT CRITERIA

ITEM NAME or COMPONENT SYSTEM NAME.

SCREEN NAME: GSA NAME
ACCESS NAME: GSA-RGNL-OFC-NAME
ENTITY: GSA
DESCRIPTIVE NAME: GSA REGIONAL OFFICE NAME

DATA ELEMENT DEFINITION:

The name of the GSA Regional Office.

FORMAT: Alphanumeric

LENGTH: 40

EDIT CRITERIA

Installation specific. Maintained in the NPDMS GSA Region Table-005.

SCREEN NAME: **GSA REGION**

ACCESS NAME: GSA-RGN-CODE; SYS-REC-KEY

ENTITY: GSA

DESCRIPTIVE NAME: GSA REGION CODE

DATA ELEMENT DEFINITION:

A two position code used to identify the GSA Reporting Regions. Also used with SYS-TBL-ID to access the NPDMS Table File.

FORMAT: Alphanumeric

LENGTH: 2

EDIT CRITERIA

00; 01; 02; 03; 04; 05; 06; 07; 08; 09; 10; and W. Maintained in the NPDMS GSA Region Table-005.

SCREEN NAME: **GSA REGION**

ACCESS NAME: SYS-REC-KEY

ENTITY: SYSTEM

DESCRIPTIVE NAME: SYSTEM RECORD KEY

DATA ELEMENT DEFINITION:

The values used with the SYS-TBL-ID providing access to the NPDMS Table File Records.

FORMAT: Alphanumeric

LENGTH: 10

EDIT CRITERIA

SYS-USER-ID for the User Access Table-001;
GSA-RGN-CODE for the GSA Region Table-005;
DRMO-DODAAC-CODE for the DRMO Routing Identifier Code Table-010;
CSTDN-ACNT-NMBR for the Exception Processing Table-015;
PROP-FSC-CODE for the Federal Supply Classification Code Table-020;
PROP-UOM-CODE for the Unit of Measure Table-025;
PROP-SPLY-CNDTN-CODE for the Supply Condition Code Table-030;
PROP-DSPSL-CNDTN-CODE for the Disposal Condition Code Table-035;
INST-FEDAAC-CODE for the Performance Measures Table-040;
PROP-DML-CODE for the Demilitarization Code Table-045;
INST-NMBR for the Center Profile Table-050;
INST-NMBR for Property Location Table-051;
INST-NMBR, RPT-MAINT-JOB-TYPE & RPT-MAINT-JOB-NMBR for the Report/Maintenance Selection Table-055;
NSMS-FIXED-SHELF-LIFE-CODE for Fixed Shelf Life Code Table-060;
NSMS-SHELF-LIFE-EXTNSN-CODE for Shelf Life Extension Code Table-062;
PROP-HAZMAT-CODE for Hazardous Materials Code Table-065;
DRMO-CNTRLD-INV-ITEM-CODE for the Controlled Inventory Item Code Table-070;
PROP-ADP-CTGRY-ID for the ADPE ID Code Table-075;
PROP-PRCS-MTLS-CODE for the Precious Metals Code Table-080;

PROP-MMAC-CODE for the MMAC Table-085;
 DRMO-DSPSL-ATHRTY-CODE for the Disposal Authority Code Table-090;
 DRMO ADDITIONAL DATA CODE for the DRMO Additional Data Code Table-095;
 'ECN' & INST-NMBR for the Excess Case Number Serial Number Record-100;
 INST-NMBR for Installation Code Table-105;
 'ERN' & INST-NMBR for the Entry Reference Number Serial Number Record-110;
 'DOD' and INST-NMBR for the DRMO 1348 Serial Number Record-112;
 'SAL' and INST-NMBR for the Sale Number Serial Number Record-113;
 'NEM' & INST-NMBR for the NP/NEMS Entry Reference Number Serial Number Record-115;
 INST-NMBR & RPT-END-DATE for the Monthly 623 Report Balance Record-120;
 INST-NMBR & RPT-END-DATE for the Annual 623 Report Balance Record-125;
 INST-NMBR & RPT-END-DATE for the 1800 Report Balance Record-130;
 'RCT' & INST-NMBR for the Sale Slip Serial Number Record-135;
 RPT-MAINT-JOB-TYPE & RPT-MAINT-JOB-NMBR for the JCL Table-140;
 PRINTER DESTINATION CODE for the Printer Destination Table-145;
 STATE ABBREVIATION for the State Table-150;
 INST-NMBR and PROPERTY TYPE for Screening Days Table-155;
 INST-DFLT-REIM-CODE for Reimbursement Code Table-160;
 PROP-HAZMAT-IND for Hazardous Material Indicator Code Table-165;
 RECIPIENT-CODE for Recipient Name Table-170;
 RCPNT-TYPE-CODE for Transfer Type Table-180;
 RCPNT-SUBTYPE-CODE for Transfer Subtype Table-190.

SCREEN NAME: GSA REGION (INST)
ACCESS NAME: INST-GSA-RGN-ID; SYS-REC-KEY
ENTITY: NASA INSTALLATION
DESCRIPTIVE NAME: INSTALLATION GSA REPORTING REGION ID

DATA ELEMENT DEFINITION:

A two digit code used to identify the primary General Services Administration (GSA) regional office used by a specific NASA Installation Property Disposal Officer (PDO) to report and transfer NASA personal property to for other Federal agency screening, donation screening, or sales action conducted by GSA. The GSA regional office chosen by the NASA installation PDO in this data field will become the default GSA regional office maintained in the NPDMS center profile record for use whenever doing an add transaction to NPDMS.

FORMAT: Alphanumeric

LENGTH: 2

EDIT CRITERIA

Valid codes include 00; 01; 02; 03; 04; 05; 06; 07; 08; 09; 10; and W, but must be on the NPDMS GSA Region Table-005. Default maintained in the NPDMS Center Profile Table-050.

SCREEN NAME: **GSA REPORT DATE**

ACCESS NAME: GSA-RPT-DATE

ENTITY: GSA

DESCRIPTIVE NAME: GSA REPORT DATE

DATA ELEMENT DEFINITION:

The calendar date when personal property is reported via electronic media or hardcopy SF-120 to the General Services Administration (GSA) for federal screening, donation screening and/or sales action. This date is system generated.

FORMAT: D

LENGTH:

EDIT CRITERIA

Generated. Display format: MM = Any number 1-12; DD = Any number 1-31 and consistent with month; YY or YYYY = current year. Stored in Internal Date format.

SCREEN NAME: **GSA RPT DATE**

ACCESS NAME: GSA-RPT-DATE

ENTITY: GSA

DESCRIPTIVE NAME: GSA REPORT DATE

DATA ELEMENT DEFINITION:

The calendar date when personal property is reported via electronic media or hardcopy SF-120 to the General Services Administration (GSA) for federal screening, donation screening and/or sales action. This date is system generated.

FORMAT: D

LENGTH:

EDIT CRITERIA

Generated. Display format: MM = Any number 1-12; DD = Any number 1-31 and consistent with month; YY or YYYY = current year. Stored in Internal Date format.

SCREEN NAME: **GSA WITHDRAWAL APPROVAL DATE**

ACCESS NAME: GSA-WTHDRWL-APRVL-DATE

ENTITY: GSA

DESCRIPTIVE NAME: GSA WITHDRAWAL APPROVAL DATE

DATA ELEMENT DEFINITION:

The calendar date on which GSA approved the withdrawal of previously reported personal property.

FORMAT: D

LENGTH:

EDIT CRITERIA

User entered. Display format: MM = 1-12, DD = 1-31 consistent with the month, YY or YYYY = current year. Stored in Internal Date format.

SCREEN NAME:

HAZ MAT

ACCESS NAME:

PROP-HAZMAT-CODE; SYS-REC-KEY

ENTITY:

IDLE NASA PROPERTY

DESCRIPTIVE NAME:

HAZARDOUS MATERIALS PROPERTY CODE

DATA ELEMENT DEFINITION:

The codes identifying explosives and other dangerous articles that require special handling in shipment. Maintained in the NPDMS Hazardous Materials Code Table-065.

FORMAT:

Alphanumeric

LENGTH:

2

EDIT CRITERIA

Maintained in the NPDMS Hazardous Materials Code Table-065.

AA = Ammunition for cannon with empty projectile, Class B explosive;
AB = Ammunition for cannon with explosive projectile, Class A explosive;
AC = Ammunition for cannon with gas projectile, Class A explosive;
AD = Ammunition for cannon with illuminating projectile, Class A explosive;
AE = Ammunition for cannon with incendiary projectile, Class A explosive;
AF = Ammunition for cannon with inert-loaded projectile, Class B explosive;
AG = Ammunition for cannon with smoke projectile, Class A explosive;
AH = Ammunition for cannon with solid projectile, Class B explosive;
AI = Ammunition for cannon without projectile, Class B explosive;
AJ = Chloropicrin, liquid, Poison B;
AK = Ammunition for small arms with explosive projectile, Class A explosive;
AL = Black powder, Class A explosive;
AM = Chemical ammunition, nonexplosive, irritating material;
AN = Detonators;
AO = Irritating agent, n.o.s., irritating material;
AP = Booster, explosive, Class A explosive;
AQ = Bursting, explosive, Class A explosive;
AR = Cannon primers, Class C explosive;
AS = Cartridge bags, empty, with black powder igniter, Class C explosive;
AT = Cartridge cases, empty, primed, Class C explosive;
AU = Combination fuze, Class C explosive;
AV = Combination primer, Class C explosive;
AW = Cordeau detonant fuze, Class C explosive;
AX = Corrosive liquid, n.o.s., corrosive material;
AY = Radioactive material, n.o.s.;
AZ = Detonating fuze, Class A explosive;
BA = Detonating fuze, Class A explosive, with or without radioactive components;
BB = Detonating fuze, Class C explosive;

BC = Detonating primer, Class A explosive;
 BD = Detonators, Class A or Class C explosive;
 BE = Electric squib, Class C explosive;
 BF = Explosive bomb, Class A explosive;
 BG = Explosive cable cutter, Class C explosive;
 BH = Explosive mine, Class A explosive;
 BI = Explosive projective, Class A explosive;
 BJ = Explosive release device, Class C explosive;
 BK = Explosive rivet, Class C explosive;
 BL = Explosive torpedo, Class A explosive;
 BM = Diphenylaminechloroarsine, (DM), irritating material;
 BN = Flammable liquid, n.o.s., flammable liquid;
 BO = Flammable solid, n.o.s., flammable solid;
 BP = Fuze igniter, Class C explosive;
 BQ = Fuze lighter, Class C explosive;
 BR = Grenade, empty, primed, Class C explosive;
 BS = Grenade, hand, explosive, Class A explosive;
 BT = High explosive, Class A explosive;
 BU = High explosive, liquid, Class A explosive;
 BV = Igniter cord, Class C explosive;
 BW = Igniter, Class C explosive;
 BX = Igniter, jet thrust (jato), Class A explosive;
 BY = Igniter, Jet thrust (jato), Class B explosive;
 BZ = Initiating explosive, Class A explosive;
 CA = Fuze, instantaneous, Class C explosive;
 CB = Jet thrust unit (jato), Class A explosive;
 CC = Jet thrust unit (jato), Class B explosive;
 CD = Low explosive, Class A explosive;
 CE = Percussion cap, Class C explosive;
 CF = Percussion fuze, Class C explosive;
 CG = Poisonous liquid or gas, n.o.s., Poison A;
 CH = Poisonous liquid, n.o.s., Poison B;
 CI = Poisonous solid, n.o.s., Poison B;
 CJ = Propellant explosive, Class A explosive;
 CK = Propellant explosive, solid, Class B explosive;
 CL = Propellant explosive in water, Class B explosive;
 CM = Propellant explosives in water, unstable, condemned or deteriorated, Class B explosive;
 CN = Fusee, railway, Flammable solid;
 CO = Torpedo, railway, Class B explosive;
 CP = Grenade, hand or rifle, explosive, Class A explosive;
 CQ = Rocket ammunition with empty projectile, Class B explosive;
 CR = Rocket ammunition with explosive projectile, Class A explosive;
 CS = Rocket ammunition with illuminating projectile, Class A explosive;
 CT = Rocket ammunition with gas projectile, Class A explosive;
 CU = Rocket ammunition with incendiary projectile, Class A explosive;
 CV = Rocket ammunition with inert-loaded projectile, Class B explosive;
 CW = Rocket ammunition with smoke projectile, Class A explosive;
 CX = Rocket ammunition with solid projectile, Class B explosive;
 CY = Aniline Oil, liquid, Poison B;
 CZ = Fuze, safety, Class C explosive;
 DA = Safety squib, Class C explosive;

DB = Signal flare, Class C explosive;
 DC = Small-arms ammunition, Class C explosive;
 DD = Small-arms ammunition, irritating cartridge, Class C explosive;
 DE = Small-arms primer, Class C explosive;
 DF = Smoke pot, Class C explosive;
 DG = Smoke signal, Class C explosive;
 DH = Fireworks, special, Class B explosive;
 DI = Starter cartridge, Class B explosive;
 DJ = Supplementary charge (explosive), Class A explosive;
 DK = Fuze, time, Class C explosive;
 DL = Toy propellant device, Class C explosive;
 DM = Toy smoke device, Class C explosive;
 DN = Toy caps, Class C explosive;
 DO = Tracer, Class C explosive;
 DP = Tracer fuze, Class C explosive;
 DQ = Very signal cartridge, Class C explosive;
 DR = Fireworks, common, Class C explosive;
 DS = Chloroacetophenone solid, (CN), irritating material;
 DT = Chlorosulfonic acid, corrosive material;
 DU = Chloroacetophenone, gas, liquid, (CN), irritating material;
 DV = Smoke grenade, Class C explosive;
 DW = Hydrocyanic acid (prussic), solution, poison A;
 DX = Grenade, tear gas, irritating material;
 DZ = Phosphorus, white, dry, flammable solid;
 EA = Explosive power device, class C, Class C explosive;
 EB = Sodium Perchlorate, Oxidizer;
 EC = Explosive power device, class B, Class B explosive;
 ED = Starter cartridge, Class C explosive;
 EE = Corrosive solid, n.o.s., corrosive material;
 EF = Oxidizing material, n.o.s., Oxidizer;
 EG = Compressed gas, n.o.s., nonflammable gas;
 EH = Compressed gas, n.o.s., flammable gas;
 EI = Mercuric Acetate, Poison B;
 EJ = Nitrobenzol, liquid, Poison B;
 EK = Rocket engine, liquid, Class B explosive;
 EL = Rocket motor, Class A explosive;
 EM = Rocket motor, Class B explosive;
 EN = Ammunition for small arms with incendiary projectile, Class A explosive;
 EO = Igniter, rocket motor, Class A explosive;
 EP = Igniter, rocket motor, Class B explosive;
 EQ = Hand signal device, Class C explosive;
 ER = Propellant explosive, liquid, Class B explosive;
 ES = Insecticide, liquid, n.o.s., flammable liquid;
 ET = Malathion, ORM, A;
 EU = Fluorine, nonflammable gas;
 EV = Mercuric-Potassium Iodide, solid, Poison B;
 EW = Cartridge, practice, ammunition, Class C explosive;
 EX = Actuating cart, exp, fire ext or valve, Class C explosive;
 FA = Perchloric Acid, exceeding 50% but not exceeding 72% strength, oxidizer;
 FB = Formic Acid, Solution, corrosive material;
 FC = Hydrochloric (Muriatic) acid, corrosive material;

FD = Sodium Sulfide, anhydrous, flammable solid;
 FE = Petroleum Naphtha, combustible liquid;
 FG = Medicines, n.o.s., solid, flammable solid;
 FH = Fire extinguisher, nonflammable gas;
 FI = Chlordane, liquid, combustible liquid;
 FJ = Compound, rust preventing, corrosive material;
 FK = Calcium Cyanide, solid or calcium cyanide mixture, solid, Poison B;
 FL = Fuel, aviation, turbine engine, flammable liquid;
 FM = Pentane, flammable liquid;
 FN = Benzene, flammable liquid;
 FO = Acetic acid, glacial, corrosive material;
 FP = Acetone, flammable liquid;
 FQ = Acetylene, flammable gas;
 FR = Air, compressed, nonflammable gas;
 FS = Alcohol, n.o.s., flammable liquid;
 FT = Ammonia, anhydrous, nonflammable gas;
 FU = Ammonium Nitrate (no organic coating), oxidizer;
 FV = Ammonium Nitrate (organic coating), oxidizer;
 FW = Amyl Acetate, flammable liquid;
 FY = Arsenic Trioxide, solid, Poison B;
 FZ = Barium Nitrate, oxidizer;
 GA = Battery, electric, storage, wet, corrosive material;
 GB = Benzene (benzol), flammable liquid;
 GC = Bromine, corrosive material;
 GD = Butyl Acetate, flammable liquid;
 GE = Calcium Nitrate, oxidizer;
 GF = Calcium Resinate, flammable solid;
 GG = Phenol, Poison B;
 GH = Carbon Bisulfide or Carbon Disulfide, flammable liquid;
 GI = Carbon Dioxide, liquefied, nonflammable gas;
 GJ = Carbon Dioxide-Oxygen mixture, nonflammable;
 GK = Cement, liquid, n.o.s., flammable liquid;
 GL = Cement, rubber, flammable liquid;
 GM = Chlorine, nonflammable gas;
 GN = Chromic acid, solid, oxidizer;
 GO = Coating solution, flammable liquid;
 GP = Compounds, tree or weed killing liquid, Poison B;
 GQ = Crotonaldehyde, flammable liquid;
 GR = Crude oil, petroleum, flammable liquid;
 GS = Dinitrobenzene, solid or Dinitrobenzol, solid, Poison B;
 GT = Eradicators, paint or grease, liquid, flammable liquid;
 GU = Diethyl ether, flammable liquid;
 GV = Ethyl Acetate, flammable liquid;
 GW = Ethyl Chloride, flammable liquid;
 GX = Ethylene Dichloride, flammable liquid;
 GY = Ethylene Oxide, flammable liquid;
 GZ = Gasoline (including casing-head and natural) flammable liquid;
 HA = Helium, nonflammable gas;
 HB = Helium - Oxygen mixture, nonflammable gas;
 HC = Heptane, flammable liquid;
 HD = Hexane, flammable liquid;

HE = Hydrochloric acid solution, inhibited, corrosive material;
 HF = Hydrogen, flammable gas;
 HG = Isooctane, flammable liquid;
 HH = Lead Nitrate, oxidizer;
 HI = Liquefied Petroleum gas, flammable gas;
 HJ = Lindane, other regulated material, A;
 HK = Magnesium, metal, (powdered, pellets, turnings or ribbons) flammable solid;
 HL = Methyl Bromide liquid, Poison B;
 HM = Methyl Chloride, flammable gas;
 HN = Methyl Ethyl Ketone, flammable liquid;
 HO = Monobromotrifluoromethane, nonflammable gas;
 HP = Chloroacetic acid, liquid or solution, corrosive material;
 HQ = Nitrate, n.o.s., oxidizer;
 HR = Nitric acid (over 40%), oxidizer;
 HS = Nitric acid (40% or less), corrosive material;
 HT = Nitrogen, nonflammable gas;
 HU = Oxygen, nonflammable gas;
 HV = Petroleum ether, flammable liquid;
 HW = Phosphoric Anhydride, corrosive material;
 HX = Phosphorous, amorphous, red, flammable solid;
 HY = Phosphorous, Oxchloride, corrosive material;
 HZ = Phosphorous, Pentachloride, solid, corrosive material;
 JA = Phosphorous Trichloride, corrosive material;
 JB = Potassium Hydroxide, dry, solid, flake, bead or granular, corrosive material;
 JC = Potassium Nitrate, oxidizer;
 JD = Rubber shoddy or rubber, regenerated rubber or reclaimed, flammable solid;
 JE = Sodium Arsenate, solid, Poison B;
 JF = Sodium Arsenite liquid, (solution), Poison B;
 JG = Sodium Hydroxide, dry solid, flake, bead or granular, corrosive material;
 JH = Sodium Hydrosulfite, flammable solid;
 JI = Sodium Nitrate, oxidizer;
 JJ = Sodium Nitrite, oxidizer;
 JK = Sodium Peroxide, oxidizer;
 JL = Strontium Nitrate, oxidizer;
 JM = Sulfur Chloride (mono and di), corrosive material;
 JN = Sulfur Hexafluoride, nonflammable gas;
 JO = Titanium Tetrachloride, corrosive material;
 JP = Vinyl Acetate, flammable liquid;
 FF = Code FF denotes special factors or conditions in an item description which have an effect on the rating of charges;
 FX = Code FX denotes special factors in an item description, therefore, the item description in the respective rail of motor dangerous articles tariff should be read carefully to ensure that the exact tariff description is shown on the bill of lading.

SCREEN NAME:

HAZ MAT CODE

ACCESS NAME:

PROP-HAZMAT-CODE; SYS-REC-KEY

ENTITY: IDLE NASA PROPERTY

DESCRIPTIVE NAME: HAZARDOUS MATERIALS PROPERTY CODE

DATA ELEMENT DEFINITION:

The codes identifying explosives and other dangerous articles which require special handling in shipment. Maintained in the NPDMS Hazardous Materials Code Table - 065.

FORMAT: Alphanumeric

LENGTH: 2

EDIT CRITERIA

Maintained in the NPDMS Hazardous Materials Code Table - 065. AA = Ammunition for cannon with empty projectile, Class B explosive;

AB = Ammunition for cannon with explosive projectile, Class A explosive;

AC = Ammunition for cannon with gas projectile, Class A explosive;

AD = Ammunition for cannon with illuminating projectile, Class A explosive;

AE = Ammunition for cannon with incendiary projectile, Class A explosive;

AF = Ammunition for cannon with inert-loaded projectile, Class B explosive;

AG = Ammunition for cannon with smoke projectile, Class A explosive;

AH = Ammunition for cannon with solid projectile, Class B explosive;

AI = Ammunition for cannon without projectile, Class B explosive;

AJ = Chloropicrin, liquid, Poison B;

AK = Ammunition for small arms with explosive projectile, Class A explosive;

AL = Black powder, Class A explosive;

AM = Chemical ammunition, nonexplosive, irritating material;

AN = Detonators;

AO = Irritating agent, n.o.s., irritating material;

AP = Booster, explosive, Class A explosive;

AQ = Burster, explosive, Class A explosive;

AR = Cannon primers, Class C explosive;

AS = Cartridge bags, empty, with black powder igniter, Class C explosive;

AT = Cartridge cases, empty, primed, Class C explosive;

AU = Combination fuze, Class C explosive;

AV = Combination primer, Class C explosive;

AW = Cordeau detonant fuze, Class C explosive;

AX = Corrosive liquid, n.o.s., corrosive material;

AY = Radioactive material, n.o.s.;

AZ = Detonating fuze, Class A explosive;

BA = Detonating fuze, Class A explosive, with or without radioactive components;

BB = Detonating fuze, Class C explosive;

BC = Detonating primer, Class A explosive;

BD = Detonators, Class A or Class C explosive;

BE = Electric squib, Class C explosive;

BF = Explosive bomb, Class A explosive;

BG = Explosive cable cutter, Class C explosive;

BH = Explosive mine, Class A explosive;

BI = Explosive projective, Class A explosive;

BJ = Explosive release device, Class C explosive;

BK = Explosive rivet, Class C explosive;

BL = Explosive torpedo, Class A explosive;

BM = Diphenylaminechloroarsine, (DM), irritating material;

BN = Flammable liquid, n.o.s., flammable liquid;

BO = Flammable solid, n.o.s., flammable solid;
 BP = Fuze igniter, Class C explosive;
 BQ = Fuze lighter, Class C explosive;
 BR = Grenade, empty, primed, Class C explosive;
 BS = Grenade, hand, explosive, Class A explosive;
 BT = High explosive, Class A explosive;
 BU = High explosive, liquid, Class A explosive;
 BV = Igniter cord, Class C explosive;
 BW = Igniter, Class C explosive;
 BX = Igniter, jet thrust (jato), Class A explosive;
 BY = Igniter, Jet thrust (jato), Class B explosive;
 BZ = Initiating explosive, Class A explosive;
 CA = Fuze, instantaneous, Class C explosive;
 CB = Jet thrust unit (jato), Class A explosive;
 CC = Jet thrust unit (jato), Class B explosive;
 CD = Low explosive, Class A explosive;
 CE = Percussion cap, Class C explosive;
 CF = Percussion fuze, Class C explosive;
 CG = Poisonous liquid or gas, n.o.s., Poison A;
 CH = Poisonous liquid, n.o.s., Poison B;
 CI = Poisonous solid, n.o.s., Poison B;
 CJ = Propellant explosive, Class A explosive;
 CK = Propellant explosive, solid, Class B explosive;
 CL = Propellant explosive in water, Class B explosive;
 CM = Propellant explosives in water, unstable, condemned or deteriorated, Class B explosive;
 CN = Fusee, railway, Flammable solid;
 CO = Torpedo, railway, Class B explosive;
 CP = Grenade, hand or rifle, explosive, Class A explosive;
 CQ = Rocket ammunition with empty projectile, Class B explosive;
 CR = Rocket ammunition with explosive projectile, Class A explosive;
 CS = Rocket ammunition with illuminating projectile, Class A explosive;
 CT = Rocket ammunition with gas projectile, Class A explosive;
 CU = Rocket ammunition with incendiary projectile, Class A explosive;
 CV = Rocket ammunition with inert-loaded projectile, Class B explosive;
 CW = Rocket ammunition with smoke projectile, Class A explosive;
 CX = Rocket ammunition with solid projectile, Class B explosive;
 CY = Aniline Oil, liquid, Poison B;
 CZ = Fuze, safety, Class C explosive;
 DA = Safety squib, Class C explosive;
 DB = Signal flare, Class C explosive;
 DC = Small-arms ammunition, Class C explosive;
 DD = Small-arms ammunition, irritating cartridge, Class C explosive;
 DE = Small-arms primer, Class C explosive;
 DF = Smoke pot, Class C explosive;
 DG = Smoke signal, Class C explosive;
 DH = Fireworks, special, Class B explosive;
 DI = Starter cartridge, Class B explosive;
 DJ = Supplementary charge (explosive), Class A explosive;
 DK = Fuze, time, Class C explosive;
 DL = Toy propellant device, Class C explosive;
 DM = Toy smoke device, Class C explosive;

DN = Toy caps, Class C explosive;
 DO = Tracer, Class C explosive;
 DP = Tracer fuze, Class C explosive;
 DQ = Very signal cartridge, Class C explosive;
 DR = Fireworks, common, Class C explosive;
 DS = Chloroacetophenone solid, (CN), irritating material;
 DT = Chlorosulfonic acid, corrosive material;
 DU = Chloroacetophenone, gas, liquid, (CN), irritating material;
 DV = Smoke grenade, Class C explosive;
 DW = Hydrocyanic acid (prussic), solution, poison A;
 DX = Grenade, tear gas, irritating material;
 DZ = Phosphorus, white, dry, flammable solid;
 EA = Explosive power device, class C, Class C explosive;
 EB = Sodium Perchlorate, Oxidizer;
 EC = Explosive power device, class B, Class B explosive;
 ED = Starter cartridge, Class C explosive;
 EE = Corrosive solid, n.o.s., corrosive material;
 EF = Oxidizing material, n.o.s., Oxidizer;
 EG = Compressed gas, n.o.s., nonflammable gas;
 EH = Compressed gas, n.o.s., flammable gas;
 EI = Mercuric Acetate, Poison B;
 EJ = Nitrobenzol, liquid, Poison B;
 EK = Rocket engine, liquid, Class B explosive;
 EL = Rocket motor, Class A explosive;
 EM = Rocket motor, Class B explosive;
 EN = Ammunition for small arms with incendiary projectile, Class A explosive;
 EO = Igniter, rocket motor, Class A explosive;
 EP = Igniter, rocket motor, Class B explosive;
 EQ = Hand signal device, Class C explosive;
 ER = Propellant explosive, liquid, Class B explosive;
 ES = Insecticide, liquid, n.o.s., flammable liquid;
 ET = Malathion, ORM, A;
 EU = Fluorine, nonflammable gas;
 EV = Mercuric-Potassium Iodide, solid, Poison B;
 EW = Cartridge, practice, ammunition, Class C explosive;
 EX = Actuating cart, exp, fire ext or valve, Class C explosive;
 FA = Perchloric Acid, exceeding 50% but not exceeding 72% strength, oxidizer;
 FB = Formic Acid, Solution, corrosive material;
 FC = Hydrochloric (Muriatic) acid, corrosive material;
 FD = Sodium Sulfide, anhydrous, flammable solid;
 FE = Petroleum Naphtha, combustible liquid;
 FG = Medicines, n.o.s., solid, flammable solid;
 FH = Fire extinguisher, nonflammable gas;
 FI = Chlordane, liquid, combustible liquid;
 FJ = Compound, rust preventing, corrosive material;
 FK = Calcium Cyanide, solid or calcium cyanide mixture, solid, Poison B;
 FL = Fuel, aviation, turbine engine, flammable liquid;
 FM = Pentane, flammable liquid;
 FN = Benzine, flammable liquid;
 FO = Acetic acid, glacial, corrosive material;
 FP = Acetone, flammable liquid;

FQ = Acetylene, flammable gas;
 FR = Air, compressed, nonflammable gas;
 FS = Alcohol, n.o.s., flammable liquid;
 FT = Ammonia, anhydrous, nonflammable gas;
 FU = Ammonium Nitrate (no organic coating), oxidizer;
 FV = Ammonium Nitrate (organic coating), oxidizer;
 FW = Amyl Acetate, flammable liquid;
 FY = Arsenic Trioxide, solid, Poison B;
 FZ = Barium Nitrate, oxidizer;
 GA = Battery, electric, storage, wet, corrosive material;
 GB = Benzene (benzol), flammable liquid;
 GC = Bromine, corrosive material;
 GD = Butyl Acetate, flammable liquid;
 GE = Calcium Nitrate, oxidizer;
 GF = Calcium Resinate, flammable solid;
 GG = Phenol, Poison B;
 GH = Carbon Bisulfide or Carbon Disulfide, flammable liquid;
 GI = Carbon Dioxide, liquefied, nonflammable gas;
 GJ = Carbon Dioxide-Oxygen mixture, nonflammable;
 GK = Cement, liquid, n.o.s., flammable liquid;
 GL = Cement, rubber, flammable liquid;
 GM = Chlorine, nonflammable gas;
 GN = Chromic acid, solid, oxidizer;
 GO = Coating solution, flammable liquid;
 GP = Compounds, tree or weed killing liquid, Poison B;
 GQ = Crotonaldehyde, flammable liquid;
 GR = Crude oil, petroleum, flammable liquid;
 GS = Dinitrobenzene, solid or Dinitrobenzol, solid, Poison B;
 GT = Eradicators, paint or grease, liquid, flammable liquid;
 GU = Diethyl ether, flammable liquid;
 GV = Ethyl Acetate, flammable liquid;
 GW = Ethyl Chloride, flammable liquid;
 GX = Ethylene Dichloride, flammable liquid;
 GY = Ethylene Oxide, flammable liquid;
 GZ = Gasoline (including casing-head and natural) flammable liquid;
 HA = Helium, nonflammable gas;
 HB = Helium - Oxygen mixture, nonflammable gas;
 HC = Heptane, flammable liquid;
 HD = Hexane, flammable liquid;
 HE = Hydrochloric acid solution, inhibited, corrosive material;
 HF = Hydrogen, flammable gas;
 HG = Isooctane, flammable liquid;
 HH = Lead Nitrate, oxidizer;
 HI = Liquefied Petroleum gas, flammable gas;
 HJ = Lindane, other regulated material, A;
 HK = Magnesium, metal, (powdered, pellets, turnings or ribbons) flammable solid;
 HL = Methyl Bromide liquid, Poison B;
 HM = Methyl Chloride, flammable gas;
 HN = Methyl Ethyl Ketone, flammable liquid;
 HO = Monobromotrifluoromethane, nonflammable gas;
 HP = Chloroacetic acid, liquid or solution, corrosive material;

HQ = Nitrate, n.o.s., oxidizer;
 HR = Nitric acid (over 40%), oxidizer;
 HS = Nitric acid (40% or less), corrosive material;
 HT = Nitrogen, nonflammable gas;
 HU = Oxygen, nonflammable gas;
 HV = Petroleum ether, flammable liquid;
 HW = Phosphoric Anhydride, corrosive material;
 HX = Phosphorous, amorphous, red, flammable solid;
 HY = Phosphorous, Oxchloride, corrosive material;
 HZ = Phosphorous, Pentachloride, solid, corrosive material;
 JA = Phosphorous Trichloride, corrosive material;
 JB = Potassium Hydroxide, dry, solid, flake, bead or granular, corrosive material;
 JC = Potassium Nitrate, oxidizer;
 JD = Rubber shoddy or rubber, regenerated rubber or reclaimed, flammable solid;
 JE = Sodium Arsenate, solid, Poison B;
 JF = Sodium Arsenite liquid, (solution), Poison B;
 JG = Sodium Hydroxide, dry solid, flake, bead or granular, corrosive material;
 JH = Sodium Hydrosulfite, flammable solid;
 JI = Sodium Nitrate, oxidizer;
 JJ = Sodium Nitrite, oxidizer;
 JK = Sodium Peroxide, oxidizer;
 JL = Strontium Nitrate, oxidizer;
 JM = Sulfur Chloride (mono and di), corrosive material;
 JN = Sulfur Hexafluoride, nonflammable gas;
 JO = Titanium Tetrachloride, corrosive material;
 JP = Vinyl Acetate, flammable liquid;
 FF = Code FF denotes special factors or conditions in an item description which have an effect on the rating of charges;
 FX = Code FX denotes special factors in an item description, therefore, the item description in the respective rail of motor dangerous articles tariff should be read carefully to ensure that the exact tariff description is shown on the bill of lading.

SCREEN NAME: HAZ MAT CODE
ACCESS NAME: SYS-REC-KEY
ENTITY: SYSTEM
DESCRIPTIVE NAME: SYSTEM RECORD KEY

DATA ELEMENT DEFINITION:

The values used with the SYS-TBL-ID providing access to the NPDMS Table File Records.

FORMAT: Alphanumeric

LENGTH: 10

EDIT CRITERIA

SYS-USER-ID for the User Access Table-001;
 GSA-RGN-CODE for the GSA Region Table-005;
 DRMO-DODAAC-CODE for the DRMO Routing Identifier Code Table-010;
 CSTDN-ACNT-NMBR for the Exception Processing Table-015;

PROP-FSC-CODE for the Federal Supply Classification Code Table-020;
 PROP-UOM-CODE for the Unit of Measure Table-025;
 PROP-SPLY-CNDTN-CODE for the Supply Condition Code Table-030;
 PROP-DSPSL-CNDTN-CODE for the Disposal Condition Code Table-035;
 INST-FEDAAC-CODE for the Performance Measures Table-040;
 PROP-DML-CODE for the Demilitarization Code Table-045;
 INST-NMBR for the Center Profile Table-050;
 INST-NMBR, RPT-MAINT-JOB-TYPE & RPT-MAINT-JOB-NMBR for the Report/Maintenance Selection Table-055;
 NSMS-FIXED-SHELF-LIFE-CODE for Fixed Shelf Life Code Table-060;
 NSMS-SHELF-LIFE-EXTNSN-CODE for Shelf Life Extension Code Table-062;
 PROP-HAZMAT-CODE for Hazardous Materials Code Table-065;
 DRMO-CNTRLD-INV-ITEM-CODE for the Controlled Inventory Item Code Table-070;
 PROP-ADP-CTGRY-ID for the ADPE ID Code Table-075;
 PROP-PRCS-MTLS-CODE for the Precious Metals Code Table-080;
 PROP-MMAC-CODE for the MMAC Table-085;
 DRMO-DSPSL-ATHRTY-CODE for the Disposal Authority Code Table-090;
 DRMO ADDITIONAL DATA CODE for the DRMO Additional Data Code Table-095;
 'ECN' & INST-NMBR for the Excess Case Number Serial Number Record-100;
 INST-NMBR for Installation Code Table-105;
 'ERN' & INST-NMBR for the Entry Reference Number Serial Number Record-110;
 'DOD' and INST-NMBR for the DRMO 1348 Serial Number Record-112;
 'SAL' and INST-NMBR for the Sale Number Serial Number Record-113;
 'NEM' & INST-NMBR for the NP/NEMS Entry Reference Number Serial Number Record-115;
 INST-NMBR & RPT-END-DATE for the Monthly 623 Report Balance Record-120;
 INST-NMBR & RPT-END-DATE for the Annual 623 Report Balance Record-125;
 INST-NMBR & RPT-END-DATE for the 1800 Report Balance Record-130;
 'RCT' & INST-NMBR for the Sale Slip Serial Number Record-135;
 RPT-MAINT-JOB-TYPE & RPT-MAINT-JOB-NMBR for the JCL Table-140;
 PRINTER DESTINATION CODE for the Printer Destination Table-145;
 STATE ABBREVIATION for the State Table-150;
 INST-NMBR and PROPERTY TYPE for Screening Days Table-155;
 INST-DFLT-REIM-CODE for Reimbursement Code Table-160;
 PROP-HAZMAT-IND for Hazardous Material Indicator Code Table-165;
 RECIPIENT-CODE for Recipient Name Table-170;
 RCPNT-TYPE-CODE for Transfer Type Table-180;
 RCPNT-SUBTYPE-CODE for Transfer Subtype Table-190.

SCREEN NAME:	HAZ MAT IND
ACCESS NAME:	CMPNT-HAZMAT-IND
ENTITY:	COMPONENT SYSTEM
DESCRIPTIVE NAME:	COMPONENT SYSTEM HAZARDOUS MATERIALS INDICATOR

DATA ELEMENT DEFINITION:

If any of the components in a component system contain hazardous materials, this indicator will be set to 'Y'.

FORMAT: Alphanumeric

LENGTH: 1

EDIT CRITERIA

Generated, Y = yes, Blank = no. Default is no.

SCREEN NAME: HAZ MAT IND

ACCESS NAME: PROP-HAZMAT-IND; SYS-REC-KEY

ENTITY:

DESCRIPTIVE NAME: HAZARDOUS MATERIALS PROPERTY INDICATOR CODE

DATA ELEMENT DEFINITION:

A code established in the DLSC Total Item Record (TIR) to indicate to users of the federal catalog system all known or suspected hazardous items as defined by safety/health, transaction and/or environmental regulations, to serve as a flag that a procuring activity must acquire a Material Safety Data Sheet (MSDS) when a hazardous item is procured and to inform federal catalog system users when more detailed information on an item is available in the Hazardous Materials Information System (HMIS). (Ref. DoD 4100.39-M, Volume 10, Chapter 4, Table 179).

FORMAT: Alphanumeric

LENGTH: 1

EDIT CRITERIA

Valid values maintained on NPDMS Hazardous Material Indicator Code Table-165.

Code:	Definition:
Y	Indicates information is in the Hazardous Materials Information System (HMIS).
D	Indicates there is no information in the HMIS; however, the NSN is in a FSC in Table II of Federal Standard 313 and a MSDS should be available to the user.
P	Indicates there is no information in the HMIS; however, the NSN is in a FSC in Table II of Federal Standard 313 and a MSDS may be required by the user. The requirement for a MSDS is dependent on a hazard determination of the supplier or the intended end use of the product.
N	Indicates there is no data in the HMIS and the NSN is in a FSC not generally suspected of containing hazardous materials.

SCREEN NAME: HAZMAT INDICATOR CODE

ACCESS NAME: SYS-REC-KEY

ENTITY: SYSTEM

DESCRIPTIVE NAME: SYSTEM RECORD KEY

DATA ELEMENT DEFINITION:

The values used with the SYS-TBL-ID providing access to the NPDMS Table File Records.

FORMAT: Alphanumeric

LENGTH: 10

EDIT CRITERIA

SYS-USER-ID for the User Access Table-001;
GSA-RGN-CODE for the GSA Region Table-005;
DRMO-DODAAC-CODE for the DRMO Routing Identifier Code Table-010;
CSTDN-ACNT-NMBR for the Exception Processing Table-015;
PROP-FSC-CODE for the Federal Supply Classification Code Table-020;
PROP-UOM-CODE for the Unit of Measure Table-025;
PROP-SPLY-CNDTN-CODE for the Supply Condition Code Table-030;
PROP-DSPSL-CNDTN-CODE for the Disposal Condition Code Table-035;
INST-FEDAAC-CODE for the Performance Measures Table-040;
PROP-DML-CODE for the Demilitarization Code Table-045;
INST-NMBR for the Center Profile Table-050;
INST-NMBR for Property Location Table-051;
INST-NMBR, RPT-MAINT-JOB-TYPE & RPT-MAINT-JOB-NMBR for the Report/Maintenance Selection Table-055;
NSMS-FIXED-SHELF-LIFE-CODE for Fixed Shelf Life Code Table-060;
NSMS-SHELF-LIFE-EXTNSN-CODE for Shelf Life Extension Code Table-062;
PROP-HAZMAT-CODE for Hazardous Materials Code Table-065;
DRMO-CNTRLD-INV-ITEM-CODE for the Controlled Inventory Item Code Table-070;
PROP-ADP-CTGRY-ID for the ADPE ID Code Table-075;
PROP-PRCS-MTLS-CODE for the Precious Metals Code Table-080;
PROP-MMAC-CODE for the MMAC Table-085;
DRMO-DSPSL-ATHRTY-CODE for the Disposal Authority Code Table-090;
DRMO ADDITIONAL DATA CODE for the DRMO Additional Data Code Table-095;
'ECN' & INST-NMBR for the Excess Case Number Serial Number Record-100;
INST-NMBR for Installation Code Table-105;
'ERN' & INST-NMBR for the Entry Reference Number Serial Number Record-110;
'DOD' and INST-NMBR for the DRMO 1348 Serial Number Record-112;
'SAL' and INST-NMBR for the Sale Number Serial Number Record-113;
'NEM' & INST-NMBR for the NP/NEMS Entry Reference Number Serial Number Record-115;
INST-NMBR & RPT-END-DATE for the Monthly 623 Report Balance Record-120;
INST-NMBR & RPT-END-DATE for the Annual 623 Report Balance Record-125;
INST-NMBR & RPT-END-DATE for the 1800 Report Balance Record-130;
'RCT' & INST-NMBR for the Sale Slip Serial Number Record-135;
RPT-MAINT-JOB-TYPE & RPT-MAINT-JOB-NMBR for the JCL Table-140;
PRINTER DESTINATION CODE for the Printer Destination Table-145;
STATE ABBREVIATION for the State Table-150;
INST-NMBR and PROPERTY TYPE for Screening Days Table-155;
INST-DFLT-REIM-CODE for Reimbursement Code Table-160;
PROP-HAZMAT-IND for Hazardous Material Indicator Code Table-165;
RECIPIENT-CODE for Recipient Name Table-170;
RCPNT-TYPE-CODE for Transfer Type Table-180;
RCPNT-SUBTYPE-CODE for Transfer Subtype Table-190.

SCREEN NAME: **INITIATORS NAME**
ACCESS NAME: INTR-NAME
ENTITY: INITIATOR
DESCRIPTIVE NAME: INITIATORS NAME
DATA ELEMENT DEFINITION:
Name of the individual reporting idle personal property to the PDO.
FORMAT: Alphanumeric
LENGTH: 30
EDIT CRITERIA
Free form.

SCREEN NAME: **INITIATORS ORG CODE**
ACCESS NAME: INTR-ORGNZTN-CODE
ENTITY: INITIATOR
DESCRIPTIVE NAME: INITIATORS ORGANIZATION CODE
DATA ELEMENT DEFINITION:
Organization code of the individual reporting idle personal property.
FORMAT: Alphanumeric
LENGTH: 5
EDIT CRITERIA
Free form.

SCREEN NAME: **INITIATORS PHONE**
ACCESS NAME: INTR-PHN-NMBR
ENTITY: INITIATOR
DESCRIPTIVE NAME: INITIATORS PHONE NUMBER
DATA ELEMENT DEFINITION:
The telephone number, including area code, of the individual reporting personal property for disposal processing.
FORMAT: Alphanumeric
LENGTH: 10
EDIT CRITERIA
Standard form. If entered, must include area code.

SCREEN NAME: INST
ACCESS NAME: SYS-INST-DAYS-CNT
ENTITY: SYSTEM
DESCRIPTIVE NAME: SYSTEM COUNT OF INSTALLATION SCREENING DAYS

DATA ELEMENT DEFINITION:

System count of the default number of calendar days that personal property undergoes the required internal screening for the owning installation.

FORMAT: P
LENGTH: 3.0

EDIT CRITERIA

Default maintained on ND-Table 155 and modifiable. At the time of an initial NPDMS add, this count is added to the current system date to establish the PROP-INST-END-DATE.

SCREEN NAME: INST FEADAAC CODE
ACCESS NAME: INST-FEDAAC-CODE
ENTITY: NASA INSTALLATION
DESCRIPTIVE NAME: INSTALLATION FEDERAL ACTIVITY ADDRESS CODE

DATA ELEMENT DEFINITION:

A six digit code assigned by the General Services Administration (GSA) to uniquely identify Federal organizations authorized to receive Federal sources of supply and support services, including GSA disposal support services.

FORMAT: Alphanumeric
LENGTH: 6.0

EDIT CRITERIA

Must be one of the following contained on the Center Profile Table-050.

809101 = AMES (M);
809103 = AMES (D);
803226 = GSFC;
807402 = JSC;
804235 = KSC;
803301 = LaRC;
805501 = LeRC;
804101 = MSFC;
804412 = NSTL (STENNIS- SSC);
807504 = WSTF.

SCREEN NAME: INST NMBR
ACCESS NAME: INST-NMBR; SYS-REC-KEY

ENTITY: NASA INSTALLATION

DESCRIPTIVE NAME: INSTALLATION NUMBER

DATA ELEMENT DEFINITION:

A four digit number identifying the installation; positions 1-2 identify the prime installation, positions 3-4 identify sub-installation.

FORMAT: Numeric

LENGTH: 4.0

EDIT CRITERIA

Default maintained on Center Profile Table. Must match NPDMS Installation Number Table-105.

SCREEN NAME: INSTALL

ACCESS NAME: PROP-INST-SCRNG-MTHD-ID

ENTITY: IDLE NASA PROPERTY

DESCRIPTIVE NAME: INSTALLATION SCREENING METHOD IDENTIFIER FOR PROPERTY

DATA ELEMENT DEFINITION:

Identifies the method of screening to be used by the Installation PDO for property undergoing installation screening: C = NPDMS Catalog F = FAX L = Local N = NEMS only.

FORMAT: Alphanumeric

LENGTH: 1

EDIT CRITERIA

Possible values are 'C', 'F', 'L', 'N'.

SCREEN NAME: INSTALL BEGIN DT

ACCESS NAME: PROP-INST-BGN-DATE

ENTITY: IDLE NASA PROPERTY

DESCRIPTIVE NAME: INSTALLATION SCREENING BEGIN DATE OF PROPERTY

DATA ELEMENT DEFINITION:

The calendar date on which personal property begins the required internal screening period for the owning NASA installation. Reportable ADPE is reported to GSA.

FORMAT: D

LENGTH:

EDIT CRITERIA

Generated and modifiable. Display format: MM/DD/YY or MM/DD/YYYY. Stored in Internal Date format. Default is the current date of the initial add into NPDMS.

SCREEN NAME: INSTALL END DT
ACCESS NAME: PROP-INST-END-DATE
ENTITY: IDLE NASA PROPERTY
DESCRIPTIVE NAME: INSTALLATION SCREENING END DATE OF PROPERTY

DATA ELEMENT DEFINITION:

The calendar date on which personal property completes the required internal screening period for the owning NASA installation.

FORMAT: D

LENGTH:

EDIT CRITERIA

System generated at the time of Add and modifiable. Display format: MM/DD/YY or MM/DD/YYYY. Stored in Internal Date format. This date is generated using default values maintained on ND-Table-155 (Screening Days Table) as follows:

If Reportable ADPE with a PROP-ADJSTD-ACQSTN-COST-AMT GE \$1,000,000.00 and less than 9 years old, default is the PROP-INST-BGN-DATE plus the default number of installation screening days for reportable ADPE property.

If the EXCHNGSL-IND equals Y, default is the PROP-INST-BGN-DATE plus the default number of installation screening days for Exchange/Sale property.

If Non-reportable ADPE (FSG 70) with a PROP-ADJSTD-ACQSTN-COST-AMT less than \$1,000,000.00, default is the PROP-INST-BGN-DATE plus the default number of installation screening days for Non-reportable ADPE property.

For all other reportable and non-reportable property, default is the PROP-INST-BGN-DATE plus the default number of installation screening days for all other property.

If changed, cannot be earlier than the PROP-INST-BGN-DATE.

SCREEN NAME: INSTALL NAME
ACCESS NAME: PROP-LCTN-INST-NAME
ENTITY: IDLE NASA PROPERTY
DESCRIPTIVE NAME: PROPERTY LOCATION INSTALLATION NAME

DATA ELEMENT DEFINITION:

Contains the center name where the personal property is located if different than the INST-DFLT-NAME.

FORMAT: Alphanumeric

LENGTH: 40

EDIT CRITERIA

Generated (pulled) from Center Profile Table and modifiable.

SCREEN NAME: **INSTALLATION ACRONYM**
ACCESS NAME: INST-ACRNM-ID
ENTITY: NASA INSTALLATION
DESCRIPTIVE NAME: INSTALLATION ACRONYM IDENTIFIER
DATA ELEMENT DEFINITION:
The acronym of each NASA Installation and Subinstallation (e.g., GSFC, KSC, etc.).
FORMAT: Alphanumeric
LENGTH: 4
EDIT CRITERIA
Maintained on NPDMS Installation Code Table-105:
LARC = Langley Research Center
ARC = Ames Research Center
GRC = John H. Glen Research Center
DFRC = Dryden Flight Research Center
GSFC = Goddard Space Flight Center
JPL = Jet Propulsion Laboratory
MSFC = Marshall Space Flight Center
JSC = Johnson Space Center
WSTF = White Sands Test Facility
JSC = Johnson Space Center (SPOC - USA West)
KSC = Kennedy Space Center
KSC = Kennedy Space Center (J - BOSC)
KSC = Kennedy Space Center (SFOC)
KSC = Kennedy Space Center (PGOC)
HQ = NASA Headquarters
SSC = Stennis Space Center.

SCREEN NAME: **INSTALLATION NAME**
ACCESS NAME: INST-NAME
ENTITY: NASA INSTALLATION
DESCRIPTIVE NAME: INSTALLATION NAME
DATA ELEMENT DEFINITION:
The installation name (e.g., Goddard Space Flight Center) associated for each NASA Installation and Subinstallation.
FORMAT: Alphanumeric
LENGTH: 40

EDIT CRITERIA

Maintained on NPDMS Installation Code Table-105:

LARC = Langley Research Center
 ARC = Ames Research Center
 GRC = John H. Glen Research Center
 DFRC = Dryden Flight Research Center
 GSFC = Goddard Space Flight Center
 JPL = Jet Propulsion Laboratory
 MSFC = Marshall Space Flight Center
 JSC = Johnson Space Center
 WSTF = White Sands Test Facility
 JSC = Johnson Space Center (SPOC - USA West)
 KSC = Kennedy Space Center
 KSC = Kennedy Space Center (J - BOSCO)
 KSC = Kennedy Space Center (SFOC)
 KSC = Kennedy Space Center (PGOC)
 HQ = NASA Headquarters
 SSC = Stennis Space Center.

SCREEN NAME: **INSTALLATION NO**
ACCESS NAME: SYS-REC-KEY
ENTITY: SYSTEM
DESCRIPTIVE NAME: SYSTEM RECORD KEY

DATA ELEMENT DEFINITION:

The values used with the SYS-TBL-ID providing access to the NPDMS Table File Records.

FORMAT: Alphanumeric
LENGTH: 10

EDIT CRITERIA

SYS-USER-ID for the User Access Table-001;
 GSA-RGN-CODE for the GSA Region Table-005;
 DRMO-DODAAC-CODE for the DRMO Routing Identifier Code Table-010;
 CSTDN-ACNT-NMBR for the Exception Processing Table-015;
 PROP-FSC-CODE for the Federal Supply Classification Code Table-020;
 PROP-UOM-CODE for the Unit of Measure Table-025;
 PROP-SPLY-CNDTN-CODE for the Supply Condition Code Table-030;
 PROP-DSPSL-CNDTN-CODE for the Disposal Condition Code Table-035;
 INST-FEDAAC-CODE for the Performance Measures Table-040;
 PROP-DML-CODE for the Demilitarization Code Table-045;
 INST-NMBR for the Center Profile Table-050;
 INST-NMBR for Property Location Table-051;
 INST-NMBR, RPT-MAINT-JOB-TYPE & RPT-MAINT-JOB-NMBR for the Report/Maintenance Selection Table-055;
 NSMS-FIXED-SHELF-LIFE-CODE for Fixed Shelf Life Code Table-060;
 NSMS-SHELF-LIFE-EXTNSN-CODE for Shelf Life Extension Code Table-062;
 PROP-HAZMAT-CODE for Hazardous Materials Code Table-065;

DRMO-CNTRLD-INV-ITEM-CODE for the Controlled Inventory Item Code Table-070;
 PROP-ADP-CTGRY-ID for the ADPE ID Code Table-075;
 PROP-PRCS-MTLS-CODE for the Precious Metals Code Table-080;
 PROP-MMAC-CODE for the MMAC Table-085;
 DRMO-DSPSL-ATHRTY-CODE for the Disposal Authority Code Table-090;
 DRMO ADDITIONAL DATA CODE for the DRMO Additional Data Code Table-095;
 'ECN' & INST-NMBR for the Excess Case Number Serial Number Record-100;
 INST-NMBR for Installation Code Table-105;
 'ERN' & INST-NMBR for the Entry Reference Number Serial Number Record-110;
 'DOD' and INST-NMBR for the DRMO 1348 Serial Number Record-112;
 'SAL' and INST-NMBR for the Sale Number Serial Number Record-113;
 'NEM' & INST-NMBR for the NP/NEMS Entry Reference Number Serial Number Record-115;
 INST-NMBR & RPT-END-DATE for the Monthly 623 Report Balance Record-120;
 INST-NMBR & RPT-END-DATE for the Annual 623 Report Balance Record-125;
 INST-NMBR & RPT-END-DATE for the 1800 Report Balance Record-130;
 'RCT' & INST-NMBR for the Sale Slip Serial Number Record-135;
 RPT-MAINT-JOB-TYPE & RPT-MAINT-JOB-NMBR for the JCL Table-140;
 PRINTER DESTINATION CODE for the Printer Destination Table-145;
 STATE ABBREVIATION for the State Table-150;
 INST-NMBR and PROPERTY TYPE for Screening Days Table-155;
 INST-DFLT-REIM-CODE for Reimbursement Code Table-160;
 PROP-HAZMAT-IND for Hazardous Material Indicator Code Table-165;
 RECIPIENT-CODE for Recipient Name Table-170;
 RCPNT-TYPE-CODE for Transfer Type Table-180;
 RCPNT-SUBTYPE-CODE for Transfer Subtype Table-190.

SCREEN NAME: INSTALLATION NO (T05, T06 TRANSACTIONS)

ACCESS NAME: RQSTR-INST-NMBR

ENTITY: REQUESTOR

DESCRIPTIVE NAME: REQUESTOR INSTALLATION NUMBER

DATA ELEMENT DEFINITION:

A four digit number identifying the installation of the property requestor on a T05 or T06 final disposition; first 2 positions identify the PRIMINST-NMBR, positions 3-4 identify SUBINST-NMBR. Must be a valid entry on NPDMS Table 105.

FORMAT: Alphanumeric

LENGTH: 4.0

EDIT CRITERIA

Must match NPDMS Table 105 for Controlled property.

SCREEN NAME: INSTALLATION NUMBER

ACCESS NAME: INST-NMBR; SYS-REC-KEY

ENTITY: NASA INSTALLATION

DESCRIPTIVE NAME: INSTALLATION NUMBER

DATA ELEMENT DEFINITION:

A four digit number identifying the installation; positions 1-2 identify the prime installation, positions 3-4 identify sub-installation.

FORMAT: Numeric

LENGTH: 4.0

EDIT CRITERIA

Default maintained on Center Profile Table. Must match NPDMS Installation Number Table-105.

SCREEN NAME: INSTALLATION REDISTRIBUTION RATE

ACCESS NAME: INST-INTRNL-DSTRBTN-RATE

ENTITY: NASA INSTALLATION

DESCRIPTIVE NAME: INSTALLATION INTERNAL DISTRIBUTION RATE

DATA ELEMENT DEFINITION:

A rate (established by NASA Headquarters) for the number of line items redistributed within NASA (Including NASA Contractors and Grantees) by a particular Installation divided by the total line items reported excess to the Property Disposal Officer plus the total line items formally screened through NEMS but not reported to the PDO as excess, expressed by a percentage.

FORMAT: Packed

LENGTH: 3.0

EDIT CRITERIA

As supplied by HQ NASA and entered by the user. Stored on the NPDMS Performance Measures Table-040.

SCREEN NAME: INSTALLATION SCREENING BEGIN DATES

ACCESS NAME: PROP-INST-BGN-DATE

ENTITY: IDLE NASA PROPERTY

DESCRIPTIVE NAME: INSTALLATION SCREENING BEGIN DATE OF PROPERTY

DATA ELEMENT DEFINITION:

The calendar date on which personal property begins the required internal screening period for the owning NASA installation. Reportable ADPE is reported to GSA.

FORMAT: D

LENGTH:

EDIT CRITERIA

Generated and modifiable. Display format: MM/DD/YY or MM/DD/YYYY. Stored in Internal Date format. Default is the current date of the initial add into NPDMS.

SCREEN NAME: INSTALLATION SCREENING END DATES
ACCESS NAME: PROP-INST-END-DATE
ENTITY: IDLE NASA PROPERTY
DESCRIPTIVE NAME: INSTALLATION SCREENING END DATE OF PROPERTY

DATA ELEMENT DEFINITION:

The calendar date on which personal property completes the required internal screening period for the owning NASA installation.

FORMAT: D

LENGTH:

EDIT CRITERIA

System generated at the time of Add and modifiable. Display format: MM/DD/YY or MM/DD/YYYY. Stored in Internal Date format. This date is generated using default values maintained on ND-Table-155 (Screening Days Table) as follows:

If Reportable ADPE with a PROP-ADJSTD-ACQSTN-COST-AMT GE \$1,000,000.00 and less than 9 years old, default is the PROP-INST-BGN-DATE plus the default number of installation screening days for reportable ADPE property.

If the EXCHNGSL-IND equals Y , default is the PROP-INST-BGN-DATE plus the default number of installation screening days for Exchange/Sale property.

If Non-reportable ADPE (FSG 70) with a PROP-ADJSTD-ACQSTN-COST-AMT less than \$1,000,000.00, default is the PROP-INST-BGN-DATE plus the default number of installation screening days for Non-reportable ADPE property.

For all other reportable and non-reportable property, default is the PROP-INST-BGN-DATE plus the default number of installation screening days for all other property.

If changed, cannot be earlier than the PROP-INST-BGN-DATE.

SCREEN NAME: INSTALLATION SCREENING METHOD
ACCESS NAME: PROP-INST-SCRNG-MTHD-ID
ENTITY: IDLE NASA PROPERTY
DESCRIPTIVE NAME: INSTALLATION SCREENING METHOD IDENTIFIER FOR PROPERTY

DATA ELEMENT DEFINITION:

Identifies the method of screening to be used by the Installation PDO for property undergoing installation screening: C = NPDMS Catalog F = FAX L = Local N = NEMS only.

FORMAT: Alphanumeric

LENGTH: 1

EDIT CRITERIA

Possible values are 'C', 'F', 'L', 'N'.

SCREEN NAME: INTERNAL (AGENCY INTRNL)

ACCESS NAME: AGENCY-INTRNL-DSTRBTN-RATE

ENTITY: FEDERAL AGENCY

DESCRIPTIVE NAME: INTERNAL AGENCY DISTRIBUTION RATE

DATA ELEMENT DEFINITION:

A standard rate established by NASA Headquarters for the number of line items redistributed within NASA (Including NASA Contractors and Grantees) divided by the total line items reported excess to the Property Disposal Officer plus the total line items formally screened through NEMS but not reported to the PDO as excess, expressed by a percentage.

FORMAT: Packed

LENGTH: 3.0

EDIT CRITERIA

As supplied by HQ NASA and entered by the user. Stored on the NPDMS Performance Measures Table-040.

SCREEN NAME: INTERNAL (INST INTRNL)

ACCESS NAME: INST-INTRNL-DSTRBTN-RATE

ENTITY: NASA INSTALLATION

DESCRIPTIVE NAME: INSTALLATION INTERNAL DISTRIBUTION RATE

DATA ELEMENT DEFINITION:

A rate (established by NASA Headquarters) for the number of line items redistributed within NASA (Including NASA Contractors and Grantees) by a particular Installation divided by the total line items reported excess to the Property Disposal Officer plus the total line items formally screened through NEMS but not reported to the PDO as excess, expressed by a percentage.

FORMAT: Packed

LENGTH: 3.0

EDIT CRITERIA

As supplied by HQ NASA and entered by the user. Stored on the NPDMS Performance Measures Table-040.

SCREEN NAME: INVENTORY DATE (INV END DATE)
ACCESS NAME: PROP-INV-END-DATE
ENTITY: IDLE NASA PROPERTY
DESCRIPTIVE NAME: PROPERTY INVENTORY END DATE

DATA ELEMENT DEFINITION:

The calendar date on which an item was physically sighted and verified during an approved full or partial inventory process.

FORMAT: D

LENGTH:

EDIT CRITERIA

User-entered. Display format: MM/DD/YY or MM/DD/YYYY. Stored in Internal Date format.

SCREEN NAME: ITEM DESC
ACCESS NAME: PROP-DESC
ENTITY: IDLE NASA PROPERTY
DESCRIPTIVE NAME: PROPERTY DESCRIPTION

DATA ELEMENT DEFINITION:

Additional information which further describes the personal property, i.e., dimensions, capabilities, power requirements, etc.

FORMAT: Alphanumeric

LENGTH: 60 (1:40)

EDIT CRITERIA

Supplied by NSMS (NSMS-INDEX-DESC) on the Batch Interface file otherwise, user-entered free form with no edit check. Stored on the NPDMS Text Descriptions file in a MU field with up to 40 occurrences.

SCREEN NAME: ITEM ID
ACCESS NAME: PROP-ITEM-ID
ENTITY: IDLE NASA PROPERTY
DESCRIPTIVE NAME: PROPERTY ITEM IDENTIFIER

DATA ELEMENT DEFINITION:

Number automatically assigned by the NPDMS to uniquely identify the Case and Item records associated with a PROP-CASE-NMBR. It is a sequential number from 01-99.

FORMAT: Numeric

LENGTH: 2.0

EDIT CRITERIA

Generated, 00 through 99, inclusive.

SCREEN NAME: **ITEM NAME**

ACCESS NAME: NEMS-STNDRD-ITEM-NAME-IND

ENTITY: NEMS

DESCRIPTIVE NAME: NEMS STANDARD ITEM NAME INDICATOR

DATA ELEMENT DEFINITION:

The indicator set by the item name standardization process initiated by the NEMS Central Cataloger. When it is present the PROP-ITEM-NAME in the NPDMS cannot be altered through the Add or Change Processes.

FORMAT: Alphanumeric

LENGTH: 1

EDIT CRITERIA

Y = Yes; Blank = No. Default is blank for no.

SCREEN NAME: **ITEM NAME**

ACCESS NAME: PROP-ITEM-NAME

ENTITY: IDLE NASA PROPERTY

DESCRIPTIVE NAME: PROPERTY ITEM NAME

DATA ELEMENT DEFINITION:

The name associated with personal property that clearly identifies the said item. In the case of controlled items, the original ITEM-NAME will be extracted from the NEMS record. For Supply property, the GENERIC-NAME and TECHNICAL-NAME are extracted from NSMS and compressed into this field. Item Name is comprised of a standard noun name and may be followed by adjective descriptors.

FORMAT: Alphanumeric

LENGTH: 60

EDIT CRITERIA

If Controlled Property, the ORIGINAL ITEM NAME will be extracted from the NEMS record. For Supply Property, the GENERIC NAME and TECHNICAL NAME are moved from the NSMS

interface file and compressed into this field. Free form for other types of property but must be entered - standard used is the Federal Cataloging Handbook, H-6 series.

SCREEN NAME: **ITEM NAME/DESC**
ACCESS NAME: PROP-ITEM-NAME
ENTITY: IDLE NASA PROPERTY
DESCRIPTIVE NAME: PROPERTY ITEM NAME

DATA ELEMENT DEFINITION:

The name associated with personal property that clearly identifies the said item. In the case of controlled items, the original ITEM-NAME will be extracted from the NEMS record. For Supply property, the GENERIC-NAME and TECHNICAL-NAME are extracted from NSMS and compressed into this field. Item Name is comprised of a standard noun name and may be followed by adjective descriptors.

FORMAT: Alphanumeric
LENGTH: 60

EDIT CRITERIA

If Controlled Property, the ORIGINAL ITEM NAME will be extracted from the NEMS record. For Supply Property, the GENERIC NAME and TECHNICAL NAME are moved from the NSMS interface file and compressed into this field. Free form for other types of property but must be entered - standard used is the Federal Cataloging Handbook, H-6 series.

SCREEN NAME: **JOB CARD**
ACCESS NAME: INST-JOB-CARD-TEXT
ENTITY: NASA INSTALLATION
DESCRIPTIVE NAME: INSTALLATION JOB CARD TEXT

DATA ELEMENT DEFINITION:

The default job card information used for the system batch execution of all NPDMS report and maintenance job processing.

FORMAT: Alphanumeric
LENGTH: 72

EDIT CRITERIA

Installation specific. Maintained in the NPDMS Center Profile Table-050.

SCREEN NAME: **JOB TYPE DETERMINATION**
ACCESS NAME: RPT-MAINT-JOB-IND-SB
ENTITY: REPORT
DESCRIPTIVE NAME: REPORT/MAINTENANCE JOB INDICATOR
DATA ELEMENT DEFINITION:
A one character field that identifies whether a Report/Maintenance Selection Record on the NPDMS Table File is for a report (R) or maintenance (M) job.
FORMAT: Alphanumeric
LENGTH: 1
EDIT CRITERIA
R = Report; M = Maintenance Job.

SCREEN NAME: **LAST NAME (BIDDER)**
ACCESS NAME: PROP-BIDDER-LAST-NAME
ENTITY: IDLE NASA PROPERTY
DESCRIPTIVE NAME: PROPERTY BIDDER LAST NAME
DATA ELEMENT DEFINITION:
Contains the last name of the individual, or the last name of the contact representing an organization/company, submitting a competitive bid for consideration to acquire a specific property lot offered for sale.
FORMAT: Alphanumeric
LENGTH: 20
EDIT CRITERIA
Must be entered if the PROP-BIDDER-CMPNY-NAME is 'blank', free form. If a particular bidder is awarded the sale, this field is compressed into the RQSTR-NAME on the transaction record.

SCREEN NAME: **LINE**
ACCESS NAME: NOT MAINTAINED
ENTITY:
DESCRIPTIVE NAME:
DATA ELEMENT DEFINITION:
The line number on a screen listing all reversible disposition transaction for a specific item record.
FORMAT: Numeric
LENGTH: 2.0

EDIT CRITERIA

System generated.

SCREEN NAME: LOCAL
ACCESS NAME: NOT MAINTAINED

ENTITY:

DESCRIPTIVE NAME:

DATA ELEMENT DEFINITION:

Designate a sale as being sale by NASA or it s agent.

FORMAT: Alphanumeric

LENGTH: 1

EDIT CRITERIA

Free form.

SCREEN NAME: LOCAL REF NO
ACCESS NAME: PROP-LOCAL-RFRNC-NMBR
ENTITY: IDLE NASA PROPERTY
DESCRIPTIVE NAME: PROPERTY LOCAL REFERENCE NUMBER

DATA ELEMENT DEFINITION:

Space reserved for installations to capture information for local use only. Although the data element is identified as a "Number", the information is not restricted to a numeric format.

NOTE: "Source Document Numbers" should be recorded in the PROP-TURN-IN-DCMNT-NMBR" field.

FORMAT: Alphanumeric

LENGTH: 30

EDIT CRITERIA

User entered. Installation specific.

SCREEN NAME: LOCATION BLDG
ACCESS NAME: PROP-LCTN-BLDG-ADRS
ENTITY: IDLE NASA PROPERTY
DESCRIPTIVE NAME: PROPERTY LOCATION BUILDING ADDRESS

DATA ELEMENT DEFINITION:

The number of the building or other generalized location where the personal property is located. This number must be a valid building number on NEMS Table 102.

FORMAT: Alphanumeric

LENGTH: 10

EDIT CRITERIA

For Controlled Property must be on NEMS Table 102; NOC = Not On Center. Optional user entry for Non-controlled property.

SCREEN NAME: LOT NO OF PROP

ACCESS NAME: PROP-LOT-NMBR

ENTITY: IDLE NASA PROPERTY

DESCRIPTIVE NAME: LOT NUMBER OF PROPERTY

DATA ELEMENT DEFINITION:

The assigned number designating the lot in which a particular item was included for sale. To the extent practicable, and consistent with the types of property and usual commercial practice, property offered for sale shall be assembled in reasonably sized lots of like or similar items by make (i.e., FSC Group) or manufacturer with the following exceptions:

- 1)- Unused property shall be lotted separately from used (property) items;
- 2)- Scrap and other property having scrap value only shall generally not be included in the same lot with usable items; and
- 3)- each property item authorized for Exchange/Sale shall be lotted as a single item lot except when otherwise authorized under the provisions of FPMR 41 CFR, 101-46.202.

FORMAT: Alphanumeric

LENGTH: 4

EDIT CRITERIA

System generated for Local NASA Sales; user entered for GSA Sales.

SCREEN NAME: MAIL STOP

ACCESS NAME: INST-MAIL-STOP-ADRS

ENTITY: NASA INSTALLATION

DESCRIPTIVE NAME: INSTALLATION MAIL STOP ADDRESS

DATA ELEMENT DEFINITION:

The default mail code of the individual who requests a specific NPDMS report or maintenance job.

FORMAT: Alphanumeric

LENGTH: 10

EDIT CRITERIA

Installation specific. Maintained on the Center Profile Table-050.

SCREEN NAME: **MAIL STOP**

ACCESS NAME: RPT-MAIL-STOP-ADRS

ENTITY: REPORT

DESCRIPTIVE NAME: REPORT MAIL STOP ADDRESS

DATA ELEMENT DEFINITION:

This field will contain mail code of the individual who requested a specific NPDMS report or maintenance job.

FORMAT: Alphanumeric

LENGTH: 7

EDIT CRITERIA

Installation specific. The default is maintained in the NPDMS Center Profile Table-050.

SCREEN NAME: **MAINTENANCE JOB NUMBER**

ACCESS NAME: RPT-MAINT-JOB-NMBR-SB

ENTITY: REPORT

DESCRIPTIVE NAME: REPORT/MAINTENANCE JOB NUMBER

DATA ELEMENT DEFINITION:

The number assigned to a specific report or maintenance job.

FORMAT: Numeric

LENGTH: 3

EDIT CRITERIA

- 001 Awaiting Pickup
- 002 Pending GSA Acknowledgement
- 003 Sales Listing
- 004 Items reported to GSA Over 180 Days
- 005 Foreign Screening Report
- 006 Freeze Status Report
- 007 NEMS Transaction Interface Report
- 008 Property Held by Property Disposal Officer
- 009 623 Monthly Report of Utilization/Disposal of Idle NASA Personal Property
- 010 623 Annual Report of Utilization/Disposal of Idle NASA Personal Property
- 011 Foreign Disposal Approval Report

012 NASA Form 811 - Classification of Property as Scrap or Salvage
 013 NASA form 812 - Authorization to Abandon/Destroy Surplus Property
 014 Idle Property Screening List
 015 Cases Eligible For Transfer To DRMO Report
 016 Daily Transaction Report
 017 Annual Report of Exchange/Sale Transactions
 018 Sales Prep Report
 019 Abstract of Bids
 020 Bidder's Notification of Award
 021 Final Inventory/Reconciliation Report
 022 Post Inventory Report
 023 Performance Measures Report
 024 NSMS Accepted Items Report
 025 NSMS Rejected Items Report
 026 NSMS Matched/Overage/Underage Report
 027 Sales Slip, Sale of Government Personal Property
 100 NASA Supply Management System Interface
 110 GSA Magnetic Tape Generation
 120 SF-120 Report of Excess Personal Property Generation
 130 SF-120 Withdrawal/Correction Generation
 140 DD-1348-1A DRMO Issue Release/Receipt Document Generation
 150 NASA 1638 NPDMS Idle Personal Property Pickup Authorization Generation
 160 Annual Report of Personal Property Provided to Non-Federal Org
 170 Equipment Available Under the Stevenson-Wydler Act For Region
 180 Status Report for Cases Undergoing Other Federal Agency Screening
 190 Status Report for Cases Undergoing Surplus Property Donation Screening
 200 ERN and Serial Number Reset
 200 Equipment Available for Federal Agencies - By Region
 210 IFM Interface File
 220 Archive History Files
 230 Final Dispositions for Each FSC Within a Date Range

SCREEN NAME:	MARK FOR
ACCESS NAME:	PROP-HAZMAT-CLSFCTN-ID
ENTITY:	IDLE NASA PROPERTY
DESCRIPTIVE NAME:	HAZARDOUS MATERIALS PROPERTY CLASSIFICATION
IDENTIFIER	
DATA ELEMENT DEFINITION:	
For NPDMS purposes, classifies hazardous material property as being either hazardous materials (HM) or hazardous waste (HW).	
FORMAT:	Alphanumeric
LENGTH:	2
EDIT CRITERIA	
Free form. HM, HW or 'Blank'.	

SCREEN NAME: MAT INV
ACCESS NAME: PROP-MTRLS-INV-IND
ENTITY: IDLE NASA PROPERTY
DESCRIPTIVE NAME: PROPERTY MATERIALS INVENTORY INDICATOR

DATA ELEMENT DEFINITION:

A field indicating the personal property is a materials inventory item. Each Installation has an option to build their own Supply interface (based on NSMS). In addition, there is also an option to enter these items manually as Non-Controlled property Adds. This item will be 'Y' for those items entering the NPDMS from the 1200 Account.

FORMAT: Alphanumeric

LENGTH: 1

EDIT CRITERIA

Y = yes; Blank = no. This item will be 'Y' for those items entering NPDMS from the 1200 Account through the electronic interface module.

SCREEN NAME: MATERIALS SCREENING CODE
ACCESS NAME: NOT MAINTAINED
ENTITY: SYSTEM
DESCRIPTIVE NAME: MATERIALS SCREENING CODE

DATA ELEMENT DEFINITION:

The field indicating to the GSA the 'reportable' or 'non-reportable' status of reported NASA excess. This is determined by the CONDITION CODE, FSC CODE, and ADJUSTED ACQUISITION COST of an item meeting criteria found in the NPDMS Federal Supply Classification Code Table-020. When reporting property to the GSA via electronic media, these codes are used by the system to calculate the GSA-SRD-DATE. This element is not maintained in the NPDMS data base.

FORMAT: Alphanumeric

LENGTH: 1

EDIT CRITERIA

Generated.

K = All Automated Data Processing Equipment;

N = non-reportable; R = reportable;

1. Non-reportable ADPE, including FSC Code 7045, with an adjusted acquisition cost of less than one million dollars (\$1,000,000), will have a Material Screening Code (MSC) of 'K';

2. Reportable ADPE with an adjusted acquisition cost of one million dollars (\$1,000,000) or greater and less than nine years old will be reported via the SF-120 hard copy report and will have a MSC of 'K';
 3. Reportable property, other than FSC group '70' property, will have a Materials Screening code of 'R';
 4. All other Non-Reportable property will have a Materials Screening Code of 'N'.
-

SCREEN NAME: MATERIEL MANAGEMENT AGGREGATION CODE

ACCESS NAME: SYS-REC-KEY

ENTITY: SYSTEM

DESCRIPTIVE NAME: SYSTEM RECORD KEY

DATA ELEMENT DEFINITION:

The values used with the SYS-TBL-ID providing access to the NPDMS Table File Records.

FORMAT: Alphanumeric

LENGTH: 10

EDIT CRITERIA

SYS-USER-ID for the User Access Table-001;
 GSA-RGN-CODE for the GSA Region Table-005;
 DRMO-DODAAC-CODE for the DRMO Routing Identifier Code Table-010;
 CSTDN-ACNT-NMBR for the Exception Processing Table-015;
 PROP-FSC-CODE for the Federal Supply Classification Code Table-020;
 PROP-UOM-CODE for the Unit of Measure Table-025;
 PROP-SPLY-CNDTN-CODE for the Supply Condition Code Table-030;
 PROP-DSPSL-CNDTN-CODE for the Disposal Condition Code Table-035;
 INST-FEDAAC-CODE for the Performance Measures Table-040;
 PROP-DML-CODE for the Demilitarization Code Table-045;
 INST-NMBR for the Center Profile Table-050;
 INST-NMBR for Property Location Table-051;
 INST-NMBR, RPT-MAINT-JOB-TYPE & RPT-MAINT-JOB-NMBR for the Report/Maintenance Selection Table-055;
 NSMS-FIXED-SHELF-LIFE-CODE for Fixed Shelf Life Code Table-060;
 NSMS-SHELF-LIFE-EXTNSN-CODE for Shelf Life Extension Code Table-062;
 PROP-HAZMAT-CODE for Hazardous Materials Code Table-065;
 DRMO-CNTRLD-INV-ITEM-CODE for the Controlled Inventory Item Code Table-070;
 PROP-ADP-CTGRY-ID for the ADPE ID Code Table-075;
 PROP-PRCS-MTLS-CODE for the Precious Metals Code Table-080;
 PROP-MMAC-CODE for the MMAC Table-085;
 DRMO-DSPSL-ATHRTY-CODE for the Disposal Authority Code Table-090;
 DRMO ADDITIONAL DATA CODE for the DRMO Additional Data Code Table-095;
 'ECN' & INST-NMBR for the Excess Case Number Serial Number Record-100;
 INST-NMBR for Installation Code Table-105;
 'ERN' & INST-NMBR for the Entry Reference Number Serial Number Record-110;

'DOD' and INST-NMBR for the DRMO 1348 Serial Number Record-112;
'SAL' and INST-NMBR for the Sale Number Serial Number Record-113;
'NEM' & INST-NMBR for the NP/NEMS Entry Reference Number Serial Number Record-115;
INST-NMBR & RPT-END-DATE for the Monthly 623 Report Balance Record-120;
INST-NMBR & RPT-END-DATE for the Annual 623 Report Balance Record-125;
INST-NMBR & RPT-END-DATE for the 1800 Report Balance Record-130;
'RCT' & INST-NMBR for the Sale Slip Serial Number Record-135;
RPT-MAINT-JOB-TYPE & RPT-MAINT-JOB-NMBR for the JCL Table-140;
PRINTER DESTINATION CODE for the Printer Destination Table-145;
STATE ABBREVIATION for the State Table-150;
INST-NMBR and PROPERTY TYPE for Screening Days Table-155;
INST-DFLT-REIM-CODE for Reimbursement Code Table-160;
PROP-HAZMAT-IND for Hazardous Material Indicator Code Table-165;
RECIPIENT-CODE for Recipient Name Table-170;
RCPNT-TYPE-CODE for Transfer Type Table-180;
RCPNT-SUBTYPE-CODE for Transfer Subtype Table-190.

SCREEN NAME: MATERIEL MANAGEMENT AGGREGATION CODE
ACCESS NAME: PROP-MMAC-CODE; SYS-REC-KEY
ENTITY: IDLE NASA PROPERTY
DESCRIPTIVE NAME: MATERIEL MANAGEMENT AGGREGATION PROPERTY CODE

DATA ELEMENT DEFINITION:

A two position alphanumeric code used to designate materiel management responsibility. A separate MMAC is assigned to each segment or category of materiel that is to be managed and reported as a separate logistics program. Such programs include weapon/support systems, engines, FSCs, approved technology groups (that is, groupings of materiel based on specialized technologies used in logistics support processes), special programs, special projects, or combinations thereof. The separate code identifies the program for reporting purposes, and the items coded to the program under the criteria established in AFM 67-1, Volume 1, Part two, amendment 7, para. 8 (dated 12/90). Though not part of the PROP-NSN-NMBR, this field, if entered, immediately follows it. Also used with SYS-TBL-ID to access the NPDMS Table file.

FORMAT: Alphanumeric
LENGTH: 2

EDIT CRITERIA

Optional user entry. If entered, must match entry on the MMAC Table-085. Source Air Force Manual 67-1, VOL. 1, Amendment 7, Part Two, Attachment A-5, 10 Dec 90.

SCREEN NAME: MFG YEAR
ACCESS NAME: PROP-MFG-YEAR

ENTITY: IDLE NASA PROPERTY
DESCRIPTIVE NAME: YEAR PROPERTY MANUFACTURED

DATA ELEMENT DEFINITION:

The year that an item of equipment was manufactured.

FORMAT: Numeric

LENGTH: 4.0

EDIT CRITERIA

Must be an integer value up to the current date. Required only for controlled property; optional entry for Non-controlled property.

SCREEN NAME: MFG S CODE
ACCESS NAME: PROP-MFG-CODE
ENTITY: IDLE NASA PROPERTY
DESCRIPTIVE NAME: PROPERTY MANUFACTURER CODE

DATA ELEMENT DEFINITION:

A code assigned in the Federal Cataloging Handbooks, H-4 series. A unique code is assigned to each manufacturer listed in the handbook. The following codes are also valid: "XXXXX" - manufacturer is known, but code needs to be assigned; "ZZZZZ" - manufacturer is unknown. If the NEMS-IND equal 'blank', then PROP-MFG-NAME must be filled in.

FORMAT: Alphanumeric

LENGTH: 5

EDIT CRITERIA

Optional for Non-controlled property. As provided from NEMS for Controlled property. Provided if known by NSMS for supply property otherwise, enter any code in the Federal Cataloging Handbook or XXXXX = manufacturer is known but a code needs to be assigned; ZZZZZ = manufacturer is unknown. If the NEMS-IND equal 'blank', then PROP-MFG-NAME must be filled in.

SCREEN NAME: MFG S NAME
ACCESS NAME: PROP-MFG-NAME
ENTITY: IDLE NASA PROPERTY
DESCRIPTIVE NAME: PROPERTY MANUFACTURER NAME

DATA ELEMENT DEFINITION:

The name of the manufacturer of an item of equipment or supply.

FORMAT: Alphanumeric

LENGTH: 30

EDIT CRITERIA

Optional for Non-controlled property. Provided if known by NSMS for supply property. If the NEMS-IND not equal 'blank', this field must be filled if the PROP-MFG-CODE is blank.

SCREEN NAME: MI (BIDDER)
ACCESS NAME: PROP-BIDDER-LAST-NAME
ENTITY: IDLE NASA PROPERTY
DESCRIPTIVE NAME: PROPERTY BIDDER LAST NAME

DATA ELEMENT DEFINITION:

Contains the last name of the individual, or the last name of the contact representing an organization/company, submitting a competitive bid for consideration to acquire a specific property lot offered for sale.

FORMAT: Alphanumeric
LENGTH: 20

EDIT CRITERIA

Must be entered if the PROP-BIDDER-CMPNY-NAME is 'blank', free form. If a particular bidder is awarded the sale, this field is compressed into the RQSTR-NAME on the transaction record.

SCREEN NAME: MMA CODE
ACCESS NAME: PROP-MMAC-CODE; SYS-REC-KEY
ENTITY: IDLE NASA PROPERTY
DESCRIPTIVE NAME: MATERIEL MANAGEMENT AGGREGATION PROPERTY CODE

DATA ELEMENT DEFINITION:

A two position alphanumeric code used to designate materiel management responsibility. A separate MMAC is assigned to each segment or category of materiel that is to be managed and reported as a separate logistics program. Such programs include weapon/support systems, engines, FSCs, approved technology groups (that is, groupings of materiel based on specialized technologies used in logistics support processes), special programs, special projects, or combinations thereof. The separate code identifies the program for reporting purposes, and the items coded to the program under the criteria established in AFM 67-1, Volume 1, Part two, amendment 7, para. 8 (dated 12/90). Though not part of the PROP-NSN-NMBR, this field, if entered, immediately follows it. Also used with SYS-TBL-ID to access the NPDMS Table file.

FORMAT: Alphanumeric
LENGTH: 2

EDIT CRITERIA

Optional user entry. If entered, must match entry on the MMAC Table-085. Source Air Force Manual 67-1, VOL. 1, Amendment 7, Part Two, Attachment A-5, 10 Dec 90.

SCREEN NAME: MMAC MANAGER
ACCESS NAME: PROP-MMAC-MNGR-CODE
ENTITY: IDLE NASA PROPERTY
DESCRIPTIVE NAME: MATERIEL MANAGEMENT AGGREGATION PROPERTY
MANAGER CODE

DATA ELEMENT DEFINITION:

The code of the Item Manager and storage site assigned responsibility for property items which meet the criteria established by paragraph 7b, AFLCR 522-1, for management outside of the FSC management environment.

FORMAT: Alphanumeric

LENGTH: 10

EDIT CRITERIA

Extracted From The NPDMS MMAC Table-085. Valid Codes Are:

- a. OO - Ogden ALC;
- b. OC - Oklahoma City ALC;
- c. SM - Sacramento ALC;
- d. SA - San Antonio ALC;
- e. SAAFS - San Antonio AFS (FY9000);
- f. WR - Warner Robins ALC;
- g. DC - DCSC;
- h. DP - DPSC;
- i. DE - DESC;
- j. DF - DFSC;
- k. DG - DGSC;
- l. DI - DISC;
- m. GSA - General Services Administration;
- n. ATAC - Army Tank Automotive Command;
- o. USAMEC - US Army Mobility Equipment Center;
- p. AFC&TO - AF Clothing And Textile Office;
- q. AFCSC - Air Force Cryptologic Support Center.

SCREEN NAME: MMAC NOMENCLATURE
ACCESS NAME: PROP-MMAC-DESC
ENTITY: IDLE NASA PROPERTY
DESCRIPTIVE NAME: MATERIEL MANAGEMENT AGGREGATION PROPERTY
CODE DESCRIPTION

DATA ELEMENT DEFINITION:

A description of the two position alphabetic MMAC used to designate materiel management responsibility.

FORMAT: Alphanumeric

LENGTH: 75

EDIT CRITERIA

Extracted From The NPDMS MMAC Table-085.

SCREEN NAME: **MODEL NO**

ACCESS NAME: PROP-MFG-MODEL-NMBR

ENTITY: IDLE NASA PROPERTY

DESCRIPTIVE NAME: PROPERTY MANUFACTURER MODEL NUMBER

DATA ELEMENT DEFINITION:

A number provided by the manufacturer that identifies a single type of equipment produced by that manufacturer. This field is not necessary for supplies.

FORMAT: Alphanumeric

LENGTH: 20

EDIT CRITERIA

Optional for Non-controlled property. As provided from NEMS for Controlled property but may not be 'blank'. Provided if known by NSMS for supply property. Otherwise free form.

SCREEN NAME: **MODIFICATION AMOUNT EXPLANATION**

ACCESS NAME: PROP-CNDTN-ADJSTMNT-DESC

ENTITY: IDLE NASA PROPERTY

DESCRIPTIVE NAME: PROPERTY CONDITION ADJUSTMENT DESCRIPTION

DATA ELEMENT DEFINITION:

An explanation as to why the property's physical condition or cost, or quantity was adjusted.

FORMAT: Alphanumeric

LENGTH: 80

EDIT CRITERIA

Free form but must be entered if the PROP-CNDTN-CODE, or PROP-ADJSTD-ACQSTN-COST-AMT, PROP-CUR-AVLBL-QTY is changed during a Receipt (T02) or Change (E02) transaction.

SCREEN NAME: **MORE INPUTS**

ACCESS NAME: NOT MAINTAINED

ENTITY:

DESCRIPTIVE NAME:

DATA ELEMENT DEFINITION:

Indicates to the user if additional inputs are required for any specific report. Invokes map ND2200ME during NPDMS Reports Process.

FORMAT: Alphanumeric

LENGTH: 3

EDIT CRITERIA

Generated, not modifiable. YES = additional inputs, NO = no additional inputs.

SCREEN NAME: **NARRATIVE TO GSA**

ACCESS NAME: GSA-WTHDRWL-CRCTN-TEXT

ENTITY: GSA

DESCRIPTIVE NAME: GSA WITHDRAWAL/CORRECTION TEXT

DATA ELEMENT DEFINITION:

Contains the text to be printed on the SF-120 for withdrawals confirming verbal withdrawal approval by GSA, or an explanation of changes made to previously reported data for corrections.

FORMAT: Alphanumeric

LENGTH: 240

EDIT CRITERIA

Free form

SCREEN NAME: **NASA**

ACCESS NAME: SYS-NASA-DAYS-CNT

ENTITY: SYSTEM

DESCRIPTIVE NAME: SYSTEM COUNT OF NASA SCREENING DAYS

DATA ELEMENT DEFINITION:

System count of the default number of calendar days that personal property undergoes the required internal NASA screening for all installations.

FORMAT: P

LENGTH: 3.0

EDIT CRITERIA

Default maintained on ND-Table 155 and modifiable. At the time of an initial NPDMS add, this count is added to the current system date to establish the PROP-NASA-END-DATE.

SCREEN NAME: NASA HQ APPROVING OFFICIAL NAME
ACCESS NAME: HQ-APRVNG-OFCL-NAME
ENTITY: NASA HEADQUARTERS
DESCRIPTIVE NAME: NASA HEADQUARTERS APPROVING OFFICIAL NAME
DATA ELEMENT DEFINITION:
Contains the name of an approving official who is located at NASA Headquarters. This element will print on either the NASA Survey Form 811 or 812.
FORMAT: Alphanumeric
LENGTH: 30
EDIT CRITERIA
Free form and Installation specific. Maintained on Center Profile Table

SCREEN NAME: NASA-WIDE
ACCESS NAME: PROP-NASA-SCRNG-MTHD-ID
ENTITY: IDLE NASA PROPERTY
DESCRIPTIVE NAME: NASA WIDE SCREENING METHOD IDENTIFIER FOR PROPERTY
DATA ELEMENT DEFINITION:
This field identifies the method of screening to be used for personal property undergoing NASA wide screening: C = NPDMS CATALOG F = FAX L = LOCAL, N = NEMS ONLY
FORMAT: Alphanumeric
LENGTH: 1
EDIT CRITERIA
Possible values are 'C', 'F', 'L', 'N'.

SCREEN NAME: NASA-WIDE END DATE
ACCESS NAME: PROP-NASA-END-DATE
ENTITY: IDLE NASA PROPERTY
DESCRIPTIVE NAME: NASA WIDE SCREENING END DATE OF PROPERTY
DATA ELEMENT DEFINITION:
The calendar date on which personal property completes the required internal NASA screening period at all NASA installations.
FORMAT: D
LENGTH:

EDIT CRITERIA

System generated at the time of Add and modifiable. Display format: MM/DD/YY or MM/DD/YYYY. Stored in Internal Date format. This date is generated using default values maintained on ND-Table-155 (Screening Days Table) as follows:

If Reportable ADPE with a PROP-ADJSTD-ACQSTN-COST-AMT GE \$1,000,000.00 and less than 9 years old, default is the PROP-NASA-BGN-DATE plus the default number of NASA screening days for reportable ADPE property.

If the EXCHNGSL-IND equals 'Y', default is the PROP-NASA-BGN-DATE plus the default number of NASA screening days for Exchange/Sale property.

If Non-reportable ADPE (FSG 70) with PROP-ADJSTD-ACQSTN-COST-AMT less than \$1,000,000.00, default is the PROP-NASA-BGN-DATE plus the default number of NASA screening days for Non-reportable ADPE property.

For all other reportable and non-reportable property, default is the PROP-NASA-BGN-DATE plus the default number of NASA screening days for all other property.

If date changed, cannot be earlier than the PROP-INST-BGN-DATE.

SCREEN NAME:	NASA -WIDE SCREENING METHOD
ACCESS NAME:	PROP-NASA-SCRNG-MTHD-ID
ENTITY:	IDLE NASA PROPERTY
DESCRIPTIVE NAME:	NASA WIDE SCREENING METHOD IDENTIFIER FOR PROPERTY
DATA ELEMENT DEFINITION:	
This field identifies the method of screening to be used for personal property undergoing NASA wide screening: C = NPDMS CATALOG F = FAX L = LOCAL, N = NEMS ONLY	
FORMAT:	Alphanumeric
LENGTH:	1
EDIT CRITERIA	
Possible values are 'C', 'F', 'L', 'N'.	

SCREEN NAME:	NASA-WIDE BEGIN DT
ACCESS NAME:	PROP-NASA-BGN-DATE
ENTITY:	IDLE NASA PROPERTY
DESCRIPTIVE NAME:	NASA WIDE SCREENING BEGIN DATE OF PROPERTY

DATA ELEMENT DEFINITION:

The calendar date on which personal property begins the required internal NASA screening period at all NASA installations.

FORMAT: D

LENGTH:

EDIT CRITERIA

Generated and modifiable. Display Format: MM/DD/YY or MM/DD/YYYY. Stored in Internal Date format. Generated as follows: Default is the current date of the initial add into NPDMS. If changed cannot be earlier than the PROP-INST-BGN-DATE.

SCREEN NAME: NASA-WIDE END DT

ACCESS NAME: PROP-NASA-END-DATE

ENTITY: IDLE NASA PROPERTY

DESCRIPTIVE NAME: NASA WIDE SCREENING END DATE OF PROPERTY

DATA ELEMENT DEFINITION:

The calendar date on which personal property completes the required internal NASA screening period at all NASA installations.

FORMAT: D

LENGTH:

EDIT CRITERIA

System generated at the time of Add and modifiable. Display format: MM/DD/YY or MM/DD/YYYY. Stored in Internal Date format. This date is generated using default values maintained on ND-Table-155 (Screening Days Table) as follows:

If Reportable ADPE with a PROP-ADJSTD-ACQSTN-COST-AMT GE \$1,000,000.00 and less than 9 years old, default is the PROP-NASA-BGN-DATE plus the default number of NASA screening days for reportable ADPE property.

If the EXCHNGSL-IND equals 'Y' , default is the PROP-NASA-BGN-DATE plus the default number of NASA screening days for Exchange/Sale property.

If Non-reportable ADPE (FSG 70) with PROP-ADJSTD-ACQSTN-COST-AMT less than \$1,000,000.00, default is the PROP-NASA-BGN-DATE plus the default number of NASA screening days for Non-reportable ADPE property.

For all other reportable and non-reportable property, default is the PROP-NASA-BGN-DATE plus the default number of NASA screening days for all other property.

If date changed, cannot be earlier than the PROP-INST-BGN-DATE.

SCREEN NAME: NASA-WIDE SCREENING BEGIN DATES
ACCESS NAME: PROP-NASA-BGN-DATE
ENTITY: IDLE NASA PROPERTY
DESCRIPTIVE NAME: NASA WIDE SCREENING BEGIN DATE OF PROPERTY
DATA ELEMENT DEFINITION:
The calendar date on which personal property begins the required internal NASA screening period at all NASA installations.
FORMAT: D
LENGTH:

EDIT CRITERIA

Generated and modifiable. Display Format: MM/DD/YY or MM/DD/YYYY. Stored in Internal Date format. Generated as follows: Default is the current date of the initial add into NPDMS. If changed cannot be earlier than the PROP-INST-BGN-DATE.

SCREEN NAME: NASA-WIDE SCREENING END DATES
ACCESS NAME: PROP-NASA-END-DATE
ENTITY: IDLE NASA PROPERTY
DESCRIPTIVE NAME: NASA WIDE SCREENING END DATE OF PROPERTY
DATA ELEMENT DEFINITION:
The calendar date on which personal property completes the required internal NASA screening period at all NASA installations.
FORMAT: D
LENGTH:

EDIT CRITERIA

System generated at the time of Add and modifiable. Display format: MM/DD/YY or MM/DD/YYYY. Stored in Internal Date format. This date is generated using default values maintained on ND-Table 155 (Screening Days Table) as follows:

If Reportable ADPE with a PROP-ADJSTD-ACQSTN-COST-AMT GE \$1,000,000.00 and less than 9 years old, default is the PROP-NASA-BGN-DATE plus the default number of NASA screening days for reportable ADPE property.

If the EXCHNGSL-IND equals 'Y', default is the PROP-NASA-BGN-DATE plus the default number of NASA screening days for Exchange/Sale property.

If Non-reportable ADPE (FSG 70) with PROP-ADJSTD-ACQSTN-COST-AMT less than \$1,000,000.00, default is the PROP-NASA-BGN-DATE plus the default number of NASA screening days for Non-reportable ADPE property.

For all other reportable and non-reportable property, default is the PROP-NASA-BGN-DATE plus the default number of NASA screening days for all other property.

If date changed, cannot be earlier than the PROP-INST-BGN-DATE.

SCREEN NAME: NAVIGATION

ACCESS NAME: NOT MAINTAINED

ENTITY:

DESCRIPTIVE NAME:

DATA ELEMENT DEFINITION:

This field allows the following functions:

1. The user can navigate through a menu hierarchy from a main menu to selected sub-functions.
2. A user can move directly from one activity to another through a direct command feature.
3. A user can directly access certain functions from other functions through PF-keys.

FORMAT: Alphanumeric

LENGTH: 55

EDIT CRITERIA

The possible values are:

PF-keys
ADD CASE
ADD RPT
ADD TBL
ADD ITEM
CHANGE CASE
CHANGE RPT
CHANGE TBL
CONVERT CASE
CONVERT COMPONENT
DELETE CASE
DELETE RPT
DELETE TBL
DISPOSITION ABANDONED
DISPOSITION SCRAP
DISPOSITION SURVEY
DONATION APPROVED
DONATION FOREIGN
DONATION OTHER
DONATION PUBLIC
ENTER SRD
EXCHANGE
FREEZE
INVENTORY
LIST RPT
SALES
MAIN

RECEIPTS
REPORTS
REPORTS SCHEDULE
REVERSE TRANSACTION
REVERSE RECEIPT
SELECT CASE
SELECT RPT
TABLES
TXN
TRANSFER OTHER
TRANSFER DRMO
TRANSFER OFAGSA
TRANSFER NASA
TRANSFER NASA GENERATING
TRANSFER OFA
TRANSFER GSA
TRADE
PROCESS RPT

SCREEN NAME: NEMS ACCEPTED EXTERNAL COUNT

ACCESS NAME: RPT-PRMTRS-TEXT

ENTITY: REPORT

DESCRIPTIVE NAME: REPORT PARAMETERS TEXT

DATA ELEMENT DEFINITION:

This field will contain any parameters that are necessary for program execution for a specific NPDMS report or maintenance job.

FORMAT: Alphanumeric

LENGTH: 150

EDIT CRITERIA

SCREEN NAME: NEMS ACCEPTED INTERNAL COUNT

ACCESS NAME: RPT-PRMTRS-TEXT

ENTITY: REPORT

DESCRIPTIVE NAME: REPORT PARAMETERS TEXT

DATA ELEMENT DEFINITION:

This field will contain any parameters that are necessary for program execution for a specific NPDMS report or maintenance job.

FORMAT: Alphanumeric

LENGTH: 150
EDIT CRITERIA

SCREEN NAME: NEMS SCREENING COUNT
ACCESS NAME: RPT-PRMTRS-TEXT
ENTITY: REPORT
DESCRIPTIVE NAME: REPORT PARAMETERS TEXT

DATA ELEMENT DEFINITION:

This field will contain any parameters that are necessary for program execution for a specific NPDMS report or maintenance job.

FORMAT: Alphanumeric
LENGTH: 150
EDIT CRITERIA

SCREEN NAME: NEMS USER NO
ACCESS NAME: NEMS-USER-NMBR
ENTITY: NEMS
DESCRIPTIVE NAME: NEMS USER NUMBER

DATA ELEMENT DEFINITION:

A unique identification number assigned to the person holding sensitive, borrowed, or loan pool equipment. This number may be the individual's badge number. Used with on-site reutilization transactions updating NEMS. Must match NEMS Table 090.

FORMAT: Alphanumeric
LENGTH: 6

EDIT CRITERIA

Optional entry. If entered, must match the NEMS User Number Table 090.

SCREEN NAME: NEW LOT NO
ACCESS NAME: PROP-LOT-NMBR
ENTITY: IDLE NASA PROPERTY
DESCRIPTIVE NAME: LOT NUMBER OF PROPERTY

DATA ELEMENT DEFINITION:

The assigned number designating the lot in which a particular item was included for sale. To the extent practicable, and consistent with the types of property and usual commercial practice, property offered for sale shall be assembled in reasonably sized lots of like or similar items by make (i.e., FSC Group) or manufacturer with the following exceptions:

- 1)- Unused property shall be lotted separately from used (property) items;
- 2)- Scrap and other property having scrap value only shall generally not be included in the same lot with usable items; and
- 3)- each property item authorized for Exchange/Sale shall be lotted as a single item lot except when otherwise authorized under the provisions of FPMR 41 CFR, 101-46.202.

FORMAT: Alphanumeric

LENGTH: 4

EDIT CRITERIA

System generated for Local NASA Sales; user entered for GSA Sales.

SCREEN NAME: NEW PROP ACCEPTANCE DATE

ACCESS NAME: PROP-NEW-ACPTNC-DATE

ENTITY: IDLE NASA PROPERTY

DESCRIPTIVE NAME: NEW PROPERTY ACCEPTANCE DATE

DATA ELEMENT DEFINITION:

The calendar date on which the new property is accepted as the result of an exchange or sale.

FORMAT: D

LENGTH:

EDIT CRITERIA

Optional user entry. Display format: MM = 1-12, DD = 1-31 consistent with the month, YY or YYYY = current year. Stored in Internal Date format.

SCREEN NAME: NEW QTY

ACCESS NAME: PROP-CUR-AVLBL-QTY

ENTITY: IDLE NASA PROPERTY

DESCRIPTIVE NAME: PROPERTY CURRENT AVAILABLE QUANTITY

DATA ELEMENT DEFINITION:

The current number of available items of personal property.

FORMAT: Numeric

LENGTH: 5.0

EDIT CRITERIA

Calculated; minus PROP-DSPSTN-QTY for disposition transactions; plus PROP-DSPSTN-QTY for disposition reversal transactions. Entered user value at time of add or change.

SCREEN NAME: NEW SALE NO

ACCESS NAME: PROP-SALE-NMBR

ENTITY: IDLE NASA PROPERTY

DESCRIPTIVE NAME: SALE NUMBER OF PROPERTY

DATA ELEMENT DEFINITION:

Unique number assigned by the selling activity (GSA or NASA, including agent) to all sale lots of personal property associated with a specific sale to be conducted on a single day of the year.

FORMAT: Alphanumeric

LENGTH: 14

EDIT CRITERIA

System generated for Local Sales, user entered, free form for GSA sales. If a GSA Sale, the first 6 characters of the sale number may not equal the user's INST-FEDAAC-CODE.

SCREEN NAME: NEW STATUS

ACCESS NAME: RPT-STS-CODE

ENTITY: REPORT

DESCRIPTIVE NAME: REPORT STATUS CODE

DATA ELEMENT DEFINITION:

This field contains the execution status for a specific NPDMS report or maintenance job. P = Postpone C = Cancel ' ' = on schedule

FORMAT: Alphanumeric

LENGTH: 1

EDIT CRITERIA

P = Postpone; C = Cancel; Blank space = On Schedule.

SCREEN NAME: NEW UNIT COST

ACCESS NAME: PROP-ADJSTD-ACQSTN-COST-AMT

ENTITY: IDLE NASA PROPERTY

DESCRIPTIVE NAME: ADJUSTED ACQUISITION COST AMOUNT OF PROPERTY

DATA ELEMENT DEFINITION:

The current unit adjusted acquisition cost amount of the personal property.

FORMAT: Packed

LENGTH: 10.2

EDIT CRITERIA

User entered. Cannot be a negative amount.

SCREEN NAME: NEXT ITEM ID

ACCESS NAME: NOT MAINTAINED

ENTITY:

DESCRIPTIVE NAME:

DATA ELEMENT DEFINITION:

This field allows for entry of the next item id associated with the next property case number to process the same transaction.

FORMAT: Alphanumeric

LENGTH: 2

EDIT CRITERIA

If CMPNT-IND = C, must enter 00 through 99.

SCREEN NAME: NEXT LOT

ACCESS NAME: NOT MAINTAINED

ENTITY:

DESCRIPTIVE NAME:

DATA ELEMENT DEFINITION:

This field gives the user the option to choose an awardee for another lot within the same sale. This field is used on ND4950MB.

FORMAT: Numeric

LENGTH: 4.0

EDIT CRITERIA

User entered, any number from 0001-9999.

SCREEN NAME: **NEXT PROP CASE NO**

ACCESS NAME: NOT MAINTAINED

ENTITY:

DESCRIPTIVE NAME:

DATA ELEMENT DEFINITION:

This fields allows for the entry of the next property case number to process the same transaction.

FORMAT: Alphanumeric

LENGTH: 14

EDIT CRITERIA

Positions 1-6 are the INST-FEDAAC-CODE (GSA FEDSTRIP number); positions 7-10 are numeric; position 11 will be either 'C' if a Component System or 'S' if a single case record; positions 12-14 are alphanumeric.

SCREEN NAME: **NEXT TRADED TO VENDOR TRANS (Y/N)**

ACCESS NAME: NOT MAINTAINED

ENTITY:

DESCRIPTIVE NAME:

DATA ELEMENT DEFINITION:

This field allows for processing of a new Trade-In to Vendor (T19) transaction.

FORMAT: Alphanumeric

LENGTH: 1

EDIT CRITERIA

The possible values are Y, N or Blank space.

SCREEN NAME: **NO OF COPIES**

ACCESS NAME: INST-RPT-QTY

ENTITY: NASA INSTALLATION

DESCRIPTIVE NAME: INSTALLATION REPORT QUANTITY

DATA ELEMENT DEFINITION:

The default number of copies of a specific report to be printed.

FORMAT: Packed

LENGTH: 2.0

EDIT CRITERIA

Maintained in the NPDMS Center Profile Table-050.

SCREEN NAME: NO OF COPIES
ACCESS NAME: RPT-QTY
ENTITY: REPORT
DESCRIPTIVE NAME: REPORT QUANTITY

DATA ELEMENT DEFINITION:

The number of copies of a specific report that the user wants printed.

FORMAT: Numeric

LENGTH: 2.0

EDIT CRITERIA

1 to 99, inclusive. The default is maintained in the NPDMS Center Profile Table-050.

SCREEN NAME: NO. OF DAYS (IND)
ACCESS NAME: RPT-NMBR-DAYS-IND
ENTITY:
DESCRIPTIVE NAME: REPORT NUMBER OF DAYS INDICATOR

DATA ELEMENT DEFINITION:

Indicates if a number of days to select records is a required entry for a specific NPDMS report.

FORMAT: Alphanumeric

LENGTH: 1

EDIT CRITERIA

O = required for on-request reports, R = required on a regularly scheduled report. B = required for both on-request and regularly scheduled reports, and a blank space = not required.

SCREEN NAME: NO OF FREEZE SCRNING DAYS
ACCESS NAME: INST-DLNQNT-DAYS-NMBR
ENTITY: NASA INSTALLATION
DESCRIPTIVE NAME: INSTALLATION DEFAULT NUMBER OF FREEZE
DELINQUENT DAYS

DATA ELEMENT DEFINITION:

The default number of days provided in the center's profile table added to the the effective date of a freeze (F00) transaction in order to establish the PROP-FREEZE-DLNQNT-DATE.

FORMAT: Numeric

LENGTH: 2

EDIT CRITERIA

Maintained in the NPDMS Center Profile Table-050.

SCREEN NAME: NSN
ACCESS NAME: PROP-NSN-NMBR
ENTITY: IDLE NASA PROPERTY
DESCRIPTIVE NAME: PROPERTY NATIONAL STOCK NUMBER

DATA ELEMENT DEFINITION:

A standard property identification number. The number consists of the PROP-FSC-CODE and the PROP-NIIN-NMBR. The FSC Code is used along with PROP-CNDTN-CODE and PROP-ADJSTD-ACQSTN-COST-AMT to determine a case's GSA reportability.

FORMAT: Alphanumeric

LENGTH: 13

EDIT CRITERIA

Positions 1-2 are the PROP-FSC-GROUP-CODE, which classifies similar items into groups; 3-4 are the PROP-FSC-CLASS-CODE, which classifies similar items within groups into sub-classes; 5-6 are the National Codification Bureau (NCB) code, which indicates the country that assigned the national item identification (U.S. is '00' and '01'); and 7-13 = numeric characters, which identify items to the detail level. Positions 1-4 must be in the NPDMS Federal Supply Classification Code Table-020.

SCREEN NAME: NUMBER OF COMPONENTS
ACCESS NAME: NOT MAINTAINED
ENTITY:
DESCRIPTIVE NAME:

DATA ELEMENT DEFINITION:

The total number of item records associated with a specific property case number.

FORMAT: Numeric

LENGTH: 2.0

EDIT CRITERIA

System generated.

SCREEN NAME: NUMBER OF COPIES
ACCESS NAME: RPT-QTY
ENTITY: REPORT

DESCRIPTIVE NAME: REPORT QUANTITY

DATA ELEMENT DEFINITION:

The number of copies of a specific report that the user wants printed.

FORMAT: Numeric

LENGTH: 2.0

EDIT CRITERIA

1 to 99, inclusive. The default is maintained in the NPDMS Center Profile Table-050.

SCREEN NAME: NUMBER OF DAYS

ACCESS NAME: RPT-PRMTRS-TEXT

ENTITY: REPORT

DESCRIPTIVE NAME: REPORT PARAMETERS TEXT

DATA ELEMENT DEFINITION:

This field will contain any parameters that are necessary for program execution for a specific NPDMS report or maintenance job.

FORMAT: Alphanumeric

LENGTH: 150

EDIT CRITERIA

SCREEN NAME: OFA

ACCESS NAME: SYS-OFA-DAYS-CNT

ENTITY: SYSTEM

DESCRIPTIVE NAME: SYSTEM COUNT OF OTHER FEDERAL AGENCY
SCREENING DAYS

DATA ELEMENT DEFINITION:

System count of the default number of calendar days that personal property undergoes the required external NASA screening for all other federal agencies.

FORMAT: P

LENGTH: 3.0

EDIT CRITERIA

Default maintained on ND-Table 155 and modifiable. At the time of an initial NPDMS add, this count is added to the PROP-OFA-BGN-DATE to establish the PROP-OFA-END-DATE.

SCREEN NAME: OFA SCRNG END DATE
ACCESS NAME: PROP-OFA-END-DATE
ENTITY: IDLE NASA PROPERTY
DESCRIPTIVE NAME: OTHER FEDERAL AGENCY SCREENING END DATE OF PROPERTY

DATA ELEMENT DEFINITION:

The calendar date on which personal property completes the required external NASA excess screening period for other federal agencies.

FORMAT: D

LENGTH:

EDIT CRITERIA

System generated at the time of Add and modifiable. Display format: MM/DD/YY or MM/DD/YYYY. Stored in Internal Date format. This date is generated using default values maintained on ND-Table 155 (Screening Days Table) as follows:

If Reportable ADPE with a PROP-ADJSTD-ACQSTN-COST-AMT GE \$1,000,000.00 and less than 9 years old, default is the PROP-OFA-BGN-DATE plus the default number of OFA screening days for reportable ADPE property.

If the EXCHNGSL-IND equals Y, default is PROP-OFA-BGN-DATE plus the default number of OFA screening days for Exchange/Sale property (normally 7 days if reporting to GSA).

If Non-reportable ADPE (FSG 70) with a PROP-ADJSTD-ACQSTN-COST-AMT less than \$1,000,000.00, default is the PROP-OFA-BGN-DATE plus the default number of NASA screening days for Non-reportable ADPE property (normally 0 days if reporting to GSA).

For all other reportable and non-reportable property, default is the PROP-OFA-BGN-DATE plus the default number of OFA screening days for all other property (normally 21 days if reporting to GSA).

If date changed, cannot be earlier than the PROP-INST-BGN-DATE.

SCREEN NAME: ORG CODE
ACCESS NAME: RQSTR-ORGNZTN-CODE
ENTITY: REQUESTOR
DESCRIPTIVE NAME: REQUESTOR ORGANIZATION CODE

DATA ELEMENT DEFINITION:

Identifies the organization code of the person requesting an item of personal property. If a Controlled T05, must be on NEMS Table 078.

FORMAT: Alphanumeric

LENGTH: 5

EDIT CRITERIA

Installation specific. If a Controlled T05, must be on NEMS Table 078.

SCREEN NAME: **ORIG ACQ COST**
ACCESS NAME: PROP-UNIT-ACQSTN-COST-AMT
ENTITY: IDLE NASA PROPERTY
DESCRIPTIVE NAME: PROPERTY UNIT ACQUISITION COST AMOUNT
DATA ELEMENT DEFINITION:
The unit acquisition cost of the personal property.
FORMAT: Packed
LENGTH: 10.2
EDIT CRITERIA
Any number greater than zero.

SCREEN NAME: **ORIG QTY**
ACCESS NAME: PROP-QTY
ENTITY: IDLE NASA PROPERTY
DESCRIPTIVE NAME: PROPERTY QUANTITY
DATA ELEMENT DEFINITION:
The number of units of issue of property being processed during an add.
FORMAT: Numeric
LENGTH: 5.0
EDIT CRITERIA
Any number 0 - 99999.

SCREEN NAME: **OTHER FED BEGIN DT**
ACCESS NAME: PROP-OFA-BGN-DATE
ENTITY: IDLE NASA PROPERTY
DESCRIPTIVE NAME: OTHER FEDERAL AGENCY SCREENING BEGIN DATE OF PROPERTY
DATA ELEMENT DEFINITION:
The calendar date on which personal property begins the required external NASA excess screening period for other federal agencies.

FORMAT: D

LENGTH:

EDIT CRITERIA

Generated and modifiable. Display format: MM/DD/YY or MM/DD/YYYY. Stored in Internal Date format. Generated as follows: Set to equal the PROP-NASA-END-DATE plus 1 day at the time of initial add into NPDMS. If changed, cannot be earlier than the PROP-INST-BGN-DATE.

SCREEN NAME: OTHER FED END DT

ACCESS NAME: PROP-OFA-END-DATE

ENTITY: IDLE NASA PROPERTY

DESCRIPTIVE NAME: OTHER FEDERAL AGENCY SCREENING END DATE OF PROPERTY

DATA ELEMENT DEFINITION:

The calendar date on which personal property completes the required external NASA excess screening period for other federal agencies.

FORMAT: D

LENGTH:

EDIT CRITERIA

System generated at the time of Add and modifiable. Display format: MM/DD/YY or MM/DD/YYYY. Stored in Internal Date format. This date is generated using default values maintained on ND-Table-155 (Screening Days Table) as follows:

If Reportable ADPE with a PROP-ADJSTD-ACQSTN-COST-AMT GE \$1,000,000.00 and less than 9 years old, default is the PROP-OFA-BGN-DATE plus the default number of OFA screening days for reportable ADPE property.

If the EXCHNGSL-IND equals Y, default is PROP-OFA-BGN-DATE plus the default number of OFA screening days for Exchange/Sale property (normally 7 days if reporting to GSA).

If Non-reportable ADPE (FSG 70) with a PROP-ADJSTD-ACQSTN-COST-AMT less than \$1,000,000.00, default is the PROP-OFA-BGN-DATE plus the default number of NASA screening days for Non-reportable ADPE property (normally 0 days if reporting to GSA).

For all other reportable and non-reportable property, default is the PROP-OFA-BGN-DATE plus the default number of OFA screening days for all other property (normally 21 days if reporting to GSA).

If date changed, cannot be earlier than the PROP-INST-BGN-DATE.

SCREEN NAME: OTHER FEDERAL SCREENING BEGIN DATES
ACCESS NAME: PROP-OFA-BGN-DATE
ENTITY: IDLE NASA PROPERTY
DESCRIPTIVE NAME: OTHER FEDERAL AGENCY SCREENING BEGIN DATE OF PROPERTY

DATA ELEMENT DEFINITION:

The calendar date on which personal property begins the required external NASA excess screening period for other federal agencies.

FORMAT: D

LENGTH:

EDIT CRITERIA

Generated and modifiable. Display format: MM/DD/YY or MM/DD/YYYY. Stored in Internal Date format. Generated as follows: Set to equal the PROP-NASA-END-DATE plus 1 day at the time of initial add into NPDMS. If changed, cannot be earlier than the PROP-INST-BGN-DATE.

SCREEN NAME: OTHER FEDERAL SCREENING END DATES
ACCESS NAME: PROP-OFA-END-DATE
ENTITY: IDLE NASA PROPERTY
DESCRIPTIVE NAME: OTHER FEDERAL AGENCY SCREENING END DATE OF PROPERTY

DATA ELEMENT DEFINITION:

The calendar date on which personal property completes the required external NASA excess screening period for other federal agencies.

FORMAT: D

LENGTH:

EDIT CRITERIA

System generated at the time of Add and modifiable. Display format: MM/DD/YY or MM/DD/YYYY. Stored in Internal Date format. This date is generated using default values maintained on ND-Table-155 (Screening Days Table) as follows:

If Reportable ADPE with a PROP-ADJSTD-ACQSTN-COST-AMT GE \$1,000,000.00 and less than 9 years old, default is the PROP-OFA-BGN-DATE plus the default number of OFA screening days for reportable ADPE property.

If the EXCHNGSL-IND equals Y , default is PROP-OFA-BGN-DATE plus the default number of OFA screening days for Exchange/Sale property (normally 7 days if reporting to GSA).

If Non-reportable ADPE (FSG 70) with a PROP-ADJSTD-ACQSTN-COST-AMT less than \$1,000,000.00, default is the PROP-OFA-BGN-DATE plus the default number of NASA screening days for Non-reportable ADPE property (normally 0 days if reporting to GSA).

For all other reportable and non-reportable property, default is the PROP-OFA-BGN-DATE plus

the default number of OFA screening days for all other property (normally 21 days if reporting to GSA).

If date changed, cannot be earlier than the PROP-INST-BGN-DATE.

SCREEN NAME: **OUTPUT CLASS**
ACCESS NAME: RPT-OUTPUT-CODE
ENTITY: REPORT
DESCRIPTIVE NAME: REPORT OUTPUT CODE

DATA ELEMENT DEFINITION:

The code used to designate how the output for a specific NPDMS report or maintenance job should be printed.

FORMAT: Alphanumeric
LENGTH: 1

EDIT CRITERIA

Installation specific. Default maintained in the NPDMS Center Profile Table-050.

SCREEN NAME: **OUTPUT CLASS (INST DFLT)**
ACCESS NAME: INST-DFLT-RPT-OUTPUT-CODE
ENTITY: NASA INSTALLATION
DESCRIPTIVE NAME: INSTALLATION DEFAULT REPORT OUTPUT CODE

DATA ELEMENT DEFINITION:

The default code used to designate where the output for a specific NPDMS report or maintenance job should be printed.

FORMAT: Alphanumeric
LENGTH: 1

EDIT CRITERIA

Installation specific. Maintained in the NPDMS Center Profile Table-050.

SCREEN NAME: **OUTPUT CODE**
ACCESS NAME: RPT-OUTPUT-CODE
ENTITY: REPORT
DESCRIPTIVE NAME: REPORT OUTPUT CODE

DATA ELEMENT DEFINITION:

The code used to designate how the output for a specific NPDMS report or maintenance job should be printed.

FORMAT: Alphanumeric

LENGTH: 1

EDIT CRITERIA

Installation specific. Default maintained in the NPDMS Center Profile Table-050.

SCREEN NAME: **PART NO (MFG)**

ACCESS NAME: PROP-MFG-PART-NMBR

ENTITY: IDLE NASA PROPERTY

DESCRIPTIVE NAME: PROPERTY MANUFACTURER PART NUMBER

DATA ELEMENT DEFINITION:

The manufacturer's part number for an item of equipment or supply.

FORMAT: Alphanumeric

LENGTH: 32

EDIT CRITERIA

Optional entry, free form. As provided from NEMS for controlled property. Provided if known by NSMS for supply property.

SCREEN NAME: **PAYMENT DUE DATE**

ACCESS NAME: PROP-PYMNT-DUE-DATE

ENTITY: IDLE NASA PROPERTY

DESCRIPTIVE NAME: PROPERTY PAYMENT DUE DATE

DATA ELEMENT DEFINITION:

The contract binding date stated in the terms of sale whereby full payment for the sold personal property is required of the purchaser before removal of the property from the government's facilities or be placed in default and face potential loss of their right to acquire the property.

FORMAT: D

LENGTH:

EDIT CRITERIA

Supplied by the PDO and entered. Cannot be greater than the PROP-CNTRCT-RMVL-DATE. Display format: MM/DD/YY or MM/DD/YYYY. Stored in Internal Date format.

SCREEN NAME: PDO CUST ACCT NO
ACCESS NAME: PDO-CSTDN-ACNT-NMBR
ENTITY: PDO
DESCRIPTIVE NAME: PDO CUSTODIAN ACCOUNT NUMBER
DATA ELEMENT DEFINITION:
The number in the NPDMS Center Profile Record used to identify the NEMS account of the Property Disposal Officer when transferring property accountability to the PDO.
FORMAT: Alphanumeric
LENGTH: 6
EDIT CRITERIA
Installation Specific. Maintained in the NPDMS Center Profile Table-050.

SCREEN NAME: PDO JUSTIFICATION
ACCESS NAME: PROP-TXN-DESC
ENTITY: IDLE NASA PROPERTY
DESCRIPTIVE NAME: PROPERTY TRANSACTION DESCRIPTION
DATA ELEMENT DEFINITION:
Provides for a narrative description of source document information about a transaction of idle NASA property or the authority narrative to transfer or donate property without GSA approval.
FORMAT: Alphanumeric
LENGTH: 240
EDIT CRITERIA
Free form, but must be entered at the time of a Add (E01), Change (E02), or Freeze (F00) transaction if the PROP-FRGN-DSPSL-APRVL-IND is set to 'Y'. In addition, this field must be entered at the time of a T08, or T16, or T20 final disposition transaction.

SCREEN NAME: PDO NAME
ACCESS NAME: PDO-NAME
ENTITY: PDO
DESCRIPTIVE NAME: PROPERTY DISPOSAL OFFICER NAME
DATA ELEMENT DEFINITION:
Contains the name of an installation's Property Disposal Officer. This element will print on either the NASA Form 811 or 812.
FORMAT: Alphanumeric
LENGTH: 30

EDIT CRITERIA

Free form and Installation specific. Maintained on Center Profile Table-050

SCREEN NAME: PDO USER NO
ACCESS NAME: PDO-USER-NMBR
ENTITY: PDO
DESCRIPTIVE NAME: PDO USER NUMBER

DATA ELEMENT DEFINITION:

The number in the NPDMS Center Profile Record used to identify the NEMS user number of the Property Disposal Officer when transferring property accountability to the PDO.

FORMAT: Alphanumeric
LENGTH: 6

EDIT CRITERIA

Installation Specific. Maintained in the NPDMS Center Profile Table-050. Must be in the NEMS Table 090.

SCREEN NAME: PHONE (ABNDSTRYD)
ACCESS NAME: PROP-ABNDSTRYD-PHN-NMBR
ENTITY: IDLE NASA PROPERTY
DESCRIPTIVE NAME: ABANDONED OR DESTROYED PROPERTY SITE PHONE NUMBER

DATA ELEMENT DEFINITION:

The telephone number, including area code, of the site where property was abandoned or destroyed.

FORMAT: Alphanumeric
LENGTH: 10

EDIT CRITERIA

Free form however, if entered must include area code.

SCREEN NAME: PHONE (BIDDER)
ACCESS NAME: PROP-BIDDER-PHN-NMBR
ENTITY: IDLE NASA PROPERTY
DESCRIPTIVE NAME: PROPERTY BIDDER PHONE NUMBER

DATA ELEMENT DEFINITION:

The telephone number, including area code, of the individual, or organization/company, submitting a competitive bid for consideration to acquire a specific property lot offered for sale.

FORMAT: Alphanumeric

LENGTH: 10

EDIT CRITERIA

Free form. If entered, must include area code. If a particular bidder is awarded the sale, this field is moved to the RQSTR-PHN-NMBR on the transaction record.

SCREEN NAME: **PHONE (CNTCT PHN)**

ACCESS NAME: PROP-CNTCT-PHN-NMBR

ENTITY: IDLE NASA PROPERTY

DESCRIPTIVE NAME: PROPERTY LOCATION CONTACT PHONE NUMBER

DATA ELEMENT DEFINITION:

The telephone number, including area code, of the contact person for the personal property, when it is different than the INST-PHN-NMBR.

FORMAT: Alphanumeric

LENGTH: 10

EDIT CRITERIA

If entered, must include area code. Generated (pulled) from Center Profile Table-050 and modifiable.

SCREEN NAME: **PHONE (INST)**

ACCESS NAME: INST-PHN-NMBR

ENTITY: NASA INSTALLATION

DESCRIPTIVE NAME: INSTALLATION PHONE NUMBER

DATA ELEMENT DEFINITION:

The default installation telephone number, including area code, of the contact person for personal property.

FORMAT: Alphanumeric

LENGTH: 10

EDIT CRITERIA

Maintained in the NPDMS Center Profile Table-050. Must contain the area code.

SCREEN NAME: PHONE (INST RPTNG CNTCT)
ACCESS NAME: INST-RPTNG-CNTCT-PHN-NMBR
ENTITY: NASA INSTALLATION
DESCRIPTIVE NAME: REPORTING INSTALLATION CONTACT PHONE NUMBER
DATA ELEMENT DEFINITION:
The current commercial telephone number, including area code, of the person to contact at a reporting installation.
FORMAT: Alphanumeric
LENGTH: 10
EDIT CRITERIA
Default maintained in the NPDMS Center Profile Table-050 (INST-PHN-NMBR). If changed, must include area code.

SCREEN NAME: PHONE (RECIPIENT)
ACCESS NAME: RCPNT-PHN-NMBR
ENTITY:
DESCRIPTIVE NAME: RECIPIENT PHONE NUMBER
DATA ELEMENT DEFINITION:
The telephone number, including area code, of the property recipient.
FORMAT: Alphanumeric
LENGTH: 10
EDIT CRITERIA:
Maintained in NPDMS Recipient Table-170.

SCREEN NAME: PHONE (RQSTR)
ACCESS NAME: RQSTR-PHN-NMBR
ENTITY: REQUESTOR
DESCRIPTIVE NAME: REQUESTOR CONTACT PHONE NUMBER
DATA ELEMENT DEFINITION:
The telephone number, including area code, of the person or contact requesting personal property available for transfer, exchange, sale, donation, etc.
FORMAT: Alphanumeric
LENGTH: 10
EDIT CRITERIA
Free form.

SCREEN NAME: PICTURES INCLUDED
ACCESS NAME: GSA-PHOTO-IND
ENTITY: REQUESTOR
DESCRIPTIVE NAME: PICTURES INCLUDED
DATA ELEMENT DEFINITION:
One character indicator to designate if photos of property are included.
FORMAT: Alphanumeric
LENGTH: 1
EDIT CRITERIA
Must be 'Y' or 'N'.

SCREEN NAME: PHYSICAL SECURITY
ACCESS NAME: DRMO-CNTRLD-INV-CODE; SYS-REC-KEY
ENTITY: DRMO
DESCRIPTIVE NAME: DRMO CONTROLLED INVENTORY ITEM CODE
DATA ELEMENT DEFINITION:
The DRMO Controlled Inventory Item Code indicating the security classification and/or security risk or pilferage controls for the storage and transportation of property.
FORMAT: Alphanumeric
LENGTH: 1
EDIT CRITERIA
Maintained in the NPDMS Controlled Inventory Item Codes Table-070.

Classified Items Code:
A = Confidential - formerly restricted data;
B = Confidential - restricted data;
C = Confidential;
D = Confidential - cryptologic;
E = Secret - cryptologic;
F = Top Secret - cryptologic;
G = Secret - formerly restricted data;
H = Secret - restricted data;
K = Top Secret - formerly restricted data;
L = Top Secret - restricted data;
O = Item contains naval nuclear propulsion information;
S = Secret;
T = Top Secret;

U = Unclassified;
7 = Item displays sensitive information;
9 = This code identifies an item as a Controlled Cryptographic Item (CCI).

Sensitive Items Code:

1 = Highest Sensitivity (Category I) - nonnuclear missiles and rockets;
2 = High Sensitivity (Category II) - arms, ammunition and explosives;
3 = Moderate Sensitivity (Category III) - arms, ammunition and explosives;
4 = Low Sensitivity (Category IV) - arms, ammunition and explosives;
5 = Highest Sensitivity (Category I) - arms, ammunition and explosives with classification of Secret;
6 = Highest Sensitivity (Category I) - arms, ammunition and explosives with classification of Confidential;
8 = High Sensitivity (Category II) - arms, ammunition and explosives with classification of Confidential;
Q = A drug or other controlled substance designated as a schedule III, IV or V item;
R = Precious Metals, a drug or other controlled substance designated as a schedule I or II item.

Pilferage Code:

J = Pilferage;
I = aircraft engine equipment and parts;
M = Handtools and shop equipment;
N = firearms;
P = ammunition and explosives;
V = individual clothing and equipment;
W = office machines;
X = photographic equipment and supplies;
Y = communication/electronic equipment and parts;
Z = vehicular equipment and parts.

SCREEN NAME:	PICKUP DOC GENERATION DEFAULT
ACCESS NAME:	INST-DFLT-PCKP-GNRTN-IND
ENTITY:	NASA INSTALLATION
DESCRIPTIVE NAME:	INSTALLATION DEFAULT PICKUP DOCUMENT
GENERATION INDICATOR	

DATA ELEMENT DEFINITION:

The field in the NPDMS Center Profile Record indicating that a Pickup Document will or will not be generated as a system default.

FORMAT: Alphanumeric

LENGTH: 1

EDIT CRITERIA

Y = yes; Blank = no. Maintained in the NPDMS Center Profile Table-050.

SCREEN NAME: POC Email Address
ACCESS NAME: INST-RPTNG-POC-EMAIL-ADRS
ENTITY: GSA
DESCRIPTION NAME: Point of Contact Email Address
DATA ELEMENT DEFINITION:
The email address of the Point of Contact for a piece of equipment at a specific installation.
FORMAT: Alphanumeric
LENGTH: 64
EDIT CRITERIA:
Must have an '@' in the address.

SCREEN NAME: POC Email Address (Table)
ACCESS NAME: POC-EMAIL-ADRS
ENTITY: GSA
DESCRIPTION NAME: Point of Contact Email Address
DATA ELEMENT DEFINITION:
The email address of the Point of Contact for a piece of equipment at a specific installation.
FORMAT: Alphanumeric
LENGTH: 64
EDIT CRITERIA:
Must have an '@' in the address.

SCREEN NAME: PODI Email Address
ACCESS NAME: PROP-LCTN-PODI-EMAIL-ADRS
ENTITY: GSA
DESCRIPTION NAME: Purchase Order Disposal Instructions Email Address
DATA ELEMENT DEFINITION:
The email address of the person who is in charge of the disposal instructions for a specific piece of property.
FORMAT: Alphanumeric
LENGTH: 64
EDIT CRITERIA:
Must have an '@' in the address.

SCREEN NAME: PODI Email Address (Table)
 ACCESS NAME: PODI-EMAIL-ADRS
 ENTITY: GSA
 DESCRIPTION NAME: Purchase Order Disposal Instructions Email Address
 DATA ELEMENT DEFINITION:
 The email address of the person who is in charge of the disposal instructions for a specific piece of property.
 FORMAT: Alphanumeric
 LENGTH: 64
 EDIT CRITERIA:
 Must have an '@' in the address.

SCREEN NAME: **PREC METAL**
ACCESS NAME: PROP-PRCS-MTLS-CODE; SYS-REC-KEY
ENTITY: IDLE NASA PROPERTY
DESCRIPTIVE NAME: PRECIOUS METALS PROPERTY CODE
DATA ELEMENT DEFINITION:
 Code used to Identify type and content value of precious metals contained in the personal property.
FORMAT: Alphanumeric
LENGTH: 1
EDIT CRITERIA
 Maintained in the NPDMS Precious Metals Code Table - 080. Default is Code 'A'.
 A = No known precious metal;
 B = Item is known to contain precious metal(s) but the amount(s) is unknown;
 C = Presence or absence of precious metals varies between items of production for the same item of supply;
 D = Silver, equals 15 grams or more;
 E = Silver, less than 15 grams;
 F = Gold, equals 10 grams or more;
 G = Gold, less than 10 grams;
 H = Platinum, equals 10 grams or more;
 I = Platinum, less than 10 grams;
 J = Palladium, equals 5 grams or more;
 K = Palladium, less than 5 grams;
 L = Iridium, equals 20 grams or more;
 M = Iridium, less than 20 grams;
 N = Rhodium, equals 15 grams or more;
 O = Rhodium, less than 15 grams;
 P = Osmium, equals 10 grams or more;
 Q = Osmium, less than 10 grams;
 R = Ruthenium, equals 10 grams or more;
 S = Ruthenium, less than 10 grams;

T = Silver-Gold, combination equals 15 grams or more;
 U = Silver-Gold, combination contains less than 15 grams;
 V = Silver-Platinum Family, combination equals 15 grams or more;
 W = Silver-Platinum Family, combination contains less than 15 grams;
 X = Silver-Gold-Platinum Family, combination equals 15 grams or more;
 Y = Silver-Gold-Platinum Family, combination contains less than 15 grams;
 Z = Gold-Platinum Family, combination equals 10 grams or more;
 2 = Gold-Platinum Family, combination contains less than 10 grams;
 3 = Determination of precious metal content is uneconomical.

SCREEN NAME: **PRECIOUS METALS CODE**
ACCESS NAME: PROP-PRCS-MTLS-CODE; SYS-REC-KEY
ENTITY: IDLE NASA PROPERTY
DESCRIPTIVE NAME: PRECIOUS METALS PROPERTY CODE

DATA ELEMENT DEFINITION:

Code used to Identify type and content value of precious metals contained in the personal property.

FORMAT: Alphanumeric

LENGTH: 1

EDIT CRITERIA

Maintained in the NPDMS Precious Metals Code Table - 080. Default is Code 'A'.

A = No known precious metal;
 B = Item is known to contain precious metal(s) but the amount(s) is unknown;
 C = Presence or absence of precious metals varies between items of production for the same item of supply;
 D = Silver, equals 15 grams or more;
 E = Silver, less than 15 grams;
 F = Gold, equals 10 grams or more;
 G = Gold, less than 10 grams;
 H = Platinum, equals 10 grams or more;
 I = Platinum, less than 10 grams;
 J = Palladium, equals 5 grams or more;
 K = Palladium, less than 5 grams;
 L = Iridium, equals 20 grams or more;
 M = Iridium, less than 20 grams;
 N = Rhodium, equals 15 grams or more;
 O = Rhodium, less than 15 grams;
 P = Osmium, equals 10 grams or more;
 Q = Osmium, less than 10 grams;
 R = Ruthenium, equals 10 grams or more;
 S = Ruthenium, less than 10 grams;
 T = Silver-Gold, combination equals 15 grams or more;
 U = Silver-Gold, combination contains less than 15 grams;
 V = Silver-Platinum Family, combination equals 15 grams or more;
 W = Silver-Platinum Family, combination contains less than 15 grams;

X = Silver-Gold-Platinum Family, combination equals 15 grams or more;
Y = Silver-Gold-Platinum Family, combination contains less than 15 grams;
Z = Gold-Platinum Family, combination equals 10 grams or more;
2 = Gold-Platinum Family, combination contains less than 10 grams;
3 = Determination of precious metal content is uneconomical.

SCREEN NAME: **PRECIOUS METALS CODE**

ACCESS NAME: SYS-REC-KEY

ENTITY: SYSTEM

DESCRIPTIVE NAME: SYSTEM RECORD KEY

DATA ELEMENT DEFINITION:

The values used with the SYS-TBL-ID providing access to the NPDMS Table File Records.

FORMAT: Alphanumeric

LENGTH: 10

EDIT CRITERIA

SYS-USER-ID for the User Access Table-001;
GSA-RGN-CODE for the GSA Region Table-005;
DRMO-DODAAC-CODE for the DRMO Routing Identifier Code Table-010;
CSTDN-ACNT-NMBR for the Exception Processing Table-015;
PROP-FSC-CODE for the Federal Supply Classification Code Table-020;
PROP-UOM-CODE for the Unit of Measure Table-025;
PROP-SPLY-CNDTN-CODE for the Supply Condition Code Table-030;
PROP-DSPSL-CNDTN-CODE for the Disposal Condition Code Table-035;
INST-FEDAAC-CODE for the Performance Measures Table-040;
PROP-DML-CODE for the Demilitarization Code Table-045;
INST-NMBR for the Center Profile Table-050;
INST-NMBR for Property Location Table-051;
INST-NMBR, RPT-MAINT-JOB-TYPE & RPT-MAINT-JOB-NMBR for the Report/Maintenance Selection Table-055;
NSMS-FIXED-SHELF-LIFE-CODE for Fixed Shelf Life Code Table-060;
NSMS-SHELF-LIFE-EXTNSN-CODE for Shelf Life Extension Code Table-062;
PROP-HAZMAT-CODE for Hazardous Materials Code Table-065;
DRMO-CNTRLD-INV-ITEM-CODE for the Controlled Inventory Item Code Table-070;
PROP-ADP-CTGRY-ID for the ADPE ID Code Table-075;
PROP-PRCS-MTLS-CODE for the Precious Metals Code Table-080;
PROP-MMAC-CODE for the MMAC Table-085;
DRMO-DSPSL-ATHRTY-CODE for the Disposal Authority Code Table-090;
DRMO ADDITIONAL DATA CODE for the DRMO Additional Data Code Table-095;
'ECN' & INST-NMBR for the Excess Case Number Serial Number Record-100;
INST-NMBR for Installation Code Table-105;
'ERN' & INST-NMBR for the Entry Reference Number Serial Number Record-110;
'DOD' and INST-NMBR for the DRMO 1348 Serial Number Record-112;
'SAL' and INST-NMBR for the Sale Number Serial Number Record-113;
'NEM' & INST-NMBR for the NP/NEMS Entry Reference Number Serial Number Record-115;
INST-NMBR & RPT-END-DATE for the Monthly 623 Report Balance Record-120;

INST-NMBR & RPT-END-DATE for the Annual 623 Report Balance Record-125;
INST-NMBR & RPT-END-DATE for the 1800 Report Balance Record-130;
'RCT' & INST-NMBR for the Sale Slip Serial Number Record-135;
RPT-MAINT-JOB-TYPE & RPT-MAINT-JOB-NMBR for the JCL Table-140;
PRINTER DESTINATION CODE for the Printer Destination Table-145;
STATE ABBREVIATION for the State Table-150;
INST-NMBR and PROPERTY TYPE for Screening Days Table-155;
INST-DFLT-REIM-CODE for Reimbursement Code Table-160;
PROP-HAZMAT-IND for Hazardous Material Indicator Code Table-165;
RECIPIENT-CODE for Recipient Name Table-170;
RCPNT-TYPE-CODE for Transfer Type Table-180;
RCPNT-SUBTYPE-CODE for Transfer Subtype Table-190.

SCREEN NAME: **PRECIOUS METALS CONTENT DESCRIPTION (LINE 1)**
ACCESS NAME: PROP-PRCS-MTLS-DESC
ENTITY: IDLE NASA PROPERTY
DESCRIPTIVE NAME: PRECIOUS METALS PROPERTY CONTENT DESCRIPTION
DATA ELEMENT DEFINITION:
The first line of description of the type and content value (weight) of any precious metals contained in personal property.
FORMAT: Alphanumeric
LENGTH: 50
EDIT CRITERIA
Extracted from the NPDMS Precious Metals Code Table-080. See PRECIOUS METALS PROPERTY CODE.

SCREEN NAME: **PRECIOUS METALS CONTENT DESCRIPTION (LINE 2)**
ACCESS NAME: PROP-PRCS-MTLS-DESC
ENTITY: IDLE NASA PROPERTY
DESCRIPTIVE NAME: PRECIOUS METALS PROPERTY CONTENT DESCRIPTION
DATA ELEMENT DEFINITION:
The second line of description of the type and content value (weight) of any precious metals contained in personal property.
FORMAT: Alphanumeric
LENGTH: 50
EDIT CRITERIA
Extracted from the NPDMS Precious Metals Code Table-080. See PRECIOUS METALS PROPERTY CODE.

SCREEN NAME: PRECIOUS METALS IND
ACCESS NAME: CMPNT-PRCS-MTLS-IND
ENTITY: COMPONENT SYSTEM
DESCRIPTIVE NAME: COMPONENT SYSTEM PRECIOUS METALS INDICATOR
DATA ELEMENT DEFINITION:
If any of the components in a component system contain precious metals, this indicator will be set to 'Y'.
FORMAT: Alphanumeric
LENGTH: 1
EDIT CRITERIA
Computer generated, Y = yes, Blank = no. Default is no.

SCREEN NAME: PREV 1348
ACCESS NAME: NOT MAINTAINED
ENTITY:
DESCRIPTIVE NAME:
DATA ELEMENT DEFINITION:
Indicates whether or not a DOD 1348-1A has been generated for a specific item record.
FORMAT: Alphanumeric
LENGTH: 1
EDIT CRITERIA
The possible display values are N or Y.

SCREEN NAME: PREV CASE NO
ACCESS NAME: PROP-PRVS-CASE-NMBR
ENTITY: IDLE NASA PROPERTY
DESCRIPTIVE NAME: PREVIOUS PROPERTY CASE NUMBER
DATA ELEMENT DEFINITION:
The previous Property Case Number of the record that was converted from a single case record to an item of a Component System or vice versa.
FORMAT: Alphanumeric

LENGTH: 14

EDIT CRITERIA

Generated (moved) at the time of a Convert Case To Component or Convert Component To Case process and written to the transaction file.

SCREEN NAME: PRIME INSTALLATION NUMBER

ACCESS NAME: PRIMINST-NMBR

ENTITY: NASA INSTALLATION

DESCRIPTIVE NAME: PRIME INSTALLATION NUMBER

DATA ELEMENT DEFINITION:

A two digit number identifying a prime (accountable) NASA Installation. This is the first 2 positions of the INST-NMBR.

FORMAT: Alphanumeric

LENGTH: 2.0

EDIT CRITERIA

Must match NPDMS Installation Number Table-105.

01- Langley Research Center

02- Ames Research Center

03- John H. Glen Research Center

04- Dryden Flight Research Center

05- Goddard Space Flight Center

07- Jet Propulsion Laboratory

08- Marshall Space Flight Center

09- Johnson Space Center

10- Kennedy Space Center

11- Headquarters

13- Stennis Space Center.

SCREEN NAME: PRINT 1348

ACCESS NAME: NOT MAINTAINED

ENTITY:

DESCRIPTIVE NAME:

DATA ELEMENT DEFINITION:

This field allows for the printing of a DOD form 1348-1A for a specific item record.

FORMAT: Alphanumeric

LENGTH: 1

EDIT CRITERIA

Y=Generate; N=Do Not Generate. Default value is N.

SCREEN NAME: PRINT DD-1348-1A (Y)
ACCESS NAME: RPT-1348-GNRTN-IND
ENTITY: REPORT
DESCRIPTIVE NAME: REPORT 1348 GENERATION INDICATOR

DATA ELEMENT DEFINITION:

The indicator set to designate the generation of a DD-1348-1A for a specific Excess Property Item. Once the report has been generated thru the Report Process, this indicator is reset to its default value.

FORMAT: Alphanumeric

LENGTH: 1

EDIT CRITERIA

Y = Generate; Blank = Do Not Generate.

SCREEN NAME: PRINT DOC (Y/N)
ACCESS NAME: NOT MAINTAINED
ENTITY:
DESCRIPTIVE NAME:

DATA ELEMENT DEFINITION:

This field allows for a listing of various disposal document available for generation.

FORMAT: Alphanumeric

LENGTH: 1

EDIT CRITERIA

The possible values are Y or N.

SCREEN NAME: PRINT FOREIGN DISPOSAL APPROVAL FORM (Y)
ACCESS NAME: RPT-FRGN-DSPSL-APRVL-IND
ENTITY: REPORT
DESCRIPTIVE NAME: FOREIGN DISPOSAL APPROVAL REPORT INDICATOR

DATA ELEMENT DEFINITION:

The indicator set when to designate the generation of the Foreign Disposal Approval Form.

FORMAT: Alphanumeric

LENGTH: 1

EDIT CRITERIA

'Y' = Generate report, 'blank' = Don't generate (default). Once the form is generated, this field will be set to blank.

SCREEN NAME: PRINT NASA 811 (Y)

ACCESS NAME: RPT-811-IND

ENTITY: REPORT

DESCRIPTIVE NAME: REPORT 811 GENERATION INDICATOR

DATA ELEMENT DEFINITION:

The indicator set when processing an Expended to Scrap Property Transaction (T03) to designate the generation of the NPDMS 811 report.

FORMAT: Alphanumeric

LENGTH: 1

EDIT CRITERIA

Y = Generate; = Do Not Generate. If set to 'Y' the PROP-DSPSL-CNDTN-CODE must be 'S' (scrap) or 'X' (salvage).

SCREEN NAME: PRINT NASA 812 (Y)

ACCESS NAME: RPT-812-IND

ENTITY: REPORT

DESCRIPTIVE NAME: REPORT 812 GENERATION INDICATOR

DATA ELEMENT DEFINITION:

The indicator set when processing an Abandoned or Destroyed Transaction (T18) to designate the generation of the NPDMS 812 report.

FORMAT: Alphanumeric

LENGTH: 1

EDIT CRITERIA

Y = Generate; Blank space = Do Not Generate.

SCREEN NAME: PRINT PICKUP DOC

ACCESS NAME: PROP-PCKP-DCMNT-GNRTN-IND

ENTITY: IDLE NASA PROPERTY

DESCRIPTIVE NAME: PROPERTY PICKUP DOCUMENT GENERATION INDICATOR

DATA ELEMENT DEFINITION:

Indicates if a pickup document (NASA Form 1638) should be generated for a case. Once a case is entered into the NPDMS, the user will have the option of overriding the system default value.

NOTE: one pickup document will be generated for each item ID associated with a Component System.

FORMAT: Alphanumeric

LENGTH: 1

EDIT CRITERIA

Current system date at the time of generation. Display Format: MM = any number 1-12; DD = any number 1-31 and consistent with month; YY or YYYY = current year. Stored in Internal Date format.

SCREEN NAME: PRINT SF-120 CORRECTION

ACCESS NAME: GSA-SF120-WTHDRWL-CRCTN-CODE

ENTITY: GSA

DESCRIPTIVE NAME: SF-120 WITHDRAWAL/CORRECTION TO GSA CODE

DATA ELEMENT DEFINITION:

A corrected SF-120 must be sent to GSA whenever the property has been previously reported to GSA for screening purposes and changes are made to any data elements listed on a SF-120 including description, condition code, quantity and acquisition cost. A withdrawal SF-120 is sent to GSA when the property is being requested back from the screening control of GSA for use by NASA. The indicator is set when entering Transactions (E02, E03, T02, T03, T04, T05, T06, T07, T09, T11, T12, T16, T18, T19, T20, and Reversals).

FORMAT: Alphanumeric

LENGTH: 1

EDIT CRITERIA

W= withdrawal; C= correction or space = not required.

SCREEN NAME: PRINT SF-120 WITHDRAWAL

ACCESS NAME: GSA-SF120-WTHDRWL-CRCTN-CODE

ENTITY: GSA

DESCRIPTIVE NAME: SF-120 WITHDRAWAL/CORRECTION TO GSA CODE

DATA ELEMENT DEFINITION:

A corrected SF-120 must be sent to GSA whenever the property has been previously reported to GSA for screening purposes and changes are made to any data elements listed on a SF-120

including description, condition code, quantity and acquisition cost. A withdrawal SF-120 is sent to GSA when the property is being requested back from the screening control of GSA for use by NASA. The indicator is set when entering Transactions (E02, E03, T02, T03, T04, T05, T06, T07, T09, T11, T12, T16, T18, T19, T20, and Reversals).

FORMAT: Alphanumeric

LENGTH: 1

EDIT CRITERIA

W= withdrawal; C= correction or space = not required.

SCREEN NAME: **PRINTER ADDRESS**

ACCESS NAME: INST-PRNTR-ADRS

ENTITY: NASA INSTALLATION

DESCRIPTIVE NAME: INSTALLATION DEFAULT PRINTER ADDRESS

DATA ELEMENT DEFINITION:

An Installation's default address for a local printer.

FORMAT: Alphanumeric

LENGTH: 8

EDIT CRITERIA

Installation specific but value must be on NPDMS Table-145. Default maintained on the Center Profile Table-050.

SCREEN NAME: **PRINTER DESCRIPTION**

ACCESS NAME: SYS-PRNTR-DESC

ENTITY: SYSTEM

DESCRIPTIVE NAME: SYSTEM PRINTER LOCATION DESCRIPTION

DATA ELEMENT DEFINITION:

Descriptive text for the location of a local printer.

FORMAT: Alphanumeric

LENGTH: 40

EDIT CRITERIA

Installation specific. Maintained on NPDMS Table-145.

SCREEN NAME: **PRINTER DEST**
ACCESS NAME: SYS-REC-KEY
ENTITY: SYSTEM
DESCRIPTIVE NAME: SYSTEM RECORD KEY

DATA ELEMENT DEFINITION:

The values used with the SYS-TBL-ID providing access to the NPDMS Table File Records.

FORMAT: Alphanumeric

LENGTH: 10

EDIT CRITERIA

SYS-USER-ID for the User Access Table-001;
 GSA-RGN-CODE for the GSA Region Table-005;
 DRMO-DODAAC-CODE for the DRMO Routing Identifier Code Table-010;
 CSTDN-ACNT-NMBR for the Exception Processing Table-015;
 PROP-FSC-CODE for the Federal Supply Classification Code Table-020;
 PROP-UOM-CODE for the Unit of Measure Table-025;
 PROP-SPLY-CNDTN-CODE for the Supply Condition Code Table-030;
 PROP-DSPSL-CNDTN-CODE for the Disposal Condition Code Table-035;
 INST-FEDAAC-CODE for the Performance Measures Table-040;
 PROP-DML-CODE for the Demilitarization Code Table-045;
 INST-NMBR for the Center Profile Table-050;
 INST-NMBR for Property Location Table-051;
 INST-NMBR, RPT-MAINT-JOB-TYPE & RPT-MAINT-JOB-NMBR for the Report/Maintenance Selection Table-055;
 NSMS-FIXED-SHELF-LIFE-CODE for Fixed Shelf Life Code Table-060;
 NSMS-SHELF-LIFE-EXTNSN-CODE for Shelf Life Extension Code Table-062;
 PROP-HAZMAT-CODE for Hazardous Materials Code Table-065;
 DRMO-CNTRL-INV-ITEM-CODE for the Controlled Inventory Item Code Table-070;
 PROP-ADP-CTGRY-ID for the ADPE ID Code Table-075;
 PROP-PRCS-MTLS-CODE for the Precious Metals Code Table-080;
 PROP-MMAC-CODE for the MMAC Table-085;
 DRMO-DSPSL-ATHRTY-CODE for the Disposal Authority Code Table-090;
 DRMO ADDITIONAL DATA CODE for the DRMO Additional Data Code Table-095;
 'ECN' & INST-NMBR for the Excess Case Number Serial Number Record-100;
 INST-NMBR for Installation Code Table-105;
 'ERN' & INST-NMBR for the Entry Reference Number Serial Number Record-110;
 'DOD' & INST-NMBR for the DRMO 1348 Serial Number Record-112;
 'SAL' & INST-NMBR for the Sale Number Serial Number Record-113;
 'NEM' & INST-NMBR for the NP/NEMS Entry Reference Number Serial Number Record-115;
 INST-NMBR & RPT-END-DATE for the Monthly 623 Report Balance Record-120;
 INST-NMBR & RPT-END-DATE for the Annual 623 Report Balance Record-125;
 INST-NMBR & RPT-END-DATE for the 1800 Report Balance Record-130;
 'RCT' & INST-NMBR for the Sale Slip Serial Number Record-135;
 RPT-MAINT-JOB-TYPE & RPT-MAINT-JOB-NMBR for the JCL Table-140;
 PRINTER DESTINATION CODE for the Printer Destination Table-145;
 STATE ABBREVIATION for the State Table-150;
 INST-NMBR and PROPERTY TYPE for Screening Days Table-155;
 INST-DFLT-REIM-CODE for Reimbursement Code Table-160;
 PROP-HAZMAT-IND for Hazardous Material Indicator Code Table-165;

RECIPIENT-CODE for Recipient Name Table-170;
RCPNT-TYPE-CODE for Transfer Type Table-180;
RCPNT-SUBTYPE-CODE for Transfer Subtype Table-190.

SCREEN NAME: **PRINTER DESTINATION**
ACCESS NAME: INST-PRNTR-ADRS
ENTITY: NASA INSTALLATION
DESCRIPTIVE NAME: INSTALLATION DEFAULT PRINTER ADDRESS

DATA ELEMENT DEFINITION:
 An Installation's default address for a local printer.

FORMAT: Alphanumeric
LENGTH: 8

EDIT CRITERIA
 Installation specific but value must be on NPDMS Table-145. Default maintained on the Center Profile Table-050.

SCREEN NAME: **PRINTER DESTINATION**
ACCESS NAME: SYS-REC-KEY
ENTITY: SYSTEM
DESCRIPTIVE NAME: SYSTEM RECORD KEY

DATA ELEMENT DEFINITION:
 The values used with the SYS-TBL-ID providing access to the NPDMS Table File Records.

FORMAT: Alphanumeric
LENGTH: 10

EDIT CRITERIA
 SYS-USER-ID for the User Access Table-001;
 GSA-RGN-CODE for the GSA Region Table-005;
 DRMO-DODAAC-CODE for the DRMO Routing Identifier Code Table-010;
 CSTDN-ACNT-NMBR for the Exception Processing Table-015;
 PROP-FSC-CODE for the Federal Supply Classification Code Table-020;
 PROP-UOM-CODE for the Unit of Measure Table-025;
 PROP-SPLY-CNDTN-CODE for the Supply Condition Code Table-030;
 PROP-DSPSL-CNDTN-CODE for the Disposal Condition Code Table-035;
 INST-FEDAAC-CODE for the Performance Measures Table-040;
 PROP-DML-CODE for the Demilitarization Code Table-045;
 INST-NMBR for the Center Profile Table-050;
 INST-NMBR for Property Location Table-051;
 INST-NMBR, RPT-MAINT-JOB-TYPE & RPT-MAINT-JOB-NMBR for the Report/Maintenance

Selection Table-055;
 NSMS-FIXED-SHELF-LIFE-CODE for Fixed Shelf Life Code Table-060;
 NSMS-SHELF-LIFE-EXTNSN-CODE for Shelf Life Extension Code Table-062;
 PROP-HAZMAT-CODE for Hazardous Materials Code Table-065;
 DRMO-CNTRLD-INV-ITEM-CODE for the Controlled Inventory Item Code Table-070;
 PROP-ADP-CTGRY-ID for the ADPE ID Code Table-075;
 PROP-PRCS-MTLS-CODE for the Precious Metals Code Table-080;
 PROP-MMAC-CODE for the MMAC Table-085;
 DRMO-DSPSL-ATHRTY-CODE for the Disposal Authority Code Table-090;
 DRMO ADDITIONAL DATA CODE for the DRMO Additional Data Code Table-095;
 'ECN' & INST-NMBR for the Excess Case Number Serial Number Record-100;
 INST-NMBR for Installation Code Table-105;
 'ERN' & INST-NMBR for the Entry Reference Number Serial Number Record-110;
 'DOD' and INST-NMBR for the DRMO 1348 Serial Number Record-112;
 'SAL' and INST-NMBR for the Sale Number Serial Number Record-113;
 'NEM' & INST-NMBR for the NP/NEMS Entry Reference Number Serial Number Record-115;
 INST-NMBR & RPT-END-DATE for the Monthly 623 Report Balance Record-120;
 INST-NMBR & RPT-END-DATE for the Annual 623 Report Balance Record-125;
 INST-NMBR & RPT-END-DATE for the 1800 Report Balance Record-130;
 'RCT' & INST-NMBR for the Sale Slip Serial Number Record-135;
 RPT-MAINT-JOB-TYPE & RPT-MAINT-JOB-NMBR for the JCL Table-140;
 PRINTER DESTINATION CODE for the Printer Destination Table-145;
 STATE ABBREVIATION for the State Table-150;
 INST-NMBR and PROPERTY TYPE for Screening Days Table-155;
 INST-DFLT-REIM-CODE for Reimbursement Code Table-160;
 PROP-HAZMAT-IND for Hazardous Material Indicator Code Table-165;
 RECIPIENT-CODE for Recipient Name Table-170;
 RCPNT-TYPE-CODE for Transfer Type Table-180;
 RCPNT-SUBTYPE-CODE for Transfer Subtype Table-190.

SCREEN NAME: PRINTER PICKUP DOC
ACCESS NAME: PROP-PCKP-DCMNT-GNRTN-IND
ENTITY: IDLE NASA PROPERTY
DESCRIPTIVE NAME: PROPERTY PICKUP DOCUMENT GENERATION INDICATOR

DATA ELEMENT DEFINITION:

Indicates if a pickup document (NASA Form 1638) should be generated for a case. Once a case is entered into the NPDMS, the user will have the option of overriding the system default value.

NOTE: one pickup document will be generated for each item ID associated with a Component System.

FORMAT: Alphanumeric
LENGTH: 1

EDIT CRITERIA

Current system date at the time of generation. Display Format: MM = any number 1-12; DD =

any number 1-31 and consistent with month; YY or YYYY = current year. Stored in Internal Date format.

SCREEN NAME: PRIORITY FREEZE REFER PROP IND
ACCESS NAME: PROP-REFER-SUSPD-RPTNG-IND
ENTITY: IDLE NASA PROPERTY
DESCRIPTIVE NAME: FREEZE REFERRAL/SUSPEND PROPERTY REPORTING INDICATOR

DATA ELEMENT DEFINITION:

One digit alpha identifier to suspend reporting to GSA or the Transfer to DRMO, and also to refer a freeze to GSA when reporting. Freeze Referral/Suspend Codes are as follows:

Blank - Report the case as scheduled to either GSA or DRMO and not include freeze information to GSA.

R - Property will be either reported to GSA or Transferred to DRMO as scheduled and include (refer) the freeze information as a referral for GSA action.

S - Suspend the reporting of the entire case to GSA or Transfer to DRMO as scheduled and freezes must be resolved by NASA. Freezes will continue to appear on the Freeze Status Report until the freeze is removed, the referral/suspend indicator is changed to 'R' or 'Blank', or a disposition is processed.

FORMAT: Alphanumeric

LENGTH: 1

EDIT CRITERIA

The valid codes are 'blank', 'R', or 'S'.

SCREEN NAME: PRIORITY IND
ACCESS NAME: PROP-PRCSNG-PTY-IND
ENTITY: IDLE NASA PROPERTY
DESCRIPTIVE NAME: PROPERTY PROCESSING PRIORITY INDICATOR

DATA ELEMENT DEFINITION:

Indicator used to designate the extent and type of transaction (freeze or final disposition) processing a property item will undergo.

FORMAT: Alphanumeric

LENGTH: 1.0

EDIT CRITERIA

1 = process a freeze transaction (F00) with paperwork;

2 = process a freeze transaction without paperwork;
3 = priority freeze (with or without paperwork);
4 = priority process a disposition transaction without a freeze transaction being created.

SCREEN NAME: PROCEEDS
ACCESS NAME: PROP-SALE-PRCDS-AMT
ENTITY: IDLE NASA PROPERTY
DESCRIPTIVE NAME: PROPERTY SALE PROCEEDS AMOUNT

DATA ELEMENT DEFINITION:

The amount received as a result of a sale of a single sales lot of property by GSA or NASA, including agent. Once the full PROPERTY BID AMOUNT is received in payment for the personal property, the bid amount becomes (is moved to) the "Proceeds". In most cases proceeds from the sale of personal property shall be deposited into the U.S. Treasury as miscellaneous receipts (see PROP-APRRTN-ACNT-NMBR).

FORMAT: Packed

LENGTH: 10.2

EDIT CRITERIA

Generated (moved) from the NPDMS Sale Bidder Table for T14 (Sold by NASA or Agent). User entered for T15 (Sold by GSA).

SCREEN NAME: PROCUREMENT DOC NO
ACCESS NAME: PROP-PRCRMNT-DCMNT-NMBR
ENTITY: IDLE NASA PROPERTY
DESCRIPTIVE NAME: PROPERTY PROCUREMENT DOCUMENT NUMBER

DATA ELEMENT DEFINITION:

Document number of the form used to procure the exchange or sale of personal property.

FORMAT: Alphanumeric

LENGTH: 14

EDIT CRITERIA

SCREEN NAME: PROP CASE NMBR
ACCESS NAME: PROP-CASE-NMBR

ENTITY: IDLE NASA PROPERTY
DESCRIPTIVE NAME: PROPERTY CASE NUMBER

DATA ELEMENT DEFINITION:

The aggregate number automatically assigned by NPDMS to uniquely identify the case. This field consists of the INST-FEDAAC-CODE; the Julian date (YDDD); CMPNT-IND; and the SYS-CASE-SERIAL-NMBR. The current available serial number is contained in the Property Case Number Serial Number Record maintained in the NPDMS Table-100 for each subinstallation. This table is reset starting each day with 001.

FORMAT: Alphanumeric

LENGTH: 14

EDIT CRITERIA

Generated. Positions 1-6 are the INST-FEDAAC-CODE (GSA FEDSTRIP number); positions 7-10 are numeric; position 11 will be either 'C' if a Component System or 'S' if a single case record; positions 12-14 are alphanumeric.

NOTE: The three positions of the serial number would be used numerically up to 999. After that the first position "A" and proceed thru the alphabet and the last 2 positions will start over at 01.

SCREEN NAME: PROP CASE NO
ACCESS NAME: PROP-CASE-NMBR
ENTITY: IDLE NASA PROPERTY
DESCRIPTIVE NAME: PROPERTY CASE NUMBER

DATA ELEMENT DEFINITION:

The aggregate number automatically assigned by NPDMS to uniquely identify the case. This field consists of the INST-FEDAAC-CODE; the Julian date (YDDD); CMPNT-IND; and the SYS-CASE-SERIAL-NMBR. The current available serial number is contained in the Property Case Number Serial Number Record maintained in the NPDMS Table-100 for each subinstallation. This table is reset starting each day with 001.

FORMAT: Alphanumeric

LENGTH: 14

EDIT CRITERIA

Generated. Positions 1-6 are the INST-FEDAAC-CODE (GSA FEDSTRIP number); positions 7-10 are numeric; position 11 will be either 'C' if a Component System or 'S' if a single case record; positions 12-14 are alphanumeric.

NOTE: The three positions of the serial number would be used numerically up to 999. After that the first position "A" and proceed thru the alphabet and the last 2 positions will start over at 01.

SCREEN NAME: PROP DESC
ACCESS NAME: PROP-DESC
ENTITY: IDLE NASA PROPERTY
DESCRIPTIVE NAME: PROPERTY DESCRIPTION

DATA ELEMENT DEFINITION:

Additional information which further describes the personal property, i.e., dimensions, capabilities, power requirements, etc.

FORMAT: Alphanumeric

LENGTH: 60 (1:40)

EDIT CRITERIA

Supplied by NSMS (NSMS-INDEX-DESC) on the Batch Interface file otherwise, user entered free form with no edit check. Stored on the NPDMS Text Descriptions file in a MU field with up to 40 occurrences.

SCREEN NAME: PROP DISPOSAL APPROVAL DATE
ACCESS NAME: PROP-DSPSL-APRVL-DATE
ENTITY: IDLE NASA PROPERTY
DESCRIPTIVE NAME: PROPERTY DISPOSAL APPROVAL DATE

DATA ELEMENT DEFINITION:

The specific date on which the property disposal document or survey report was approved.

FORMAT: D

LENGTH:

EDIT CRITERIA

User Entered. Display format: MM = 1-12, DD = 1-31 consistent with the month, YY or YYYY = current year. Stored in Internal Date format.

SCREEN NAME: PROP LOC FAX
ACCESS NAME: PROP-LCTN-FAX-NMBR
ENTITY:
DESCRIPTIVE NAME: PROPERTY LOCATION FAX PHONE NUMBER

DATA ELEMENT DEFINITION:

The FAX telephone number of the individual to contact where a particular item of property is located.

FORMAT: Alphanumeric

LENGTH: 10

EDIT CRITERIA

Default maintained on Center Profile Table-050 and displayed at the time of initial add.
Modifiable but may not be blank.

SCREEN NAME: PROP RMVL DT
ACCESS NAME: PROP-RMVL-DATE
ENTITY: IDLE NASA PROPERTY
DESCRIPTIVE NAME: ACTUAL PROPERTY REMOVAL DATE

DATA ELEMENT DEFINITION:

The specific date on which the property was actually physically removed from the NASA storage facility by the new owner or their agent, including shippers.

FORMAT: D

LENGTH:

EDIT CRITERIA

User entered. Display format: MM = 1-12, DD = any number 1-31, YY or YYYY = current year.
Stored in Internal Date format.

SCREEN NAME: PROPERTY CASE NUMBERS
ACCESS NAME: PROP-CASE-NMBR
ENTITY: IDLE NASA PROPERTY
DESCRIPTIVE NAME: PROPERTY CASE NUMBER

DATA ELEMENT DEFINITION:

The aggregate number automatically assigned by NPDMS to uniquely identify the case. This field consists of the INST-FEDAAC-CODE; the Julian date (YDDD); CMPNT-IND; and the SYS-CASE-SERIAL-NMBR. The current available serial number is contained in the Property Case Number Serial Number Record maintained in the NPDMS Table-100 for each subinstallation. This table is reset starting each day with 001.

FORMAT: Alphanumeric

LENGTH: 14

EDIT CRITERIA

Generated. Positions 1-6 are the INST-FEDAAC-CODE (GSA FEDSTRIP number); positions 7-10 are numeric; position 11 will be either 'C' if a Component System or 'S' if a single case record; positions 12-14 are alphanumeric.

NOTE: The three positions of the serial number would be used numerically up to 999. After that the first position "A" and proceed thru the alphabet and the last 2 positions will start over at 01.

SCREEN NAME: PROPERTY TRANSACTION DESCRIPTION

ACCESS NAME: PROP-TXN-DESC

ENTITY: IDLE NASA PROPERTY

DESCRIPTIVE NAME: PROPERTY TRANSACTION DESCRIPTION

DATA ELEMENT DEFINITION:

Provides for a narrative description of source document information about a transaction of idle NASA property or the authority narrative to transfer or donate property without GSA approval.

FORMAT: Alphanumeric

LENGTH: 240

EDIT CRITERIA

Free form, but must be entered at the time of a Add (E01), Change (E02), or Freeze (F00) transaction if the PROP-FRGN-DSPSL-APRVL-IND is set to 'Y'. In addition, this field must be entered at the time of a T08, or T16, or T20 final disposition transaction.

SCREEN NAME: PROVINCE (RQSTR)

ACCESS NAME: RQSTR-PRVNC-ADRS

ENTITY: REQUESTOR

DESCRIPTIVE NAME: REQUESTOR PROVINCE ADDRESS

DATA ELEMENT DEFINITION:

Is the province in the country where the property requestor is located. This field is necessary for foreign donations.

FORMAT: Alphanumeric

LENGTH: 20

EDIT CRITERIA

free form

SCREEN NAME: QTY (CUR AVLBL)

ACCESS NAME: PROP-CUR-AVLBL-QTY

ENTITY: IDLE NASA PROPERTY

DESCRIPTIVE NAME: PROPERTY CURRENT AVAILABLE QUANTITY

DATA ELEMENT DEFINITION:

The current number of available items of personal property.

FORMAT: Numeric

LENGTH: 5.0

EDIT CRITERIA

Calculated; minus PROP-DSPSTN-QTY for disposition transactions; plus PROP-DSPSTN-QTY for disposition reversal transactions. Entered user value at time of add or change.

SCREEN NAME: QTY (DSPSTN)
ACCESS NAME: PROP-DSPSTN-QTY
ENTITY: IDLE NASA PROPERTY
DESCRIPTIVE NAME: PROPERTY DISPOSITION QUANTITY

DATA ELEMENT DEFINITION:

The number of items requested for a freeze (F00), disposition (T03-T20), or reversal (RT03-RT20) transaction.

FORMAT: Numeric
LENGTH: 5.0

EDIT CRITERIA

Any number from 1-99999, that does not reduce the PROP-CUR-AVLBL-QTY to less than zero.

SCREEN NAME: QTY SOLD
ACCESS NAME: PROP-DSPSTN-QTY
ENTITY: IDLE NASA PROPERTY
DESCRIPTIVE NAME: PROPERTY DISPOSITION QUANTITY

DATA ELEMENT DEFINITION:

The number of items requested for a freeze (F00), disposition (T03-T20), or reversal (RT03-RT20) transaction.

FORMAT: Numeric
LENGTH: 5.0

EDIT CRITERIA

Any number from 1-99999, that does not reduce the PROP-CUR-AVLBL-QTY to less than zero.

SCREEN NAME: RECIPIENT
ACCESS NAME: RCPNT-AGNCY-NAME
ENTITY:
DESCRIPTIVE NAME: RECIPIENT AGENCY NAME
DATA ELEMENT DEFINITION:
The name of person or agency requesting property.
FORMAT: Alphanumeric
LENGTH: 40
EDIT CRITERIA:
Free form but may not be blank. Maintained in NPDMS Recipient Table-170.

SCREEN NAME: RECIPIENT
ACCESS NAME: PROP-RCPNT-AGNCY-NAME
ENTITY:
DESCRIPTIVE NAME: PROPERTY RECIPIENT AGENCY NAME
DATA ELEMENT DEFINITION:
The code of the person or agency requesting property.
FORMAT: Alphanumeric
LENGTH: 12
EDIT CRITERIA:
Free form.

SCREEN NAME: REC NO
ACCESS NAME: NOT MAINTAINED
ENTITY:
DESCRIPTIVE NAME:
DATA ELEMENT DEFINITION:
The next available item id when processing a new Trade-In to Vendor (T19) transaction.
FORMAT: Alphanumeric
LENGTH: 1
EDIT CRITERIA:
System generated.

SCREEN NAME: RECEIVING INFO
ACCESS NAME: DRMO-RCVNG-TEXT
ENTITY: DRMO
DESCRIPTIVE NAME: DRMO RECEIVING INFORMATION TEXT

DATA ELEMENT DEFINITION:

This field is for an textual explanation of the additional DRMO receiving information code on the DD-1348-1A.

FORMAT: Alphanumeric

LENGTH: 200

EDIT CRITERIA

Free form.

SCREEN NAME: RECLAM CODE (DRMO)
ACCESS NAME: DRMO-RCLMTN-CODE
ENTITY: DRMO
DESCRIPTIVE NAME: DRMO RECLAMATION CODE

DATA ELEMENT DEFINITION:

A code indicating the level of reclamation processing required for an item transferred to a DRMO on the DD-1348-1A.

FORMAT: Alphanumeric

LENGTH: 1

EDIT CRITERIA

Y = reclamation performed prior to release to DRMO; R = reclamation to be performed after turn-in to DRMO; N = reclamation not required. Default is 'N'.

SCREEN NAME: REFER SUSP
ACCESS NAME: PROP-REFER-SUSPD-RPTNG-IND
ENTITY: IDLE NASA PROPERTY
DESCRIPTIVE NAME: FREEZE REFERRAL/SUSPEND PROPERTY REPORTING INDICATOR

DATA ELEMENT DEFINITION:

One digit alpha identifier to suspend reporting to GSA or the Transfer to DRMO, and also to refer a freeze to GSA when reporting. Freeze Referral/Suspend Codes are as follows:

Blank - Report the case as scheduled to either GSA or DRMO and not include freeze information to GSA.

R - Property will be either reported to GSA or Transferred to DRMO as scheduled and include (refer) the freeze information as a referral for GSA action.

S - Suspend the reporting of the entire case to GSA or Transfer to DRMO as scheduled and freezes must be resolved by NASA. Freezes will continue to appear on the Freeze Status Report until the freeze is removed, the referral/suspend indicator is changed to 'R' or 'Blank', or a disposition is processed.

FORMAT: Alphanumeric

LENGTH: 1

EDIT CRITERIA

The valid codes are 'blank', 'R', or 'S'.

SCREEN NAME: REIMBURSABLE (Y/N)

ACCESS NAME: PROP-REIM-IND

ENTITY:

DESCRIPTIVE NAME: PROPERTY REIMBURSEMENT INDICATOR

DATA ELEMENT DEFINITION:

Indicates if the net proceeds from an exchange or sale of idle NASA property are to be returned to the reporting center based on the property item's reimbursement code.

FORMAT: Alphanumeric

LENGTH: 1

EDIT CRITERIA

User entered: Y = Reimbursable, N = Non-reimbursable. Maintained on the NPDMS Reimbursement Code Table-160.

SCREEN NAME: REIMBURSEMENT AMOUNT

ACCESS NAME: EXCHNGSL-REIM-AMT

ENTITY: EXCHANGE/SALE PROPERTY

DESCRIPTIVE NAME: EXCHANGE/SALE REIMBURSEMENT AMOUNT

DATA ELEMENT DEFINITION:

The amount of reimbursement to the holding installation resulting from the transfer of an Exchange/Sale property item to those authorized.

FORMAT: Packed

LENGTH: 10.2

EDIT CRITERIA

Any dollar amount greater than zero.

SCREEN NAME: REIMBURSEMENT CODE
ACCESS NAME: PROP-REIM-CODE
ENTITY: IDLE NASA PROPERTY
DESCRIPTIVE NAME: PROPERTY REIMBURSEMENT CODE

DATA ELEMENT DEFINITION:

A one character code designating the reimbursement classification of property for GSA reporting with regard to eligibility for reimbursement, donation, or sales. On the SF-120, the code is translated to correctly complete block 15, Reim/Reqd (Yes or No).

FORMAT: Alphanumeric

LENGTH: 1

EDIT CRITERIA

Must be entered if reporting to GSA. Valid values maintained on NPDMS Reimbursement Code Table-165:

- 1 = Reimbursable/ Nondonable/ to be sold by GSA
 - 2 = Nonreimbursable/ Donable/ to be sold by GSA
 - 4 = Reimbursable(exchange/sale)/ Nondonable/ to be sold by GSA
 - 5 = Nonreimbursable/ Nondonable/ to be sold by GSA
 - 6 = Reimbursable only if sold/ Donable/ to be sold by GSA
 - 7 = Nonreimbursable (military property)/ Donable/ to be sold by GSA
 - 8 = Reimbursable (military property)/ Nondonable/ to be sold by GSA
 - A = Reimbursable/ Nondonable/ not to be sold by GSA
 - B = Reimbursable only if sold/ Donable/ not to be sold by GSA
 - C = Nonreimbursable/ Donable/ not to be sold by GSA
 - D = Nonreimbursable/ Donable/ not to be sold by GSA
 - E = Reimbursable (exchange/sale)/ Nondonable/ not to be sold by GSA
 - F = Reimbursable (foreign country equity)/ Nondonable/ not to be sold by GSA.
-

SCREEN NAME: REIMBURSEMENT CODE
ACCESS NAME: SYS-REC-KEY
ENTITY: SYSTEM
DESCRIPTIVE NAME: SYSTEM RECORD KEY

DATA ELEMENT DEFINITION:

The values used with the SYS-TBL-ID providing access to the NPDMS Table File Records.

FORMAT: Alphanumeric

LENGTH: 10

EDIT CRITERIA

SYS-USER-ID for the User Access Table-001;
GSA-RGN-CODE for the GSA Region Table-005;

DRMO-DODAAC-CODE for the DRMO Routing Identifier Code Table-010;
 CSTDN-ACNT-NMBR for the Exception Processing Table-015;
 PROP-FSC-CODE for the Federal Supply Classification Code Table-020;
 PROP-UOM-CODE for the Unit of Measure Table-025;
 PROP-SPLY-CNDTN-CODE for the Supply Condition Code Table-030;
 PROP-DSPSL-CNDTN-CODE for the Disposal Condition Code Table-035;
 INST-FEDAAC-CODE for the Performance Measures Table-040;
 PROP-DML-CODE for the Demilitarization Code Table-045;
 INST-NMBR for the Center Profile Table-050;
 INST-NMBR for Property Location Table-051;
 INST-NMBR, RPT-MAINT-JOB-TYPE & RPT-MAINT-JOB-NMBR for the Report/Maintenance Selection Table-055;
 NSMS-FIXED-SHELF-LIFE-CODE for Fixed Shelf Life Code Table-060;
 NSMS-SHELF-LIFE-EXTNSN-CODE for Shelf Life Extension Code Table-062;
 PROP-HAZMAT-CODE for Hazardous Materials Code Table-065;
 DRMO-CNTRLD-INV-ITEM-CODE for the Controlled Inventory Item Code Table-070;
 PROP-ADP-CTGRY-ID for the ADPE ID Code Table-075;
 PROP-PRCS-MTLS-CODE for the Precious Metals Code Table-080;
 PROP-MMAC-CODE for the MMAC Table-085;
 DRMO-DSPSL-ATHRTY-CODE for the Disposal Authority Code Table-090;
 DRMO ADDITIONAL DATA CODE for the DRMO Additional Data Code Table-095;
 'ECN' & INST-NMBR for the Excess Case Number Serial Number Record-100;
 INST-NMBR for Installation Code Table-105;
 'ERN' & INST-NMBR for the Entry Reference Number Serial Number Record-110;
 'DOD' and INST-NMBR for the DRMO 1348 Serial Number Record-112;
 'SAL' and INST-NMBR for the Sale Number Serial Number Record-113;
 'NEM' & INST-NMBR for the NP/NEMS Entry Reference Number Serial Number Record-115;
 INST-NMBR & RPT-END-DATE for the Monthly 623 Report Balance Record-120;
 INST-NMBR & RPT-END-DATE for the Annual 623 Report Balance Record-125;
 INST-NMBR & RPT-END-DATE for the 1800 Report Balance Record-130;
 'RCT' & INST-NMBR for the Sale Slip Serial Number Record-135;
 RPT-MAINT-JOB-TYPE & RPT-MAINT-JOB-NMBR for the JCL Table-140;
 PRINTER DESTINATION CODE for the Printer Destination Table-145;
 STATE ABBREVIATION for the State Table-150;
 INST-NMBR and PROPERTY TYPE for Screening Days Table-155;
 INST-DFLT-REIM-CODE for Reimbursement Code Table-160;
 PROP-HAZMAT-IND for Hazardous Material Indicator Code Table-165;
 RECIPIENT-CODE for Recipient Name Table-170;
 RCPNT-TYPE-CODE for Transfer Type Table-180;
 RCPNT-SUBTYPE-CODE for Transfer Subtype Table-190.

SCREEN NAME:	REIMBURSEMENT CODE DESC
ACCESS NAME:	PROP-REIM-CODE-DESC
ENTITY:	
DESCRIPTIVE NAME:	REIMBURSEMENT PROPERTY CODE DESCRIPTION

DATA ELEMENT DEFINITION:

A description of a property items s reimbursement code with regard to eligibilty for reimbursement, donation, and sale.

FORMAT: Alphanumeric

LENGTH: 79

EDIT CRITERIA

Maintained on NPDMS Reimbursement Code Table-160. Free form but may not be blank:

Code	Description
1	Reimbursable/ Nondonable/ to be sold by GSA
2	Nonreimbursable/ Donable/ to be sold by GSA
4	Reimbursable(exchange/sale)/ Nondonable/ to be sold by GSA
5	Nonreimbursable/ Nondonable/ to be sold by GSA
6	Reimbursable only if sold/ Donable/ to be sold by GSA
7	Nonreimbursable (military property)/ Donable/ to be sold by GSA
8	Reimbursable (military property)/ Nondonable/ to be sold by GSA
A	Reimbursable/ Nondonable/ not to be sold by GSA
B	Reimbursable only if sold/ Donable/ not to be sold by GSA
C	Nonreimbursable/ Donable/ not to be sold by GSA
D	Nonreimbursable/ Donable/ not to be sold by GSA
E	Reimbursable (exchange/sale)/ Nondonable/ not to be sold by GSA
F	Reimbursable (foreign country equity)/ Nondonable/ not to be sold by GSA.

SCREEN NAME: REPORT EXECUTION SEQUENCE NO

ACCESS NAME: RPT-EXCTN-SEQ-NMBR

ENTITY: REPORT

DESCRIPTIVE NAME: REPORT EXECUTION SEQUENCE NUMBER

DATA ELEMENT DEFINITION:

The exection sequence number of each NPDMS report.

FORMAT: Packed

LENGTH: 4.0

EDIT CRITERIA

Maintained on the ND-Table-055 file. If scheduled, reports will run in the following order:

Report Number	Report Execution Sequence Number
---------------	----------------------------------

NDM100PA	01
NDR110PA	05
NDR120PA	10
NDR130PA	15
NDR002PA	20
NDR150PA	25
NDR001PA	30
NDR140PA	35
NDR006PA	40
NDR022PA	45
NDR021PA	50
NDM610PA	100
NDR003PA	100
NDR004PA	100
NDR005PA	100
NDR007PA	100
NDR008PA	100
NDR009PA	100
NDR010PA	100
NDR011PA	100
NDR012PA	100
NDR013PA	100
NDR014PA	100
NDR015PA	100
NDR016PA	100
NDR017PA	100
NDR018PA	100
NDR019PA	100
NDR020PA	100
NDR023PA	100
NDR024PA	100
NDR025PA	100
NDR026PA	100
NDR027PA	100
NDR160PA	100
NDR170PA	100

NDR180PA	100
NDR190PA	100
NDR200PA	100
NDR210PA	100
NDR220PA	100
NDR230PA	100
Any site unique reports	100
NDM200PA	9800
NDM300PA	9999

SCREEN NAME: **REPORT /MAINTENANCE NAME**

ACCESS NAME: RPT-MAINT-NAME

ENTITY: REPORT

DESCRIPTIVE NAME: REPORT/MAINTENANCE NAME

DATA ELEMENT DEFINITION:

The name associated with a specific NPDMS report or maintenance job. Current values are:

Awaiting Pickup

Pending GSA Acknowledgement

Sales Listing

Items reported to GSA Over 180 Days

Foreign Screening Report

Freeze Status Report

NEMS Transaction Interface Report

Property Held by Property Disposal Officer

623 Monthly Report of Utilization/Disposal of Idle NASA Personal Property

623 Annual Report of Utilization/Disposal of Idle NASA Personal Property

NASA Form 811 - Classification of Property as Scrap or Salvage

NASA form 812 - Authorization to Abandon/Destroy Surplus Property

Idle Property Screening List

Daily Transaction Report

Annual Report of Exchange/Sale Transactions

Sales Prep Report

Abstract of Bids

Bidder's Notification of Award

Final Inventory/Reconciliation Report

Post Inventory Report

Performance Measures Report

NSMS Accepted Items Report

NSMS Rejected Items Report

NSMS Matched/Overage/Underage Report

Sales Slip, Sale of Government Personal Property

Foreign Disposal Approval Report
Cases Eligible For Transfer To DRMO Report
NASA Supply Management System Interface
GSA Magnetic Tape Generation
SF-120 Report of Excess Personal Property Generation
SF-120 Withdrawal/Correction Generation
DD-1348-1A DRMO Issue Release/Receipt Document Generation
NASA 1638 NPDMS Idle Personal Property Pickup Authorization Generation
ERN and Serial Number Reset
160 Annual Report of Personal Property Provided to Non-Federal Org
170 Equipment Available Under the Stevenson-Wydler Act For Region
180 Status Report for Cases Undergoing Other Federal Agency Screening
190 Status Report for Cases Undergoing Surplus Property Donation Screening
200 Equipment Available for Federal Agencies - By Region
210 IFM Interface File
220 Archive History Files
230 Final Dispositions for Each FSC Within a Date Range

FORMAT: Alphanumeric

LENGTH: 65

EDIT CRITERIA

Generated.

SCREEN NAME: **REPORT NAME**

ACCESS NAME: RPT-MAINT-NAME

ENTITY: REPORT

DESCRIPTIVE NAME: REPORT/MAINTENANCE NAME

DATA ELEMENT DEFINITION:

The name associated with a specific NPDMS report or maintenance job. Current values are:

Awaiting Pickup

Pending GSA Acknowledgement

Sales Listing

Items reported to GSA Over 180 Days

Foreign Screening Report

Freeze Status Report

NEMS Transaction Interface Report

Property Held by Property Disposal Officer

623 Monthly Report of Utilization/Disposal of Idle NASA Personal Property

623 Annual Report of Utilization/Disposal of Idle NASA Personal Property

NASA Form 811 - Classification of Property as Scrap or Salvage

NASA form 812 - Authorization to Abandon/Destroy Surplus Property

Idle Property Screening List

Daily Transaction Report

Annual Report of Exchange/Sale Transactions

Sales Prep Report

Abstract of Bids

Bidder's Notification of Award
Final Inventory/Reconciliation Report
Post Inventory Report
Performance Measures Report
NSMS Accepted Items Report
NSMS Rejected Items Report
NSMS Matched/Overage/Underage Report
Sales Slip, Sale of Government Personal Property
Foreign Disposal Approval Report
Cases Eligible For Transfer To DRMO Report
NASA Supply Management System Interface
GSA Magnetic Tape Generation
SF-120 Report of Excess Personal Property Generation
SF-120 Withdrawal/Correction Generation
DD-1348-1A DRMO Issue Release/Receipt Document Generation
NASA 1638 NPDMS Idle Personal Property Pickup Authorization Generation
ERN and Serial Number Reset
160 Annual Report of Personal Property Provided to Non-Federal Org
170 Equipment Available Under the Stevenson-Wylder Act For Region
180 Status Report for Cases Undergoing Other Federal Agency Screening
190 Status Report for Cases Undergoing Surplus Property Donation Screening
200 Equipment Available for Federal Agencies - By Region
210 IFM Interface File
220 Archive History Files
230 Final Dispositions for Each FSC Within a Date Range
FORMAT: Alphanumeric
LENGTH: 65
EDIT CRITERIA
Generated.

SCREEN NAME: **REPORT NUMBER**
ACCESS NAME: RPT-MAINT-JOB-NMBR-SB
ENTITY: REPORT
DESCRIPTIVE NAME: REPORT/MAINTENANCE JOB NUMBER
DATA ELEMENT DEFINITION:
The number assigned to a specific report or maintenance job.
FORMAT: Numeric
LENGTH: 3
EDIT CRITERIA
001 Awaiting Pickup
002 Pending GSA Acknowledgement
003 Sales Listing
004 Items reported to GSA Over180 Days
005 Foreign Screening Report 006 Freeze Status Report

007 NEMS Transaction Interface Report
 008 Property Held by Property Disposal Officer
 009 623 Monthly Report of Utilization/Disposal of Idle NASA Personal Property
 010 623 Annual Report of Utilization/Disposal of Idle NASA Personal Property
 011 Foreign Disposal Approval Report
 012 NASA Form 811 - Classification of Property as Scrap or Salvage
 013 NASA form 812 - Authorization to Abandon/Destroy Surplus Property
 014 Idle Property Screening List
 015 Cases Eligible For Transfer To DRMO Report
 016 Daily Transaction Report
 017 Annual Report of Exchange/Sale Transactions
 018 Sales Prep Report
 019 Abstract of Bids
 020 Bidder's Notification of Award
 021 Final Inventory/Reconciliation Report
 022 Post Inventory Report
 023 Performance Measures Report
 024 NSMS Accepted Items Report
 025 NSMS Rejected Items Report
 026 NSMS Matched/Overage/Underage Report
 027 Sales Slip, Sale of Government Personal Property
 100 NASA Supply Management System Interface
 110 GSA Magnetic Tape Generation
 120 SF-120 Report of Excess Personal Property Generation
 130 SF-120 Withdrawal/Correction Generation
 140 DD-1348-1A DRMO Issue Release/Receipt Document Generation
 150 NASA 1638 NPDMS Idle Personal Property Pickup Authorization Generation
 200 ERN and Serial Number Reset
 160 Annual Report of Personal Property Provided to Non-Federal Org
 170 Equipment Available Under the Stevenson-Wydler Act For Region
 180 Status Report for Cases Undergoing Other Federal Agency Screening
 190 Status Report for Cases Undergoing Surplus Property Donation Screening
 200 Equipment Available for Federal Agencies - By Region
 210 IFM Interface File
 220 Archive History Files
 230 Final Dispositions for Each FSC Within a Date Range

SCREEN NAME: REPORT OUTPUT CLASS

ACCESS NAME: RPT-OUTPUT-CODE

ENTITY: REPORT

DESCRIPTIVE NAME: REPORT OUTPUT CODE

DATA ELEMENT DEFINITION:

The code used to designate how the output for a specific NPDMS report or maintenance job should be printed.

FORMAT: Alphanumeric

LENGTH: 1

EDIT CRITERIA

Installation specific. Default maintained in the NPDMS Center Profile Table-050.

SCREEN NAME: REPORT/MAINTENANCE JOB NO

ACCESS NAME: RPT-MAINT-JOB-NMBR-SB

ENTITY: REPORT

DESCRIPTIVE NAME: REPORT/MAINTENANCE JOB NUMBER

DATA ELEMENT DEFINITION:

The number assigned to a specific report or maintenance job.

FORMAT: Numeric

LENGTH: 3

EDIT CRITERIA

- 001 Awaiting Pickup
- 002 Pending GSA Acknowledgement
- 003 Sales Listing
- 004 Items reported to GSA Over180 Days
- 005 Foreign Screening Report 006 Freeze Status Report
- 007 NEMS Transaction Interface Report
- 008 Property Held by Property Disposal Officer
- 009 623 Monthly Report of Utilization/Disposal of Idle NASA Personal Property
- 010 623 Annual Report of Utilization/Disposal of Idle NASA Personal Property
- 011 Foreign Disposal Approval Report
- 012 NASA Form 811 - Classification of Property as Scrap or Salvage
- 013 NASA form 812 - Authorization to Abandon/Destroy Surplus Property
- 014 Idle Property Screening List
- 015 Cases Eligible For Transfer To DRMO Report
- 016 Daily Transaction Report
- 017 Annual Report of Exchange/Sale Transactions
- 018 Sales Prep Report
- 019 Abstract of Bids
- 020 Bidder's Notification of Award
- 021 Final Inventory/Reconciliation Report
- 022 Post Inventory Report
- 023 Performance Measures Report
- 024 NSMS Accepted Items Report
- 025 NSMS Rejected Items Report
- 026 NSMS Matched/Overage/Underage Report
- 027 Sales Slip, Sale of Government Personal Property
- 100 NASA Supply Management System Interface
- 110 GSA Magnetic Tape Generation
- 120 SF-120 Report of Excess Personal Property Generation
- 130 SF-120 Withdrawal/Correction Generation
- 140 DD-1348-1A DRMO Issue Release/Receipt Document Generation

150 NASA 1638 NPDMS Idle Personal Property Pickup Authorization Generation
200 ERN and Serial Number Reset
160 Annual Report of Personal Property Provided to Non-Federal Org
170 Equipment Available Under the Stevenson-Wydler Act For Region
180 Status Report for Cases Undergoing Other Federal Agency Screening
190 Status Report for Cases Undergoing Surplus Property Donation Screening
200 Equipment Available for Federal Agencies - By Region
210 IFM Interface File
220 Archive History Files
230 Final Dispositions for Each FSC Within a Date Range

SCREEN NAME: **REPORTING ACTIVITY NAME**
ACCESS NAME: CSTDN-ORGNZTN-NAME
ENTITY: CUSTODIAN
DESCRIPTIVE NAME: CUSTODIAN'S ORGANIZATION NAME

DATA ELEMENT DEFINITION:

The name of the organization that a specific custodian account number belongs to. Must be on the NPDMS Exception Processing Table-015.

FORMAT: Alphanumeric

LENGTH: 40

EDIT CRITERIA

Entry must be on the NPDMS Custodian Account Exception Processing Table-015.

SCREEN NAME: **REPORTING INSTALL DRMO**
ACCESS NAME: INST-DRMO-RPT-IND
ENTITY: NASA INSTALLATION
DESCRIPTIVE NAME: INSTALLATION DRMO REPORT INDICATOR

DATA ELEMENT DEFINITION:

The field on the Center Profile Table containing the default value indicating reporting responsibility to DRMO.

FORMAT: Alphanumeric

LENGTH: 1

EDIT CRITERIA

Y = yes; Blank = no. Maintained in the Center Profile Table-050.

SCREEN NAME: REPORTING INSTALL GSA

ACCESS NAME: GSA-RPT-IND

ENTITY: GSA

DESCRIPTIVE NAME: GSA REPORT INDICATOR

DATA ELEMENT DEFINITION:

The field on a case record indicating that the property is to be reported to GSA.

FORMAT: Alphanumeric

LENGTH: 1

EDIT CRITERIA

Y = yes; Blank = no. Default maintained in the NPDMS Center Profile Table-050.

SCREEN NAME: REPORTING INSTALL GSA

ACCESS NAME: INST-GSA-RPT-IND

ENTITY: NASA INSTALLATION

DESCRIPTIVE NAME: INSTALLATION GSA REPORT INDICATOR

DATA ELEMENT DEFINITION:

The field in the NPDMS Center Profile Record indicating reporting responsibility to GSA.

FORMAT: Alphanumeric

LENGTH: 1

EDIT CRITERIA

Y = yes; Blank = no. Maintained in the NPDMS Center Profile Table-050.

SCREEN NAME: REPORTING NASA INSTALLATION

ACCESS NAME: INST-RPTNG-NAME

INST-RPTNG-POC-EMAIL-ADRS

Point of Contact Email Address

ENTITY: NASA INSTALLATION

DESCRIPTIVE NAME: REPORTING INSTALLATION NAME

DATA ELEMENT DEFINITION:

The Installation name of the reporting contact person.

FORMAT: Alphanumeric

LENGTH: 40

EDIT CRITERIA

Default maintained in the NPDMS Center Profile Table-050 (INST-DFLT-NAME). If changed, free form but may not be blank.

SCREEN NAME: **REPORTING NASA INSTALLATION NAME**

ACCESS NAME: INST-RPTNG-NAME

INST-RPTNG-POC-EMAIL-ADRS

Point of Contact Email Address

ENTITY: NASA INSTALLATION

DESCRIPTIVE NAME: REPORTING INSTALLATION NAME

DATA ELEMENT DEFINITION:

The Installation name of the reporting contact person.

FORMAT: Alphanumeric

LENGTH: 40

EDIT CRITERIA

Default maintained in the NPDMS Center Profile Table-050 (INST-DFLT-NAME). If changed, free form but may not be blank.

SCREEN NAME: **REPRINT SALES SLIP REPORT**

ACCESS NAME: PROP-SALE-RCPT-IND

ENTITY: PROPERTY

DESCRIPTIVE NAME: GENERATE SALES RECEIPT PROPERTY INDICATOR

DATA ELEMENT DEFINITION:

Indicator automatically set when awarding a local sales sealed bid lot to a specific bidder. Once the sales receipt document is generated, this indicator is reset to 'blank'. This indicator may also be set to re-generate the document through the change sealed bid award process.

FORMAT: Alphanumeric

LENGTH: 1.0

EDIT CRITERIA

'Y' = Generate, 'blank' = don't generate (default)

SCREEN NAME: **REQUESTOR AGENCY ID**

ACCESS NAME: RQSTR-AGNCY-ID

ENTITY: REQUESTOR

DESCRIPTIVE NAME: REQUESTOR AGENCY IDENTIFIER

DATA ELEMENT DEFINITION:

The type of agency requesting property available for transfer, exchange, sale, donation, etc.:

N = NASA activity (including contractors and grantees);

E = Vendor;

F = Other Federal Agency (including contractors and grantees);

D = Donation;

S = Sold.

FORMAT: Alphanumeric

LENGTH: 1

EDIT CRITERIA

User entered, valid codes are 'N', 'E', 'F', 'D', or 'S'.

SCREEN NAME: REQUESTOR NAME

ACCESS NAME: RQSTR-NAME

ENTITY: REQUESTOR

DESCRIPTIVE NAME: REQUESTOR NAME

DATA ELEMENT DEFINITION:

The name of the individual requesting an item of personal property available for transfer, exchange, sale, donation, etc.

FORMAT: Alphanumeric

LENGTH: 30

EDIT CRITERIA

Free form.

SCREEN NAME: RETAIN (Y/N)

ACCESS NAME: NOT MAINTAINED

ENTITY:

DESCRIPTIVE NAME:

DATA ELEMENT DEFINITION:

This field allows for retention of specific user enter data for processing different case records written to a specific disposition transaction.

FORMAT: Alphanumeric

LENGTH: 1

EDIT CRITERIA

The possible values are Y, N or Blank.

SCREEN NAME: ROOM (LCTN)
ACCESS NAME: PROP-LCTN-ROOM-ADRS
ENTITY: IDLE NASA PROPERTY
DESCRIPTIVE NAME: PROPERTY LOCATION ROOM ADDRESS
DATA ELEMENT DEFINITION:
The number of the room where the personal property is located.
FORMAT: Alphanumeric
LENGTH: 5
EDIT CRITERIA
Free form.

SCREEN NAME: ROOM (RQSTR)
ACCESS NAME: RQSTR-ROOM-ADRS
ENTITY: REQUESTOR
DESCRIPTIVE NAME: REQUESTOR ROOM ADDRESS
DATA ELEMENT DEFINITION:
The room number of the individual requesting personal property.
FORMAT: Alphanumeric
LENGTH: 5
EDIT CRITERIA
Free form.

SCREEN NAME: RPTNG INST FAX
ACCESS NAME: INST-FAX-NMBR
ENTITY:
DESCRIPTIVE NAME: REPORTING INSTALLATION FAX TELEPHONE NUMBER
DATA ELEMENT DEFINITION:
The FAX telephone number of the individual to contact at a reporting installation.
FORMAT: Alphanumeric
LENGTH: 10
EDIT CRITERIA
Default maintained on the NPDMS Center Profile Table-050 and displayed at the time of initial add. Modifiable but may not be blank.

SCREEN NAME: SALE ADJUSTMENTS
ACCESS NAME: PROP-TXN-DESC
ENTITY: IDLE NASA PROPERTY
DESCRIPTIVE NAME: PROPERTY TRANSACTION DESCRIPTION

DATA ELEMENT DEFINITION:

Provides for a narrative description of source document information about a transaction of idle NASA property or the authority narrative to transfer or donate property without GSA approval.

FORMAT: Alphanumeric

LENGTH: 240

EDIT CRITERIA

Free form, but must be entered at the time of a Add (E01), Change (E02), or Freeze (F00) transaction if the PROP-FRGN-DSPSL-APRVL-IND is set to 'Y'. In addition, this field must be entered at the time of a T08, or T16, or T20 final disposition transaction.

SCREEN NAME: SALE AMOUNT
ACCESS NAME: PROP-SALE-PRCDS-AMT
ENTITY: IDLE NASA PROPERTY
DESCRIPTIVE NAME: PROPERTY SALE PROCEEDS AMOUNT

DATA ELEMENT DEFINITION:

The amount received as a result of a sale of a single sales lot of property by GSA or NASA, including agent. Once the full PROPERTY BID AMOUNT is received in payment for the personal property, the bid amount becomes (is moved to) the "Proceeds". In most cases proceeds from the sale of personal property shall be deposited into the U.S. Treasury as miscellaneous receipts (see PROP-APRRTN-ACNT-NMBR).

FORMAT: Packed

LENGTH: 10.2

EDIT CRITERIA

Generated (moved) from the NPDMS Sale Bidder Table for T14 (Sold by NASA or Agent). User entered for T15 (Sold by GSA).

SCREEN NAME: SALE CONTRACT NO
ACCESS NAME: PROP-SALE-CNTRCT-NMBR
ENTITY: IDLE NASA PROPERTY
DESCRIPTIVE NAME: PROPERTY SALE CONTRACT NUMBER

DATA ELEMENT DEFINITION:

The contract number of the sale of the item sold by GSA or NASA, including agent.

FORMAT: Alphanumeric
LENGTH: 14
EDIT CRITERIA

SCREEN NAME: SALE DATE
ACCESS NAME: PROP-SALE-DATE
ENTITY: IDLE NASA PROPERTY
DESCRIPTIVE NAME: PROPERTY SALE DATE

DATA ELEMENT DEFINITION:

The calendar date on which the sale process is conducted by the selling activity (GSA or NASA, including agent) to sell personal property. This would be the bid opening day for bid sales or the day of the auction for auction sales.

FORMAT: D

LENGTH:

EDIT CRITERIA

User entered. Display format: MM = 1-12, DD = 1-31 consistent with the month, YY or YYYY = current year. Stored in Internal Date format.

SCREEN NAME: SALE LOT NO
ACCESS NAME: PROP-LOT-NMBR
ENTITY: IDLE NASA PROPERTY
DESCRIPTIVE NAME: LOT NUMBER OF PROPERTY

DATA ELEMENT DEFINITION:

The assigned number designating the lot in which a particular item was included for sale. To the extent practicable, and consistent with the types of property and usual commercial practice, property offered for sale shall be assembled in reasonably sized lots of like or similar items by make (i.e., FSC Group) or manufacturer with the following exceptions:

- 1)- Unused property shall be lotted separately from used (property) items;
- 2)- Scrap and other property having scrap value only shall generally not be included in the same lot with usable items; and
- 3)- each property item authorized for Exchange/Sale shall be lotted as a single item lot except when otherwise authorized under the provisions of FPMR 41 CFR, 101-46.202.

FORMAT: Alphanumeric
LENGTH: 4

EDIT CRITERIA

System generated for Local NASA Sales; user entered for GSA Sales.

SCREEN NAME: SALE METHOD
ACCESS NAME: PROP-SALE-MTHD-ID
ENTITY: IDLE NASA PROPERTY
DESCRIPTIVE NAME: PROPERTY SALE METHOD IDENTIFIER

DATA ELEMENT DEFINITION:

When conducting Limited Sales, holding agencies (NASA) must provide advance notice of the sales offering to the appropriate GSA regional office. Only the competitive bid sales methods (Sealed Bids, Spot Bids, or Auction) will be used by holding agencies to sell personal property (Ref: FPMR 41 CFR, 101-45.304-3). Other types of sales methods include Retail Sales and Negotiated Sales.

FORMAT: Alphanumeric
LENGTH: 1.0

EDIT CRITERIA

Must be entered. Valid values are:

- 1 = Sealed Bid, (Local Sales only)
 - 2 = Spot Bid,
 - 3 = Auction,
 - 4 = Retail Sales,
 - 5 = Negotiated Sales.
-

SCREEN NAME: SALE NO
ACCESS NAME: PROP-SALE-NMBR
ENTITY: IDLE NASA PROPERTY
DESCRIPTIVE NAME: SALE NUMBER OF PROPERTY

DATA ELEMENT DEFINITION:

Unique number assigned by the selling activity (GSA or NASA, including agent) to all sale lots of personal property associated with a specific sale to be conducted on a single day of the year.

FORMAT: Alphanumeric
LENGTH: 14

EDIT CRITERIA

System generated for Local Sales, user entered, free form for GSA sales. If a GSA Sale, the first 6 characters of the sale number may not equal the user's INST-FEDAAC-CODE.

SCREEN NAME: SALE NO OF PROP
ACCESS NAME: PROP-SALE-NMBR
ENTITY: IDLE NASA PROPERTY
DESCRIPTIVE NAME: SALE NUMBER OF PROPERTY

DATA ELEMENT DEFINITION:

Unique number assigned by the selling activity (GSA or NASA, including agent) to all sale lots of personal property associated with a specific sale to be conducted on a single day of the year.

FORMAT: Alphanumeric

LENGTH: 14

EDIT CRITERIA

System generated for Local Sales, user entered, free form for GSA sales. If a GSA Sale, the first 6 characters of the sale number may not equal the user's INST-FEDAAC-CODE.

SCREEN NAME: SALE QTY
ACCESS NAME: PROP-DSPSTN-QTY
ENTITY: IDLE NASA PROPERTY
DESCRIPTIVE NAME: PROPERTY DISPOSITION QUANTITY

DATA ELEMENT DEFINITION:

The number of items requested for a freeze (F00), disposition (T03-T20), or reversal (RT03-RT20) transaction.

FORMAT: Numeric

LENGTH: 5.0

EDIT CRITERIA

Any number from 1-99999, which does not reduce the PROP-CUR-AVLBL-QTY to less than zero.

SCREEN NAME: SALE RECEIPT DOC NO
ACCESS NAME: PROP-SALE-RCPT-DCMNT-NMBR
ENTITY: IDLE NASA PROPERTY
DESCRIPTIVE NAME: PROPERTY SALE RECEIPT DOCUMENT NUMBER

DATA ELEMENT DEFINITION:

Document number of the four-part sale slip generated as an invoice, cash receipt, permanent account record, and/or property release document for each lot sold by NASA or its Agent.

FORMAT: Numeric

LENGTH: 8.0

EDIT CRITERIA

System generated for each lot sold. Position 1-4 is the current Julian date (YDDD format); positions 5-8 is the next available sequence number contained in the Sale Receipt Serial Number Record maintained in the NPDMS Table 135.

SCREEN NAME: **SCHEDULED BY**
ACCESS NAME: SYS-USER-ID: SYS- REC-KEY
ENTITY: SYSTEM
DESCRIPTIVE NAME: SYSTEM USER IDENTIFIER

DATA ELEMENT DEFINITION:

The unique identification code in the User Access Table-001 required by the NPDMS for each user of the system. The code corresponds to the computer system teleprocessing monitor user Id. Access and processing capabilities will be assigned to each NPDMS user by this code. Also used with the SYS-TBL-ID providing access to the NPDMS Table File.

FORMAT: Alphanumeric
LENGTH: 8

EDIT CRITERIA

Installation specific.

SCREEN NAME: **SCREENING METHOD INSTALL**
ACCESS NAME: PROP-INST-SCRNG-MTHD-ID
ENTITY: IDLE NASA PROPERTY
DESCRIPTIVE NAME: INSTALLATION SCREENING METHOD IDENTIFIER FOR PROPERTY

DATA ELEMENT DEFINITION:

Identifies the method of screening to be used by the Installation PDO for property undergoing installation screening: C = NPDMS Catalog F = FAX L = Local N = NEMS only.

FORMAT: Alphanumeric
LENGTH: 1

EDIT CRITERIA

Possible values are 'C', 'F', 'L', 'N'.

SCREEN NAME: **SELECTION (INVENTORY)**
ACCESS NAME: NOT MAINTAINED

ENTITY:

DESCRIPTIVE NAME:

DATA ELEMENT DEFINITION:

This field allows for the selection of a specific Inventory function within Inventory subsystem

FORMAT: Alphanumeric

LENGTH: 1

EDIT CRITERIA

Possible values are 1-6.

SCREEN NAME: SELECTION (MAIN MENU)

ACCESS NAME: NOT MAINTAINED

ENTITY:

DESCRIPTIVE NAME:

DATA ELEMENT DEFINITION:

This field allows for the selection of a specific NPDMS subsystem process.

FORMAT: Alphanumeric

LENGTH: 1

EDIT CRITERIA

Possible values are 1-6 or . (period).

SCREEN NAME: SELECTION (REPORTS MENU)

ACCESS NAME: NOT MAINTAINED

ENTITY:

DESCRIPTIVE NAME:

DATA ELEMENT DEFINITION:

This field allows for the selection of a specific Report function within the Reports Selection subsystem.

FORMAT: Alphanumeric

LENGTH: 1

EDIT CRITERIA

Possible values are 1-5.

SCREEN NAME: SELECTION (SALES PROCESS MENU)
ACCESS NAME: NOT MAINTAINED
ENTITY:
DESCRIPTIVE NAME:
DATA ELEMENT DEFINITION:
This field allows for the selection of a specific Sales function within the Sales subsystem.
FORMAT: Alphanumeric
LENGTH: 1
EDIT CRITERIA
Possible values are 1-10.

SCREEN NAME: SELECTION (TRANSACTION MENU)
ACCESS NAME: NOT MAINTAINED
ENTITY:
DESCRIPTIVE NAME:
DATA ELEMENT DEFINITION:
This field allows for the selection of a specific Transaction function within Transaction Selection subsystem.
FORMAT: Alphanumeric
LENGTH: 1
EDIT CRITERIA
Possible values are 1-11, ? (question mark) , . (period).

SCREEN NAME: SELL BY GSA (Y/N)
ACCESS NAME: GSA-SALE-IND
ENTITY:
DESCRIPTIVE NAME: GSA SALE INDICATOR
DATA ELEMENT DEFINITION:
An indicator associated with a reimbursement code used by federal agencies to instruct GSA either to sell or not to sell property that has been reported to GSA and has survived utilization and donation screening once that screening is completed.
FORMAT: Alphanumeric
LENGTH: 1

EDIT CRITERIA

User entered. Y = To be sold by GSA, N = Not to be sold by GSA. Maintained on the NPDMS Reimbursement Code Table-160.

SCREEN NAME: **SEMO NAME**
ACCESS NAME: INST-SEMO-NAME
ENTITY: NASA INSTALLATION
DESCRIPTIVE NAME: INSTALLATION SUPPLY EQUIPMENT MANAGEMENT
OFFICER'S NAME

DATA ELEMENT DEFINITION:

Contains the name of an installation's Supply Equipment Management Officer. This element will print on the Foreign Disposal Approval Form.

FORMAT: Alphanumeric

LENGTH: 30

EDIT CRITERIA

Free form and Installation specific. Maintained on Center Profile Table-050

SCREEN NAME: **SEQ#**
ACCESS NAME: RPT-EXCTN-SEQ-NMBR
ENTITY: REPORT
DESCRIPTIVE NAME: REPORT EXECUTION SEQUENCE NUMBER

DATA ELEMENT DEFINITION:

The execution sequence number of each NPDMS report.

FORMAT: Packed

LENGTH: 4.0

EDIT CRITERIA

Maintained on the ND-Table-055 file. If scheduled reports will run in the following order:

Report Number	Report Execution Sequence Number
NDM100PA	01
NDR110PA	05
NDR120PA	10
NDR130PA	15
NDR002PA	20
NDR150PA	25

NDR001PA	30
NDR140PA	35
NDR006PA	40
NDR022PA	45
NDR021PA	50
NDM610PA	100
NDR003PA	100
NDR004PA	100
NDR005PA	100
NDR007PA	100
NDR008PA	100
NDR009PA	100
NDR010PA	100
NDR011PA	100
NDR012PA	100
NDR013PA	100
NDR014PA	100
NDR015PA	100
NDR016PA	100
NDR017PA	100
NDR018PA	100
NDR019PA	100
NDR020PA	100
NDR023PA	100
NDR024PA	100
NDR025PA	100
NDR026PA	100
NDR027PA	100
NDR160PA	100
NDR170PA	100
NDR180PA	100
NDR190PA	100
NDR200PA	100
NDR210PA	100
NDR220PA	100
NDR230PA	100

Any site unique reports	100
NDM200PA	9800
NDM300PA	9999

SCREEN NAME: SEQ
ACCESS NAME: NOT MAINTAINED
ENTITY:

DESCRIPTIVE NAME:

DATA ELEMENT DEFINITION:

The sequence (line number) on a screen listing one or more report number.

FORMAT: Numeric

LENGTH: 2.0

EDIT CRITERIA

System generated.

SCREEN NAME: SEQUENCE NUMBER
ACCESS NAME: NOT MAINTAINED
ENTITY:

DESCRIPTIVE NAME:

DATA ELEMENT DEFINITION:

A specific sequence number from a screen listing of one or more report number.

FORMAT: Numeric

LENGTH: 2.0

EDIT CRITERIA

System generated.

SCREEN NAME: SERIAL NO
ACCESS NAME: PROP-MFG-SERIAL-NMBR
ENTITY: IDLE NASA PROPERTY
DESCRIPTIVE NAME: PROPERTY MANUFACTURER SERIAL NUMBER

DATA ELEMENT DEFINITION:

A unique number assigned by the manufacturer to each item of equipment or supply.

FORMAT: Alphanumeric

LENGTH: 20

EDIT CRITERIA

Optional entry, free form. As provided from NEMS for controlled property. Provided if known by NSMS for supply property.

SCREEN NAME: **SHELF LIFE CODE**

ACCESS NAME: PROP-SHELF-LIFE-EXTNSN-CODE;SYS-REC-KEY

ENTITY: IDLE NASA PROPERTY

DESCRIPTIVE NAME: SHELF LIFE EXTENSION CODE OF PROPERTY

DATA ELEMENT DEFINITION:

An individual item of supply having an assigned shelf-life time period that may be extended after completion of inspection/test/restorative action.

FORMAT: Alphanumeric

LENGTH: 1

EDIT CRITERIA

0 = Non-deteriorative item;

1 = 3 months;

2 = 6 months;

3 = 9 months;

4 = 12 months;

5 = 18 months;

6 = 24 months;

7 = 36 months;

8 = 48 months;

9 = 60 months;

X = items with a shelf-life period greater than 60 months.

SCREEN NAME: **SHELF LIFE PERIOD**

ACCESS NAME: PROP-SHELF-LIFE-DRTN

ENTITY: IDLE NASA PROPERTY

DESCRIPTIVE NAME: SHELF LIFE DURATION OF PROPERTY

DATA ELEMENT DEFINITION:

The time frame (in months) by which an item must be used. 'X' is a shelf-life period greater than 60 months; '0' is a non-deteriorative item; and the remaining are actual number of months.

FORMAT: Alphanumeric

LENGTH: 2

EDIT CRITERIA

Possible values are 'X', 'O' and '1' through '60'; must be unique.

SCREEN NAME: **SHELF LIFE TYPE**

ACCESS NAME: PROP-SHELF-LIFE-CLSFCTN-ID

ENTITY: PROPERTY

DESCRIPTIVE NAME: SHELF LIFE PROPERTY CLASSIFICATION IDENTIFIER

DATA ELEMENT DEFINITION:

A code used for Supply and Materials Inventory property to indicate the perishability of personal property

FORMAT: Alphanumeric

LENGTH: 1.0

EDIT CRITERIA

0 - Non-Materials Inventory Excess, and those Materials Inventory not requiring a Shelf-Life-Expiration-Date or a Shelf-Life-Extended-Date.

1 - items which have a finite storage life after which they are no longer considered usable for their primary function and must be reported in no better than scrap.

2 - those items for which successive reinspection dates can be established, when the item has continued usability as determined by explanation based on established criteria.

SCREEN NAME: **SHIPPING (ADDITIONAL DATA CODE)**

ACCESS NAME: DRMO-SHPNG-CODE; SYS-REC-KEY

ENTITY: DRMO

DESCRIPTIVE NAME: DRMO SHIPPING CODE

DATA ELEMENT DEFINITION:

Additional DRMO shipping information to appear on DD-1348-1A.

FORMAT: Alphanumeric

LENGTH: 3

EDIT CRITERIA

Maintained in the NPDMS DRMO Additional Data Codes Table-095.

SCREEN NAME: SHIPPING EXPL
ACCESS NAME: DRMO-SHPNG-TEXT
ENTITY: DRMO
DESCRIPTIVE NAME: DRMO SHIPPING EXPLANATION TEXT
DATA ELEMENT DEFINITION:
Textual explanation of additional DRMO shipping information on the DD-1348-1A.
FORMAT: Alphanumeric
LENGTH: 150
EDIT CRITERIA
Free form.

SCREEN NAME: SINGLE CASE TO COMPONENT
ACCESS NAME: PROP-CASE-NMBR
ENTITY: IDLE NASA PROPERTY
DESCRIPTIVE NAME: PROPERTY CASE NUMBER
DATA ELEMENT DEFINITION:
The aggregate number automatically assigned by NPDMS to uniquely identify the case. This field consists of the INST-FEDAAC-CODE; the Julian date (YDDD); CMPNT-IND; and the SYS-CASE-SERIAL-NMBR. The current available serial number is contained in the Property Case Number Serial Number Record maintained in the NPDMS Table-100 for each subinstallation. This table is reset starting each day with 001.
FORMAT: Alphanumeric
LENGTH: 14
EDIT CRITERIA
Generated. Positions 1-6 are the INST-FEDAAC-CODE (GSA FEDSTRIP number); positions 7-10 are numeric; position 11 will be either 'C' if a Component System or 'S' if a single case record; positions 12-14 are alphanumeric.

NOTE: The three positions of the serial number would be used numerically up to 999. After that the first position "A" and proceed thru the alphabet and the last 2 positions will start over at 01.

SCREEN NAME: SPECIAL FORMS (CENTER)
ACCESS NAME: INST-SPCL-FORM-ID
ENTITY: NASA INSTALLATION
DESCRIPTIVE NAME: INSTALLATION SPECIAL FORM IDENTIFIER

DATA ELEMENT DEFINITION:

The default form identifier for a specific NPDMS report or maintenance job.

FORMAT: Alphanumeric

LENGTH: 10

EDIT CRITERIA

Installation specific. Maintained in the NPDMS Center Profile Table-050.

SCREEN NAME: **SPECIAL FORMS (REPORT)**

ACCESS NAME: RPT-SPCL-FORM-ID

ENTITY: REPORT

DESCRIPTIVE NAME: REPORT SPECIAL FORM IDENTIFIER

DATA ELEMENT DEFINITION:

This field will contain the form type designation for a specific NPDMS report or maintenance job.

FORMAT: Alphanumeric

LENGTH: 10

EDIT CRITERIA

Installation specific. The default is maintained in the NPDMS Center Profile Table-050.

SCREEN NAME: **SRPLS**

ACCESS NAME: SYS-SRPLS-DAYS-CNT

ENTITY: SYSTEM

DESCRIPTIVE NAME: SYSTEM COUNT OF SURLUS PROPERTY DONATION
SCREENING DAYS

DATA ELEMENT DEFINITION:

System count of the default number of calendar days that surplus property undergoes the required donation screening.

FORMAT: P

LENGTH: 3.0

EDIT CRITERIA

Default maintained on ND-Table 155 and modifiable. At the time of an initial NPDMS add, this count is added to the SRPLSPROP-DNTN-BGN-DATE to establish the SRPLSPROP-DNTN-END-DATE.

SCREEN NAME: **START DATE (IND)**
ACCESS NAME: RPT-BGN-DATE-IND
ENTITY:
DESCRIPTIVE NAME: REPORT BEGIN DATE INDICATOR
DATA ELEMENT DEFINITION:
Indicates if a report beginning date is a required entry for a specific NPDMS report.
FORMAT: Alphanumeric
LENGTH: 1
EDIT CRITERIA
O = Required for on-request reports.
R = Required on a regularly scheduled report.
B = Required for both on-request and regularly scheduled reports.
Blank space = not required.

SCREEN NAME: **STATE (ABNDSTRYD)**
ACCESS NAME: PROP-ABNDSTRYD-STATE-CODE
ENTITY: IDLE NASA PROPERTY
DESCRIPTIVE NAME: ABANDONED OR DESTROYED PROPERTY SITE STATE
CODE
DATA ELEMENT DEFINITION:
The 2 character state abbreviation code of the site where property was abandoned or destroyed.
FORMAT: Alphanumeric
LENGTH: 2
EDIT CRITERIA
Must be in the NPDMS State Table-150.

SCREEN NAME: **STATE (BIDDER)**
ACCESS NAME: PROP-BIDDER-STATE-CODE
ENTITY: IDLE NASA PROPERTY
DESCRIPTIVE NAME: PROPERTY BIDDER STATE CODE
DATA ELEMENT DEFINITION:
The 2 character state abbreviation code where the individual or organization/company submitting a competitive bid for consideration to acquire a specific property lot offered for sale is located.
FORMAT: Alphanumeric
LENGTH: 2

EDIT CRITERIA

User entered. Must match NPDMS State Code Table-150. If a particular bidder is awarded the sale, this field is moved to the RQSTR-STATE-COSE on the transaction record.

SCREEN NAME: STATE (DRMO DODAAC)
ACCESS NAME: DRMO-DODAAC-STATE-CODE
ENTITY: DRMO
DESCRIPTIVE NAME: DRMO DODAAC STATE CODE

DATA ELEMENT DEFINITION:

The 2 character state abbreviation where a particular DODAAC is located.

FORMAT: Alphanumeric

LENGTH: 2

EDIT CRITERIA

Must be in the NPDMS State Table-150.

SCREEN NAME: STATE (GSA)
ACCESS NAME: GSA-STATE-CODE
ENTITY: GSA
DESCRIPTIVE NAME: GSA STATE CODE

DATA ELEMENT DEFINITION:

The 2 character state abbreviation where a particular GSA Office is located.

FORMAT: Alphanumeric

LENGTH: 2

EDIT CRITERIA

Maintained in the NPDMS GSA Region Table-005.

SCREEN NAME: STATE (INST)
ACCESS NAME: INST-STATE-CODE
ENTITY: NASA INSTALLATION
DESCRIPTIVE NAME: INSTALLATION STATE CODE

DATA ELEMENT DEFINITION:

The 2 character state abbreviation where a particular NASA Installation is located.

FORMAT: Alphanumeric

LENGTH: 2

EDIT CRITERIA

Must be on NPDMS State Code Table-150. Maintained in the NPDMS Center Profile Table-050.

SCREEN NAME: STATE (RECIPIENT)

ACCESS NAME: RCPNT-ADRS-STATE-CODE

ENTITY:

DESCRIPTIVE NAME: RECIPIENT STATE CODE

DATA ELEMENT DEFINITION:

The 2 character state abbreviation where a particular property recipient is located.

FORMAT: Alphanumeric

LENGTH: 2

EDIT CRITERIA:

Must be in NPDMS State Code Table-150. Maintained in NPDMS Recipient Table-170.

SCREEN NAME: STATE (INST RPTNG CNTCT)

ACCESS NAME: INST-RPTNG-CNTCT-STATE-CODE

ENTITY: NASA INSTALLATION

DESCRIPTIVE NAME: REPORTING INSTALLATION CONTACT STATE CODE

DATA ELEMENT DEFINITION:

The 2 character state abbreviation where the reporting installation's contact is located.

FORMAT: Alphanumeric

LENGTH: 2

EDIT CRITERIA

Default maintained in the NPDMS Center Profile Table-050 (INST-STATE-CODE). If changed, must match NPDMS State Code Table-150.

SCREEN NAME: STATE (PROPERTY LOCATION)

ACCESS NAME: PROP-LCTN-STATE-CODE

ENTITY: IDLE NASA PROPERTY

DESCRIPTIVE NAME: PROPERTY LOCATION STATE CODE

DATA ELEMENT DEFINITION:

The 2 character state abbreviation where a particular item of property is located.

FORMAT: Alphanumeric

LENGTH: 2

EDIT CRITERIA

Generated (pulled) from Center Profile Table (INST-STATE-CODE) and modifiable. Must correspond to the abbreviations found in State Code Table-150.

SCREEN NAME: STATE (RQSTR)

ACCESS NAME: RQSTR-STATE-CODE

ENTITY: REQUESTOR

DESCRIPTIVE NAME: REQUESTOR STATE CODE

DATA ELEMENT DEFINITION:

The 2 character state abbreviation where a particular Requestor is located.

FORMAT: Alphanumeric

LENGTH: 2

EDIT CRITERIA

Must be in the NPDMS State Code Table-150.

SCREEN NAME: STATUS

ACCESS NAME: RPT-STS-CODE

ENTITY: REPORT

DESCRIPTIVE NAME: REPORT STATUS CODE

DATA ELEMENT DEFINITION:

This field contains the execution status for a specific NPDMS report or maintenance job.

P = Postpone

C = Cancel

Blank space = on schedule

FORMAT: Alphanumeric

LENGTH: 1

EDIT CRITERIA

P = Postpone; C = Cancel; Blank = On Schedule.

SCREEN NAME: **STATUS CODE**
ACCESS NAME: PROP-Y2K-STS-CODE
ENTITY:
DESCRIPTIVE NAME: PROPERTY Y2K STATUS CODE

DATA ELEMENT DEFINITION:

This field contains the year 2000 compliancy status of property items with an FSG of 65 (Medical) or 70 (ADP equipment). Valid values are:

Y = Y2K Compliant

N = Not Y2K Compliant

U = Unknown Status

FORMAT: Alphanumeric

LENGTH: 1

EDIT CRITERIA:

Must be entered for FSGs 65 (Medical) and 70 (ADP equipment). Y = Y2K Compliant, N = Not Y2K Compliant, U = Unknown Status.

SCREEN NAME: **STD**
ACCESS NAME: NEMS-STNDRD-ITEM-NAME-IND
ENTITY: NEMS
DESCRIPTIVE NAME: NEMS STANDARD ITEM NAME INDICATOR

DATA ELEMENT DEFINITION:

The indicator set by the item name standardization process initiated by the NEMS Central Cataloger. When it is present the PROP-ITEM-NAME in the NPDMS cannot be altered through the Add or Change Processes.

FORMAT: Alphanumeric

LENGTH: 1

EDIT CRITERIA

Y = Yes; Blank = No. Default is blank for no.

SCREEN NAME: **STOCK STATUS CODE**
ACCESS NAME: PROP-STOCK-STS-CODE
ENTITY: STOCK
DESCRIPTIVE NAME: STOCK STATUS PROPERTY CODE

DATA ELEMENT DEFINITION:

This field contains the account status of all property items, which are reported on the Property Held by the Property Disposal Officer Report.

1 = Store Stock (NSMS Account 1210): Material being held in inventory by an installation that is repetitively procured, stored and issued on the basis of recurring demand.

2 = Program Stock (NSMS Account 1230): Material acquired, by direct purchase or by issue from Stores Stock, for a specific program and stored until required by the program.

3 = Stand-By-Stock (NSMS Account 1220): Material held for emergencies.

4 = Capitalized Equipment (NEMS Account 1550, Cap Sense code = 'M' or 'P'): Equipment with unit cost of \$5,000 or more and a useful life of two years or more, which will not be consumed in an experiment.

5 = All other property not meeting criteria for codes 1, 2, 3, 4.

FORMAT: Alphanumeric

LENGTH: 1

EDIT CRITERIA

1 = Store Stock; 2 = Program Stock; 3 = Stand-By-Stock; 4 = Capitalized Equipment; 5 = All other.

SCREEN NAME: SUPPLEMENTARY ADDRESS

ACCESS NAME: DRMO-DODAAC-CODE; SYS-REC-KEY

ENTITY: DRMO

DESCRIPTIVE NAME: DRMO DEPARTMENT OF DEFENSE AREA ACTIVITY CODE

DATA ELEMENT DEFINITION:

The Department of Defense Area Activity Code which uniquely identifies the various Defense Reutilization and Marketing Service Activities.

FORMAT: Alphanumeric

LENGTH: 6

EDIT CRITERIA

Maintained in the NPDMS DRMO DODAAC Code Table - 010.

SCREEN NAME: SUPPLY CONDITION CODE

ACCESS NAME: SYS-REC-KEY

ENTITY: SYSTEM

DESCRIPTIVE NAME: SYSTEM RECORD KEY

DATA ELEMENT DEFINITION:

The values used with the SYS-TBL-ID providing access to the NPDMS Table File Records.

FORMAT: Alphanumeric

LENGTH: 10

EDIT CRITERIA

SYS-USER-ID for the User Access Table-001;
GSA-RGN-CODE for the GSA Region Table-005;
DRMO-DODAAC-CODE for the DRMO Routing Identifier Code Table-010;
CSTDN-ACNT-NMBR for the Exception Processing Table-015;
PROP-FSC-CODE for the Federal Supply Classification Code Table-020;
PROP-UOM-CODE for the Unit of Measure Table-025;
PROP-SPLY-CNDTN-CODE for the Supply Condition Code Table-030;
PROP-DSPSL-CNDTN-CODE for the Disposal Condition Code Table-035;
INST-FEDAAC-CODE for the Performance Measures Table-040;
PROP-DML-CODE for the Demilitarization Code Table-045;
INST-NMBR for the Center Profile Table-050;
INST-NMBR for Property Location Table-051;
INST-NMBR, RPT-MAINT-JOB-TYPE & RPT-MAINT-JOB-NMBR for the Report/Maintenance Selection Table-055;
NSMS-FIXED-SHELF-LIFE-CODE for Fixed Shelf Life Code Table-060;
NSMS-SHELF-LIFE-EXTNSN-CODE for Shelf Life Extension Code Table-062;
PROP-HAZMAT-CODE for Hazardous Materials Code Table-065;
DRMO-CNTRLD-INV-ITEM-CODE for the Controlled Inventory Item Code Table-070;
PROP-ADP-CTGRY-ID for the ADPE ID Code Table-075;
PROP-PRCS-MTLS-CODE for the Precious Metals Code Table-080;
PROP-MMAC-CODE for the MMAC Table-085;
DRMO-DSPSL-ATHRTY-CODE for the Disposal Authority Code Table-090;
DRMO ADDITIONAL DATA CODE for the DRMO Additional Data Code Table-095;
'ECN' & INST-NMBR for the Excess Case Number Serial Number Record-100;
INST-NMBR for Installation Code Table-105;
'ERN' & INST-NMBR for the Entry Reference Number Serial Number Record-110;
'DOD' and INST-NMBR for the DRMO 1348 Serial Number Record-112;
'SAL' and INST-NMBR for the Sale Number Serial Number Record-113;
'NEM' & INST-NMBR for the NP/NEMS Entry Reference Number Serial Number Record-115;
INST-NMBR & RPT-END-DATE for the Monthly 623 Report Balance Record-120;
INST-NMBR & RPT-END-DATE for the Annual 623 Report Balance Record-125;
INST-NMBR & RPT-END-DATE for the 1800 Report Balance Record-130;
'RCT' & INST-NMBR for the Sale Slip Serial Number Record-135;
RPT-MAINT-JOB-TYPE & RPT-MAINT-JOB-NMBR for the JCL Table-140;
PRINTER DESTINATION CODE for the Printer Destination Table-145;
STATE ABBREVIATION for the State Table-150;
INST-NMBR and PROPERTY TYPE for Screening Days Table-155;
INST-DFLT-REIM-CODE for Reimbursement Code Table-160;
PROP-HAZMAT-IND for Hazardous Material Indicator Code Table-165;
RECIPIENT-CODE for Recipient Name Table-170;
RCPNT-TYPE-CODE for Transfer Type Table-180;
RCPNT-SUBTYPE-CODE for Transfer Subtype Table-190.

SCREEN NAME: SURPLUS REL DT
ACCESS NAME: GSA-SRD-DATE

ENTITY: GSA
DESCRIPTIVE NAME: GSA SURPLUS RELEASE DATE

DATA ELEMENT DEFINITION:

For reportable ADPE >= 1 million dollars and not outdated, the calendar date provided by the GSA indicating when the NASA excess personal property will reach Surplus Status. During the first 21 days an item is in surplus, it becomes available for donation. After that it is identified to GSA as available for sale. When electronically reporting NASA excess to GSA, this date is reported in the A type record at the time the GSA dataset is generated by NPDMS.

FORMAT: D

LENGTH:

EDIT CRITERIA

User entered when GSA supplied via the Enter SRD transaction process for reportable ADPE >= 1 million dollars and not outdated; else reported in the A type record at the time the GSA dataset is generated. Display format: MM/DD/YY or MM/DD/YYYY. Stored in the Internal Date format. If user entered, the new SRD will be moved to this field and to the PROP-OFA-END-DATE on the case/item record(s).

SCREEN NAME: SURPLUS RELEASE DATE
ACCESS NAME: GSA-SRD-DATE
ENTITY: GSA
DESCRIPTIVE NAME: GSA SURPLUS RELEASE DATE

DATA ELEMENT DEFINITION:

For reportable ADPE >= 1 million dollars and not outdated, the calendar date provided by the GSA indicating when the NASA excess personal property will reach Surplus Status. During the first 21 days an item is in surplus, it becomes available for donation. After that it is identified to GSA as available for sale. When electronically reporting NASA excess to GSA, this date is reported in the A type record at the time the GSA dataset is generated by NPDMS.

FORMAT: D

LENGTH:

EDIT CRITERIA

User entered when GSA supplied via the Enter SRD transaction process for reportable ADPE >= 1 million dollars and not outdated; else reported in the A type record at the time the GSA dataset is generated. Display format: MM/DD/YY or MM/DD/YYYY. Stored in the Internal Date format. If user entered, the new SRD will be moved to this field and to the PROP-OFA-END-DATE on the case/item record(s).

SCREEN NAME: SURVEY BOARD CHAIRPERSON NAME
ACCESS NAME: INST-SRVY-BRD-CHRPNSN-NAME

ENTITY: NASA INSTALLATION

DESCRIPTIVE NAME: INSTALLATION SURVEY BOARD CHAIRPERSON NAME

DATA ELEMENT DEFINITION:
Contains the name of an installation's Property Survey Board Chairperson. This element will print on either the NASA Form 811, 812, or Foreign Disposal Approval Form.

FORMAT: Alphanumeric

LENGTH: 30

EDIT CRITERIA
Free form and Installation specific. Maintained on Center Profile Table-050.

SCREEN NAME: SURVEY BOARD MEMBER NAME 1

ACCESS NAME: INST-SRVY-BRD-MBR1-NAME

ENTITY: NASA INSTALLATION

DESCRIPTIVE NAME: INSTALLATION SURVEY BOARD MEMBER NAME 1

DATA ELEMENT DEFINITION:
Contains the name of an installation's Property Survey Board Member. This element will print on either the NASA Form 811, 812, or Foreign Disposal Approval Form.

FORMAT: Alphanumeric

LENGTH: 30

EDIT CRITERIA
Free form and Installation specific. Maintained on Center Profile Table-050.

SCREEN NAME: SURVEY BOARD MEMBER NAME 2

ACCESS NAME: INST-SRVY-BRD-MBR2-NAME

ENTITY: NASA INSTALLATION

DESCRIPTIVE NAME: INSTALLATION SURVEY BOARD MEMBER NAME 2

DATA ELEMENT DEFINITION:
Contains the name of an installation's Property Survey Board Member. This element will print on either the NASA Form 811, 812, or Foreign Disposal Approval Form.

FORMAT: Alphanumeric

LENGTH: 30

EDIT CRITERIA
Free form and Installation specific. Maintained on Center Profile Table-050.

SCREEN NAME: SURVEY BOARD MEMBER NAME 3
ACCESS NAME: INST-SRVY-BRD-MBR3-NAME
ENTITY: NASA INSTALLATION
DESCRIPTIVE NAME: INSTALLATION SURVEY BOARD MEMBER NAME 3
DATA ELEMENT DEFINITION:
Contains the name of an installation's Property Survey Board Member. This element will print on either the NASA Form 811, 812, or Foreign Property Disposal Form.
FORMAT: Alphanumeric
LENGTH: 30
EDIT CRITERIA
Free form and Installation specific. Maintained on Center Profile Table-050.

SCREEN NAME: SURVEY COMMENTS
ACCESS NAME: PROP-SRVY-TEXT
ENTITY:
DESCRIPTIVE NAME: PROPERTY SURVEY TEXT
DATA ELEMENT DEFINITION:
The PDO's comments (in text form) about the survey results of a scrap/salvage or abandonment/destruction transaction.
FORMAT: Alphanumeric
LENGTH: 72 (1:4)
EDIT CRITERIA
User entered free form with no edit check. Comments would print in Sec 5 on the NASA 811 or in Sec 4 and 5 of the NASA 812. Stored on the NPDMS Text Descriptions file in a MU file with up to 4 occurrences.

SCREEN NAME: SURVEY REPORT NO
ACCESS NAME: PROP-SRVY-RPT-NMBR
ENTITY: IDLE NASA PROPERTY
DESCRIPTIVE NAME: PROPERTY SURVEY REPORT NUMBER
DATA ELEMENT DEFINITION:
The number of the survey report entered on a T04 transaction documenting the disposal of property for which the PDO has accepted responsibility and was lost, damaged, or destroyed.
FORMAT: Alphanumeric
LENGTH: 8

EDIT CRITERIA

Free form but must be entered on a final (T04) disposition transaction.

SCREEN NAME: **TABLE ID**
ACCESS NAME: SYS-TBL-ID
ENTITY: SYSTEM
DESCRIPTIVE NAME: SYSTEM TABLE IDENTIFIER

DATA ELEMENT DEFINITION:

The three-digit value that uniquely identifies the tables and records maintained in the NPDMS Table File.

FORMAT: Alphanumeric
LENGTH: 3

EDIT CRITERIA

001 = User Access Table;
005 = GSA Region Table;
010 = DRMO DODAAC Table;
015 = Exception Processing Table;
020 = Federal Supply Classification Code Table;
025 = Unit of Measure Table;
030 = Supply Condition Code Table;
035 = Disposal Condition Code Table;
040 = Performance Measures Table;
045 = Demilitarization Code Table;
050 = Center Profile Table;
051 = Property Location Table;
055 = Report/Maintenance Table;
060 = Fixed Shelf Life Code Table;
062 = Shelf Life Extension Code Table;
065 = Hazardous Materials Code Table;
070 = Controlled Inventory Item Code Table;
075 = ADPE Identification Code Table;
080 = Precious Metals Code Table;
085 = Materiel Management Aggregation Code Table;
090 = DRMO Disposal Authority Code Table;
095 = DRMO Additional Data Code Table;
100 = Property Case Number Serial Number Record;
105 = Installation Code Table;
110 = Entry Reference Number Serial Number Record;
112 = DRMO 1348 Serial Number Record;
113 = Sale Number Serial Number Record;
115 = NEMS Entry Reference Number Serial Number Record;
120 = Monthly 623 Report Balance Record;
125 = Annual 623 Report Balance Record;
130 = 1800 Report Balance Record;
135 = Sale Slip Serial Number Record;

140 = JCL Table;
145 = Printer Destination Table;
150 = State Code Table;
155 = Screening Days Table;
160 = Reimbursement Code Table;
165 = Hazardous Materials Indicator Codes Table;
170 = Recipient Name Table;
180 = Transfer Type Table;
190 = Transfer Subtype Table.
'DEL' = a deleted table record.

SCREEN NAME: TAG NO
ACCESS NAME: CNTRCTR-PROP-TAG-NMBR
ENTITY: CONTRACTOR
DESCRIPTIVE NAME: CONTRACTOR PROPERTY TAG NUMBER

DATA ELEMENT DEFINITION:

A unique identification number assigned by the contractor and affixed to each item of NASA-owned contractor-held, controlled equipment.

FORMAT: Alphanumeric

LENGTH: 13

EDIT CRITERIA

May not be entered if CNTRCTR-PROP-TAG-NMBR not equal 'Y' else, any number of characters, but no imbedded spaces.

SCREEN NAME: TECH DESC
ACCESS NAME: NSMS-TECH-DESC
ENTITY: NSMS
DESCRIPTIVE NAME: NSMS TECHNICAL DESDCRIPTION

DATA ELEMENT DEFINITION:

The technical descriptive data on a NSMS stock item's characteristics such as color, length, weight, voltage, etc. May also be used to further describe other types of Idle NASA Property.

FORMAT: Alphanumeric

LENGTH: 66 (1:50)

EDIT CRITERIA

Provided by NSMS (TECHNICAL-DESC) during electronic interface and stored on the NPDMS Text Descriptions File in an MU field with up to 50 occurrences.

SCREEN NAME: TECH HEADERS
ACCESS NAME: NSMS-TECH-HDRS-TEXT
ENTITY: NSMS
DESCRIPTIVE NAME: NSMS TECHNICAL DESCRIPTION HEADERS TEXT

DATA ELEMENT DEFINITION:

The Header (name) for each piece of technical descriptive data on NSMS property. May also be used to further describe other types of Idle NASA Property.

FORMAT: Alphanumeric

LENGTH: 66 (1:4)

EDIT CRITERIA

Provided by NSMS (HEADERS) during electronic interface and stored on the NPDMS Text Descriptions File in an MU field with up to 4 occurrences.

SCREEN NAME: TERMINATION DT
ACCESS NAME: PROP-TRMNTN-DATE
ENTITY: IDLE NASA PROPERTY
DESCRIPTIVE NAME: PROPERTY TERMINATION DATE

DATA ELEMENT DEFINITION:

When the quantity of an item of personal property reaches zero, this field will be updated with the current date to indicate that the case is closed.

FORMAT: D

LENGTH:

EDIT CRITERIA

Generated. Display format: MM/DD/YY or MM/DD/YYYY. Stored in Internal Date format.

SCREEN NAME: TEXT (TRANSFER SUBTYPE)

ACCESS NAME: TRNSFR-SUBTYPE-TEXT

ENTITY:

DESCRIPTIVE NAME: TRANSFER SUBTYPE TEXT

DATA ELEMENT DEFINITION:

Textual explanation for the subtype of transfer.

FORMAT: Alphanumeric

LENGTH: 25

EDIT CRITERIA:

Free form.

SCREEN NAME: TEXT (TRANSFER TYPE)

ACCESS NAME: TRNSFR-TYPE-TEXT

ENTITY:

DESCRIPTIVE NAME: TRANSFER TYPE TEXT

DATA ELEMENT DEFINITION:

Textual explanation for the type of transfer.

FORMAT: Alphanumeric

LENGTH: 25

EDIT CRITERIA:

Free form.

SCREEN NAME: TITLE

ACCESS NAME: PROP-CNDTN-CODE-DESC

ENTITY: IDLE NASA PROPERTY

DESCRIPTIVE NAME: PROPERTY CONDITION CODE DESCRIPTION

DATA ELEMENT DEFINITION:

This field contains the brief description of a specific supply or disposal condition code.

FORMAT: Alphanumeric

LENGTH: 45

EDIT CRITERIA

Maintained in the NPDMS Supply Condition Code Table-030 or Disposal Condition Code Table-035.

SCREEN NAME: TOT ACQ COST
ACCESS NAME: CMPNT-ACQSTN-COST-AMT
ENTITY: COMPONENT SYSTEM
DESCRIPTIVE NAME: COMPONENT SYSTEM ACQUISITION COST AMOUNT

DATA ELEMENT DEFINITION:

The total acquisition cost of a particular component system. This value is the sum of each component system item's PROP-ADJSTD-ACQSTN-COST-AMT times the item's PROP-CUR-AVLBL-QTY.

NOTE: Each property item in a component system will have a PROP-ADJSTD-ACQSTN-COST-AMT.

FORMAT: Packed
LENGTH: 11.2
EDIT CRITERIA
Calculated.

SCREEN NAME: TOT COMPONENTS
ACCESS NAME: CMPNT-ITEM-SEQ-NMBR
ENTITY: COMPONENT SYSTEM
DESCRIPTIVE NAME: COMPONENT SYSTEM ITEM SEQUENCE NUMBER

DATA ELEMENT DEFINITION:

The field containing the highest Component System PROP-ITEM-ID for a specific PROP-CASE-NMBR.

FORMAT: Numeric
LENGTH: 2.0
EDIT CRITERIA
Generated, 01-99.

SCREEN NAME: TOTAL ACQ COST
ACCESS NAME: CMPNT-ACQSTN-COST-AMT
ENTITY: COMPONENT SYSTEM
DESCRIPTIVE NAME: COMPONENT SYSTEM ACQUISITION COST AMOUNT

DATA ELEMENT DEFINITION:

The total acquisition cost of a particular component system. This value is the sum of each component system item's PROP-ADJSTD-ACQSTN-COST-AMT times the item's PROP-CUR-AVLBL-QTY.

NOTE: Each property item in a component system will have a PROP-ADJSTD-ACQSTN-COST-AMT.

FORMAT: Packed

LENGTH: 11.2

EDIT CRITERIA

Calculated.

SCREEN NAME: TOTAL ACQ COST (DSPSTN ACQSTN)

ACCESS NAME: PROP-DSPSTN-ACQSTN-COST-AMT

ENTITY: IDLE NASA PROPERTY

DESCRIPTIVE NAME: PROPERTY DISPOSITION ACQUISITION COST AMOUNT

DATA ELEMENT DEFINITION:

The dollar amount of items requested for reutilization, transfer, survey, or scrap on a freeze (F00), disposition (T03-T20), or reversal (RT03-RT20) transaction. Derived by multiplying the PROP-ADJSTD-ACQSTN-COST-AMT by the PROP-DSPSTN-QTY.

FORMAT: Packed

LENGTH: 10.2

EDIT CRITERIA

Calculated.

SCREEN NAME: TOTAL COMPONENTS

ACCESS NAME: CMPNT-ITEM-SEQ-NMBR

ENTITY: COMPONENT SYSTEM

DESCRIPTIVE NAME: COMPONENT SYSTEM ITEM SEQUENCE NUMBER

DATA ELEMENT DEFINITION:

The field containing the highest Component System PROP-ITEM-ID for a specific PROP-CASE-NMBR.

FORMAT: Numeric

LENGTH: 2.0

EDIT CRITERIA

Generated, 01-99.

SCREEN NAME: TOTAL NUMBER OF COMPONENTS
ACCESS NAME: NOT MAINTAINED
ENTITY:
DESCRIPTIVE NAME:
DATA ELEMENT DEFINITION:
This field contains the total number of active items for a component system.
FORMAT: Numeric
LENGTH: 2.0
EDIT CRITERIA
Calculated, 01-99.

SCREEN NAME: TOTAL NUMBER OF COMPONENTS
ACCESS NAME: NOT MAINTAINED
ENTITY:
DESCRIPTIVE NAME:
DATA ELEMENT DEFINITION:
The total number of item records associated with a specific property case number.
FORMAT: Numeric
LENGTH: 2.0
EDIT CRITERIA
System generated.

SCREEN NAME: TOTAL NUMBER OF COMPONENTS
ACCESS NAME: NOT MAINTAINED
ENTITY:
DESCRIPTIVE NAME:
DATA ELEMENT DEFINITION:
The total number of item records associated with a specific property case number.
FORMAT: Numeric
LENGTH: 2.0

EDIT CRITERIA

System generated.

SCREEN NAME: TRADE-IN AMT RECEIVED
ACCESS NAME: EXCHNGSL-ALWNC-RCVD-AMT
ENTITY: EXCHANGE/SALE PROPERTY
DESCRIPTIVE NAME: EXCHANGE PROPERTY ALLOWANCE AMOUNT RECEIVED

DATA ELEMENT DEFINITION:

The amount received as a reduction to the normal purchase cost of new property, as the result of providing an exchange consisting of used property to the vendor.

FORMAT: Packed

LENGTH: 10.2

EDIT CRITERIA

Any dollar amount greater than zero.

SCREEN NAME: TRANS DATE
ACCESS NAME: NOT MAINTAINED
ENTITY:
DESCRIPTIVE NAME:

DATA ELEMENT DEFINITION:

The Julian date portion of PROP-ERN-NMBR, Positions 3-6. This field is used on ND4000MD.

FORMAT: Alphanumeric

LENGTH: 6

EDIT CRITERIA

Generated, display format MM/DD/YY or MM/DD/YYYY. Not modifiable.

SCREEN NAME: TRANS ID
ACCESS NAME: PROP-TXN-ID
ENTITY: IDLE NASA PROPERTY
DESCRIPTIVE NAME: PROPERTY TRANSACTION IDENTIFIER

DATA ELEMENT DEFINITION:

A four character code identifying the category and type of transaction being processed by the system. The first position is reserved for the system in identifying change/reversal transactions.

This position will be 'R', or blank only. The second character is the transaction type (see SYS-TXN-TYPE-ID).

FORMAT: Alphanumeric

LENGTH: 4

EDIT CRITERIA

Generated.

A02 = Adjustment to cost (clerical or managerial);

BE02 = Image of the case record prior to the most recent change;

E01 = Add;

E02 = Change;

E03 = Delete;

E04 = Report to GSA;

F00 = Freeze Transaction;

RT02 = Receipt Reversal;

RT03 = Expended to Scrap Reversal;

RT04 = Survey Lost Property Reversal;

RT05 = Utilized By Generating NASA Center Reversal;

RT06 = Utilized By Other NASA Centers Reversal;

RT07 = Transferred For Use Of OFA With Prior GSA Approval Reversal;

RT08 = Transferred For Use Of OFA without Prior GSA Approval Reversal;

RT09 = Transferred to DRMO for Further Disposal Processing Reversal;

RT10 = Transfer of Foreign Excess Property for Donation Reversal;

RT11 = Donation to Public Bodies Without Prior GSA Approval Reversal;

RT12 = Transferred To GSA For Further Disposal Processing Reversal;

RT13 = Donation Approved By GSA Reversal;

RT14 = Sold by NASA or Agent Reversal;

RT15 = Sold by GSA Reversal;

RT16 = Transferred To Other Without Prior GSA Approval Reversal;

RT18 = Abandoned or Destroyed Property Reversal;

RT19 = Exchange/Sale Of Property Reversal;

RT20 = Donation to Other Without Prior GSA Approval Reversal;

T02 = Receipt;

T03 = Expended to Scrap Property;

T04 = Survey Lost Property;

T05 = Utilized By Generating NASA Center;

T06 = Utilized By Other NASA Centers;

T07 = Transferred For Use Of OFA With Prior GSA Approval;

T08 = Transferred For Use Of OFA without Prior GSA Approval;

T09 = Transferred to DRMO for Further Disposal Processing;

T10 = Transfer of Foreign Excess Property for Donation;

T11 = Donation to Public Bodies Without Prior GSA Approval;

T12 = Transferred to GSA For Further Disposal Processing;

T13 = Donation Approved By GSA;

T14 = Sold by NASA or Agent;

T15 = Sold by GSA;

T16 = Transferred to Other Without Prior GSA Approval;

T18 = Abandoned or Destroyed Property;

T19 = Exchange/Sale of Property;

T20 = Donation to Other Without Prior GSA Approval;

X00 = Final Disposition of NEMS Equipment by NPDMS (TC00 comparable NEMS transaction);

X15 = Return of Record from Historical File by NPDMS (TC15 comparable NEMS transaction);
X60 = Record Data Change by NPDMS (TC60 comparable NEMS transaction);
X65 = Transfer to another NASA Installation by NPDMS (TC65 comparable NEMS transaction);
X90 = Disposal of Equipment by NPDMS (TC90 comparable NEMS transaction)
I90 = Disposal of Equipment with Inventory Discrepancy by NPDMS (TC90 comparable NEMS transaction).

NOTE: Only the last 3 positions of the PROP-TXN-ID are stored on the NEMS files for NP/NEMS 'X' transactions.

SCREEN NAME: TRANSACTION DESCRIPTION
ACCESS NAME: PROP-TXN-DESC
ENTITY: IDLE NASA PROPERTY
DESCRIPTIVE NAME: PROPERTY TRANSACTION DESCRIPTION

DATA ELEMENT DEFINITION:

Provides for a narrative description of source document information about a transaction of idle NASA property or the authority narrative to transfer or donate property without GSA approval.

FORMAT: Alphanumeric

LENGTH: 240

EDIT CRITERIA

Free form, but must be entered at the time of a Add (E01), Change (E02), or Freeze (F00) transaction if the PROP-FRGN-DSPSL-APRVL-IND is set to 'Y'. In addition, this field must be entered at the time of a T08, or T16, or T20 final disposition transaction.

SCREEN NAME: TRANSFEREE IS CONTRACTOR/GRANTEE (C, G,)
ACCESS NAME: PROP-TRNSFR-ID
ENTITY: IDLE NASA PROPERTY
DESCRIPTIVE NAME: PROPERTY TRANSFEREE IDENTIFIER

DATA ELEMENT DEFINITION:

Identifies if the transferee (organization acquiring property) is using a contract or grant to acquire the property. If the ID is provided, the property would become either contractor held property or grantee property.

FORMAT: Alphanumeric

LENGTH: 1.0

EDIT CRITERIA

User entered. Possible values are: C = Contractor G = Grant, or blank space.

SCREEN NAME: **TRANSFER TYPE**
ACCESS NAME: RCPNT-TYPE-CODE

ENTITY:

DESCRIPTIVE NAME: RECIPIENT TYPE

DATA ELEMENT DEFINITION:

The type of the recipient of the property.

FORMAT: Alphanumeric

LENGTH: 3

EDIT CRITERIA:

Must be in Transfer Type Table-180. Maintained in NPDMS Recipient Table-170. Valid values are:

ED = Education

NP = Non-Profit

PR = Profit

SCREEN NAME: (TRANSFER) SUBTYPE
ACCESS NAME: RCPNT-SUBTYPE-CODE
ENTITY:

DESCRIPTIVE NAME: RECIPIENT SUBTYPE

DATA ELEMENT DEFINITION:

The subtype of the recipient of the property.

FORMAT: Alphanumeric

LENGTH: 6

EDIT CRITERIA:

Must be in Transfer Type Table-190. Maintained in NPDMS Recipient Table-170. Valid values are:

CO = COLLEGE
HS = HOME SCHOOL
PAK12 = PAROCHIAL K-12
PAK6 = PAROCHIAL K-6
PA78 = PAROCHIAL 7-8
PA912 = PAROCHIAL 9-12
PRK12 = PRIVATE K-12
PRK6 = PRIVATE K-6
PR78 = PRIVATE 7-8
PR912 = PRIVATE 9-12
PUK12 = PUBLIC K-12
PUK6 = PUBLIC K-6
PU78 = PUBLIC 7-8
PU912 = PUBLIC 9-12
UN = UNIVERSITY

SCREEN NAME: TRX DESC
ACCESS NAME: PROP-TXN-DESC
ENTITY: IDLE NASA PROPERTY
DESCRIPTIVE NAME: PROPERTY TRANSACTION DESCRIPTION

DATA ELEMENT DEFINITION:

Provides for a narrative description of source document information about a transaction of idle NASA property or the authority narrative to transfer or donate property without GSA approval.

FORMAT: Alphanumeric

LENGTH: 240

EDIT CRITERIA

Free form, but must be entered at the time of a Add (E01), Change (E02), or Freeze (F00) transaction if the PROP-FRGN-DSPSL-APRVL-IND is set to 'Y'. In addition, this field must be entered at the time of a T08, or T16, or T20 final disposition transaction.

SCREEN NAME: TURN IN DOC NMBR

ACCESS NAME: PROP-TURN-IN-DCMNT-NMBR

ENTITY: IDLE NASA PROPERTY

DESCRIPTIVE NAME: TURN IN PROPERTY DOCUMENT NUMBER

DATA ELEMENT DEFINITION:

A locally assigned number annotated on the source document that is used to notify the PDO of idle NASA property. This number provides a cross-reference between the assigned Property Case Number and the source document.

NOTE: The NSMS Batch Interface will supply this data as part of the interface.

FORMAT: Alphanumeric

LENGTH: 17

EDIT CRITERIA

User entered. Installation specific. Must be unique and distinguishable from those received via NSMS.

SCREEN NAME: TURN-IN DOC NO

ACCESS NAME: PROP-TURN-IN-DCMNT-NMBR

ENTITY: IDLE NASA PROPERTY

DESCRIPTIVE NAME: TURN IN PROPERTY DOCUMENT NUMBER

DATA ELEMENT DEFINITION:

A locally assigned number annotated on the source document that is used to notify the PDO of idle NASA property. This number provides a cross-reference between the assigned Property Case Number and the source document.

NOTE: The NSMS Batch Interface will supply this data as part of the interface.

FORMAT: Alphanumeric

LENGTH: 17

EDIT CRITERIA

User entered. Installation specific. Must be unique and distinguishable from those received via NSMS.

SCREEN NAME: TXN DESC
ACCESS NAME: PROP-TXN-DESC
ENTITY: IDLE NASA PROPERTY
DESCRIPTIVE NAME: PROPERTY TRANSACTION DESCRIPTION
DATA ELEMENT DEFINITION:
Provides for a narrative description of source document information about a transaction of idle NASA property or the authority narrative to transfer or donate property without GSA approval.
FORMAT: Alphanumeric
LENGTH: 240
EDIT CRITERIA
Free form, but must be entered at the time of a Add (E01), Change (E02), or Freeze (F00) transaction if the PROP-FRGN-DSPSL-APRVL-IND is set to 'Y'. In addition, this field must be entered at the time of a T08, or T16, or T20 final disposition transaction.

SCREEN NAME: TYPE
ACCESS NAME: RQSTR-AGNCY-ID
ENTITY: REQUESTOR
DESCRIPTIVE NAME: REQUESTOR AGENCY IDENTIFIER
DATA ELEMENT DEFINITION:
The type of agency requesting property available for transfer, exchange, sale, donation, etc.:
N = NASA activity (including contractors and grantees);
E = Vendor;
F = Other Federal Agency (including contractors and grantees);
D = Donation;
S = Sold.
FORMAT: Alphanumeric
LENGTH: 1
EDIT CRITERIA
User entered, valid codes are 'N', 'E', 'F', 'D', or 'S'.

SCREEN NAME: TYPE (SHELF LIFE TYPE I)
ACCESS NAME: SYS-REC-KEY
ENTITY: SYSTEM

DESCRIPTIVE NAME: SYSTEM RECORD KEY

DATA ELEMENT DEFINITION:

The values used with the SYS-TBL-ID providing access to the NPDMS Table File Records.

FORMAT: Alphanumeric

LENGTH: 10

EDIT CRITERIA

SYS-USER-ID for the User Access Table-001;
GSA-RGN-CODE for the GSA Region Table-005;
DRMO-DODAAC-CODE for the DRMO Routing Identifier Code Table-010;
CSTDN-ACNT-NMBR for the Exception Processing Table-015;
PROP-FSC-CODE for the Federal Supply Classification Code Table-020;
PROP-UOM-CODE for the Unit of Measure Table-025;
PROP-SPLY-CNDTN-CODE for the Supply Condition Code Table-030;
PROP-DSPSL-CNDTN-CODE for the Disposal Condition Code Table-035;
INST-FEDAAC-CODE for the Performance Measures Table-040;
PROP-DML-CODE for the Demilitarization Code Table-045;
INST-NMBR for the Center Profile Table-050;
INST-NMBR for Property Location Table-051;
INST-NMBR, RPT-MAINT-JOB-TYPE & RPT-MAINT-JOB-NMBR for the Report/Maintenance Selection Table-055;
NSMS-FIXED-SHELF-LIFE-CODE for Fixed Shelf Life Code Table-060;
NSMS-SHELF-LIFE-EXTNSN-CODE for Shelf Life Extension Code Table-062;
PROP-HAZMAT-CODE for Hazardous Materials Code Table-065;
DRMO-CNTRLD-INV-ITEM-CODE for the Controlled Inventory Item Code Table-070;
PROP-ADP-CTGRY-ID for the ADPE ID Code Table-075;
PROP-PRCS-MTLS-CODE for the Precious Metals Code Table-080;
PROP-MMAC-CODE for the MMAC Table-085;
DRMO-DSPSL-ATHRTY-CODE for the Disposal Authority Code Table-090;
DRMO ADDITIONAL DATA CODE for the DRMO Additional Data Code Table-095;
'ECN' & INST-NMBR for the Excess Case Number Serial Number Record-100;
INST-NMBR for Installation Code Table-105;
'ERN' & INST-NMBR for the Entry Reference Number Serial Number Record-110;
'DOD' and INST-NMBR for the DRMO 1348 Serial Number Record-112;
'SAL' and INST-NMBR for the Sale Number Serial Number Record-113;
'NEM' & INST-NMBR for the NP/NEMS Entry Reference Number Serial Number Record-115;
INST-NMBR & RPT-END-DATE for the Monthly 623 Report Balance Record-120;
INST-NMBR & RPT-END-DATE for the Annual 623 Report Balance Record-125;
INST-NMBR & RPT-END-DATE for the 1800 Report Balance Record-130;
'RCT' & INST-NMBR for the Sale Slip Serial Number Record-135;
RPT-MAINT-JOB-TYPE & RPT-MAINT-JOB-NMBR for the JCL Table-140;
PRINTER DESTINATION CODE for the Printer Destination Table-145;
STATE ABBREVIATION for the State Table-150;
INST-NMBR and PROPERTY TYPE for Screening Days Table-155;
INST-DFLT-REIM-CODE for Reimbursement Code Table-160;
PROP-HAZMAT-IND for Hazardous Material Indicator Code Table-165;
RECIPIENT-CODE for Recipient Name Table-170;
RCPNT-TYPE-CODE for Transfer Type Table-180;
RCPNT-SUBTYPE-CODE for Transfer Subtype Table-190.

SCREEN NAME: TYPE (SHELF LIFE TYPE II)

ACCESS NAME: SYS-REC-KEY

ENTITY: SYSTEM

DESCRIPTIVE NAME: SYSTEM RECORD KEY

DATA ELEMENT DEFINITION:

The values used with the SYS-TBL-ID providing access to the NPDMS Table File Records.

FORMAT: Alphanumeric

LENGTH: 10

EDIT CRITERIA

SYS-USER-ID for the User Access Table-001;
GSA-RGN-CODE for the GSA Region Table-005;
DRMO-DODAAC-CODE for the DRMO Routing Identifier Code Table-010;
CSTDN-ACNT-NMBR for the Exception Processing Table-015;
PROP-FSC-CODE for the Federal Supply Classification Code Table-020;
PROP-UOM-CODE for the Unit of Measure Table-025;
PROP-SPLY-CNDTN-CODE for the Supply Condition Code Table-030;
PROP-DSPSL-CNDTN-CODE for the Disposal Condition Code Table-035;
INST-FEDAAC-CODE for the Performance Measures Table-040;
PROP-DML-CODE for the Demilitarization Code Table-045;
INST-NMBR for the Center Profile Table-050;
INST-NMBR for Property Location Table-051;
INST-NMBR, RPT-MAINT-JOB-TYPE & RPT-MAINT-JOB-NMBR for the Report/Maintenance Selection Table-055;
NSMS-FIXED-SHELF-LIFE-CODE for Fixed Shelf Life Code Table-060;
NSMS-SHELF-LIFE-EXTNSN-CODE for Shelf Life Extension Code Table-062;
PROP-HAZMAT-CODE for Hazardous Materials Code Table-065;
DRMO-CNTRLD-INV-ITEM-CODE for the Controlled Inventory Item Code Table-070;
PROP-ADP-CTGRY-ID for the ADPE ID Code Table-075;
PROP-PRCS-MTLS-CODE for the Precious Metals Code Table-080;
PROP-MMAC-CODE for the MMAC Table-085;
DRMO-DSPSL-ATHRTY-CODE for the Disposal Authority Code Table-090;
DRMO ADDITIONAL DATA CODE for the DRMO Additional Data Code Table-095;
'ECN' & INST-NMBR for the Excess Case Number Serial Number Record-100;
INST-NMBR for Installation Code Table-105;
'ERN' & INST-NMBR for the Entry Reference Number Serial Number Record-110;
'DOD' & INST-NMBR for the DRMO 1348 Serial Number Record-112;
'SAL' & INST-NMBR for the Sale Number Serial Number Record-113;
'NEM' & INST-NMBR for the NP/NEMS Entry Reference Number Serial Number Record-115;
INST-NMBR & RPT-END-DATE for the Monthly 623 Report Balance Record-120;
INST-NMBR & RPT-END-DATE for the Annual 623 Report Balance Record-125;
INST-NMBR & RPT-END-DATE for the 1800 Report Balance Record-130;
'RCT' & INST-NMBR for the Sale Slip Serial Number Record-135;
RPT-MAINT-JOB-TYPE & RPT-MAINT-JOB-NMBR for the JCL Table-140;
PRINTER DESTINATION CODE for the Printer Destination Table-145;
STATE ABBREVIATION for the State Table-150;
INST-NMBR and PROPERTY TYPE for Screening Days Table-155;
INST-DFLT-REIM-CODE for Reimbursement Code Table-160;
PROP-HAZMAT-IND for Hazardous Material Indicator Code Table-165;

RECIPIENT-CODE for Recipient Name Table-170;
RCPNT-TYPE-CODE for Transfer Type Table-180;
RCPNT-SUBTYPE-CODE for Transfer Subtype Table-190.

SCREEN NAME: UNCLAIMED PROP
ACCESS NAME: UNCLMD-IND
ENTITY: ABANDONED OR OTHER UNCLAIMED PROPERTY
DESCRIPTIVE NAME: UNCLAIMED PROPERTY INDICATOR

DATA ELEMENT DEFINITION:

Indicates if personal property is Abandoned or Other Unclaimed Property that was found on premises owned or leased by the Government and turned over to the PDO for disposal processing. Abandoned or other unclaimed property undergoes the same internal NASA-wide screening requirements as other idle/excess personal property generations. Reportable items are reported to the appropriate GSA regional office for other Federal agency screening. Abandoned or other unclaimed property is not donable, however, after completion of NASA and Federal Screening, it may be sold by competitive bid by GSA, NASA or a DRMO.

FORMAT: Alphanumeric

LENGTH: 1

EDIT CRITERIA

User entered. Valid values are: 'Y' = YES or 'blank' = NO (default). If 'Y' then UNCLMD-FOUND-DATE must be entered.

SCREEN NAME: UNFROZEN
ACCESS NAME: NOT MAINTAINED
ENTITY:
DESCRIPTIVE NAME:

DATA ELEMENT DEFINITION:

The remaining current available quantity not frozen.

FORMAT: Numeric

LENGTH: 5.0

EDIT CRITERIA

Calculated, UNFROZEN-QTY= PROP-CUR-AVLBL-QTY minus each freeze PROP-DSPSTN-QTY. If less than 0, UNFROZEN-QTY = 0.

SCREEN NAME: UNIT ACQ COST
ACCESS NAME: PROP-ADJSTD-ACQSTN-COST-AMT
ENTITY: IDLE NASA PROPERTY
DESCRIPTIVE NAME: ADJUSTED ACQUISITION COST AMOUNT OF PROPERTY
DATA ELEMENT DEFINITION:
 The current unit adjusted acquisition cost amount of the personal property.
FORMAT: Packed
LENGTH: 10.2
EDIT CRITERIA
 User entered. Cannot be a negative amount.

SCREEN NAME: UNIT OF MEASURE
ACCESS NAME: PROP-UOM-CODE; SYS-REC KEY
ENTITY: IDLE NASA PROPERTY
DESCRIPTIVE NAME: PROPERTY UNIT OF MEASURE CODE
DATA ELEMENT DEFINITION:
 The code that identifies how items are stocked or issued. Must be a valid entry on NPDMS Table 025.
FORMAT: Alphanumeric
LENGTH: 2
EDIT CRITERIA
 Must be in the NPDMS Unit of Measure Table-025.

AM = Ampoule	CL = Coil	LG = Length
AT = Assortment	CN = Can	LI = Liter
AY = Assembly	CO = Container	LT = Lot
BA = Ball	CY = Cylinder	MC = Thousand Cubic
BD = Bundle	CZ = Cubic Meter	Feet
BE = Bale	DR = Drum	ME = Meal
BF = Broad Foot	DZ = Dozen	MR = Meter
BG = Bag	EA = Each	MX = Thousand
BK = Book	FT = Foot	OT = Outfit
BL = Barrel	FV = Five	OZ = Ounce
BO = Bolt	FY = Fifty	PD = Pad
BR = Bar	GL = Gallon	PG = Package
BT = Bottle	GP = Group	PM = Plate
BX = Box	GR = Gross	PR = Pair
CA = Cartridge	HD = One Hundred	PT = Pint
CB = Carboy	HK = Hank	PZ = Packet
CD = Cubic Yard	IN = Inch	QT = Quart
CE = Cone	J R = Jar	RA = Ration
CF = Cubic Foot	KT = Kit	RL = Reel
CK = Cake	LB = Pound	RM = Ream

RO = Roll	SO = Shot	TN = Ton
SD = Skid	SP = Strip	TO = Troy Ounce
SE = Set	SX = Stick	TS = Thirty six
SF = Square Foot	SY = Square Yard	TU = Tube
SH = Sheet	TD = Twenty Four	VI = Vial
SK = Skeen	TE = Ten	YD = Yard
SL = Spool	TF = Twenty five	

SCREEN NAME: UNIT OF MEASURE (TEXT)
ACCESS NAME: PROP-UOM-TEXT
ENTITY: IDLE NASA PROPERTY
DESCRIPTIVE NAME: PROPERTY UNIT OF MEASURE TEXT
DATA ELEMENT DEFINITION:
 The name describing the code that identifies how many units of measures are stocked or issued. This name is extracted from the NPDMS Unit of Measure Table-025.
FORMAT: Alphanumeric
LENGTH: 20
EDIT CRITERIA
 Extracted from the Unit of Measure Table-025. See PROP-UOM-CODE.

SCREEN NAME: UOM
ACCESS NAME: PROP-UOM-CODE; SYS-REC KEY
ENTITY: IDLE NASA PROPERTY
DESCRIPTIVE NAME: PROPERTY UNIT OF MEASURE CODE
DATA ELEMENT DEFINITION:
 The code that identifies how items are stocked or issued. Must be a valid entry on NPDMS Table-025.
FORMAT: Alphanumeric
LENGTH: 2
EDIT CRITERIA
 Must be in the NPDMS Unit of Measure Table-025.

AM = Ampoule	BG = Bag	CA = Cartridge
AT = Assortment	BK = Book	CB = Carboy
AY = Assembly	BL = Barrel	CD = Cubic Yard
BA = Ball	BO = Bolt	CE = Cone
BD = Bundle	BR = Bar	CF = Cubic Foot
BE = Bale	BT = Bottle	CK = Cake
BF = Broad Foot	BX = Box	CL = Coil

CN = Can	LI = Liter	SD = Skid
CO = Container	LT = Lot	SE = Set
CY = Cylinder	MC = Thousand Cubic	SF = Square Foot
CZ = Cubic Meter	Feet	SH = Sheet
DR = Drum	ME = Meal	SK = Skeen
DZ = Dozen	MR = Meter	SL = Spool
EA = Each	MX = Thousand	SO = Shot
FT = Foot	OT = Outfit	SP = Strip
FV = Five	OZ = Ounce	SX = Stick
FY = Fifty	PD = Pad	SY = Square Yard
GL = Gallon	PG = Package	TD = Twenty Four
GP = Group	PM = Plate	TE = Ten
GR = Gross	PR = Pair	TF = Twenty five
HD = One Hundred	PT = Pint	TN = Ton
HK = Hank	PZ = Packet	TO = Troy Ounce
IN = Inch	QT = Quart	TS = Thirty six
J R = Jar	RA = Ration	TU = Tube
KT = Kit	RL = Reel	VI = Vial
LB = Pound	RM = Ream	YD = Yard
LG = Length	RO = Roll	

SCREEN NAME: UOM ABBREVIATION
ACCESS NAME: SYS-REC-KEY
ENTITY: SYSTEM
DESCRIPTIVE NAME: SYSTEM RECORD KEY

DATA ELEMENT DEFINITION:

The values used with the SYS-TBL-ID providing access to the NPDMS Table File Records.

FORMAT: Alphanumeric

LENGTH: 10

EDIT CRITERIA

SYS-USER-ID for the User Access Table-001;
 GSA-RGN-CODE for the GSA Region Table-005;
 DRMO-DODAAC-CODE for the DRMO Routing Identifier Code Table-010;
 CSTDN-ACNT-NMBR for the Exception Processing Table-015;
 PROP-FSC-CODE for the Federal Supply Classification Code Table-020;
 PROP-UOM-CODE for the Unit of Measure Table-025;
 PROP-SPLY-CNDTN-CODE for the Supply Condition Code Table-030;
 PROP-DSPSL-CNDTN-CODE for the Disposal Condition Code Table-035;
 INST-FEDAAC-CODE for the Performance Measures Table-040;
 PROP-DML-CODE for the Demilitarization Code Table-045;
 INST-NMBR for the Center Profile Table-050;
 INST-NMBR for Property Location Table-051;
 INST-NMBR, RPT-MAINT-JOB-TYPE & RPT-MAINT-JOB-NMBR for the Report/Maintenance Selection Table-055;
 NSMS-FIXED-SHELF-LIFE-CODE for Fixed Shelf Life Code Table-060;

NSMS-SHELF-LIFE-EXTNSN-CODE for Shelf Life Extension Code Table-062;
 PROP-HAZMAT-CODE for Hazardous Materials Code Table-065;
 DRMO-CNTRLD-INV-ITEM-CODE for the Controlled Inventory Item Code Table-070;
 PROP-ADP-CTGRY-ID for the ADPE ID Code Table-075;
 PROP-PRCS-MTLS-CODE for the Precious Metals Code Table-080;
 PROP-MMAC-CODE for the MMAC Table-085;
 DRMO-DSPSL-ATHRTY-CODE for the Disposal Authority Code Table-090;
 DRMO ADDITIONAL DATA CODE for the DRMO Additional Data Code Table-095;
 'ECN' & INST-NMBR for the Excess Case Number Serial Number Record-100;
 INST-NMBR for Installation Code Table-105;
 'ERN' & INST-NMBR for the Entry Reference Number Serial Number Record-110;
 'DOD' and INST-NMBR for the DRMO 1348 Serial Number Record-112;
 'SAL' and INST-NMBR for the Sale Number Serial Number Record-113;
 'NEM' & INST-NMBR for the NP/NEMS Entry Reference Number Serial Number Record-115;
 INST-NMBR & RPT-END-DATE for the Monthly 623 Report Balance Record-120;
 INST-NMBR & RPT-END-DATE for the Annual 623 Report Balance Record-125;
 INST-NMBR & RPT-END-DATE for the 1800 Report Balance Record-130;
 'RCT' & INST-NMBR for the Sale Slip Serial Number Record-135;
 RPT-MAINT-JOB-TYPE & RPT-MAINT-JOB-NMBR for the JCL Table-140;
 PRINTER DESTINATION CODE for the Printer Destination Table-145;
 STATE ABBREVIATION for the State Table-150;
 INST-NMBR and PROPERTY TYPE for Screening Days Table-155;
 INST-DFLT-REIM-CODE for Reimbursement Code Table-160;
 PROP-HAZMAT-IND for Hazardous Material Indicator Code Table-165;
 RECIPIENT-CODE for Recipient Name Table-170;
 RCPNT-TYPE-CODE for Transfer Type Table-180;
 RCPNT-SUBTYPE-CODE for Transfer Subtype Table-190.

SCREEN NAME: UPSET PRICE
ACCESS NAME: PROP-UPSET-PRICE-AMT
ENTITY: IDLE NASA PROPERTY
DESCRIPTIVE NAME: PROPERTY UPSET PRICE AMOUNT

DATA ELEMENT DEFINITION:

Upset prices are those prices that are prudent estimates of the worth of the property and shall be established in advance of sales for use in evaluating the bids received. Normally, bids under the upset prices will not result in awards. Upset prices are confidential and must not be made known to prospective bidders prior to, or after the sale.

FORMAT: Packed
LENGTH: 10.2

EDIT CRITERIA

Supplied by the PDO and entered.

SCREEN NAME: USER CHANGE AUTHORITY
ACCESS NAME: SYS-USER-CHNG-ATHRTY-CODE
ENTITY: SYSTEM
DESCRIPTIVE NAME: SYSTEM USER CHANGE AUTHORITY CODE

DATA ELEMENT DEFINITION:

A code indicating the level of authority a user has for making changes; 1 = clerical 2 = managerial.

FORMAT: Alphanumeric

LENGTH: 1.0

EDIT CRITERIA

Possible value are 0, 1, and 2. Maintained on NPDMS User Access Table-001.

SCREEN NAME: USER ID
ACCESS NAME: SYS-AUDIT-ID
ENTITY: SYSTEM
DESCRIPTIVE NAME: SYSTEM AUDIT IDENTIFIER

DATA ELEMENT DEFINITION:

For audit purposes, identifies the user who last updated a case or table record in the system.

FORMAT: Alphanumeric

LENGTH: 8.0

EDIT CRITERIA

Generated. *USER

SCREEN NAME: USER ID
ACCESS NAME: SYS-REC-KEY
ENTITY: SYSTEM
DESCRIPTIVE NAME: SYSTEM RECORD KEY

DATA ELEMENT DEFINITION:

The values used with the SYS-TBL-ID providing access to the NPDMS Table File Records.

FORMAT: Alphanumeric

LENGTH: 10

EDIT CRITERIA

SYS-USER-ID for the User Access Table-001;

GSA-RGN-CODE for the GSA Region Table-005;

DRMO-DODAAC-CODE for the DRMO Routing Identifier Code Table-010;

CSTDN-ACNT-NMBR for the Exception Processing Table-015;
 PROP-FSC-CODE for the Federal Supply Classification Code Table-020;
 PROP-UOM-CODE for the Unit of Measure Table-025;
 PROP-SPLY-CNDTN-CODE for the Supply Condition Code Table-030;
 PROP-DSPSL-CNDTN-CODE for the Disposal Condition Code Table-035;
 INST-FEDAAC-CODE for the Performance Measures Table-040;
 PROP-DML-CODE for the Demilitarization Code Table-045;
 INST-NMBR for the Center Profile Table-050;
 INST-NMBR for Property Location Table-051;
 INST-NMBR, RPT-MAINT-JOB-TYPE & RPT-MAINT-JOB-NMBR for the Report/Maintenance Selection Table-055;
 NSMS-FIXED-SHELF-LIFE-CODE for Fixed Shelf Life Code Table-060;
 NSMS-SHELF-LIFE-EXTNSN-CODE for Shelf Life Extension Code Table-062;
 PROP-HAZMAT-CODE for Hazardous Materials Code Table-065;
 DRMO-CNTRL-INV-ITEM-CODE for the Controlled Inventory Item Code Table-070;
 PROP-ADP-CTGRY-ID for the ADPE ID Code Table-075;
 PROP-PRCS-MTLS-CODE for the Precious Metals Code Table-080;
 PROP-MMAC-CODE for the MMAC Table-085;
 DRMO-DSPSL-ATHRTY-CODE for the Disposal Authority Code Table-090;
 DRMO ADDITIONAL DATA CODE for the DRMO Additional Data Code Table-095;
 'ECN' & INST-NMBR for the Excess Case Number Serial Number Record-100;
 INST-NMBR for Installation Code Table-105;
 'ERN' & INST-NMBR for the Entry Reference Number Serial Number Record-110;
 'DOD' & INST-NMBR for the DRMO 1348 Serial Number Record-112;
 'SAL' & INST-NMBR for the Sale Number Serial Number Record-113;
 'NEM' & INST-NMBR for the NP/NEMS Entry Reference Number Serial Number Record-115;
 INST-NMBR & RPT-END-DATE for the Monthly 623 Report Balance Record-120;
 INST-NMBR & RPT-END-DATE for the Annual 623 Report Balance Record-125;
 INST-NMBR & RPT-END-DATE for the 1800 Report Balance Record-130;
 'RCT' & INST-NMBR for the Sale Slip Serial Number Record-135;
 RPT-MAINT-JOB-TYPE & RPT-MAINT-JOB-NMBR for the JCL Table-140;
 PRINTER DESTINATION CODE for the Printer Destination Table-145;
 STATE ABBREVIATION for the State Table-150;
 INST-NMBR and PROPERTY TYPE for Screening Days Table-155;
 INST-DFLT-REIM-CODE for Reimbursement Code Table-160;
 PROP-HAZMAT-IND for Hazardous Material Indicator Code Table-165;
 RECIPIENT-CODE for Recipient Name Table-170;
 RCPNT-TYPE-CODE for Transfer Type Table-180;
 RCPNT-SUBTYPE-CODE for Transfer Subtype Table-190.

SCREEN NAME:	USER JOB CARD
ACCESS NAME:	SYS-USER-JOB-CARD-TEXT
ENTITY:	SYSTEM
DESCRIPTIVE NAME:	SYSTEM USER JOB CARD TEXT

DATA ELEMENT DEFINITION:

The job card used by each NPDMS user for the execution of all NPDMS report and maintenance jobs.

FORMAT: Alphanumeric

LENGTH: 72

EDIT CRITERIA

Installation specific. Maintained in the NPDMS User Access Table-001.

SCREEN NAME: **USER NAME**

ACCESS NAME: SYS-USER-NAME

ENTITY: SYSTEM

DESCRIPTIVE NAME: SYSTEM USER NAME

DATA ELEMENT DEFINITION:

The name of the person belonging to the system USER ID.

FORMAT: Alphanumeric

LENGTH: 30

EDIT CRITERIA

Installation specific. Maintained in the NPDMS User Access Table-001.

SCREEN NAME: **VEHICLE BODY STYLE**

ACCESS NAME: GSA-VEHICLE-BODY-STYLE-DESC

ENTITY: REQUESTOR

DESCRIPTIVE NAME: BODY STYLE

DATA ELEMENT DEFINITION:

The description of the body style of the vehicle.

FORMAT: Alphanumeric

LENGTH: 12

EDIT CRITERIA

Free form.

SCREEN NAME: VEHICLE ID NUMBER
ACCESS NAME: GSA-VEHICLE-VIN-NMBR
ENTITY: REQUESTOR
DESCRIPTIVE NAME: IDENTIFICATION NUMBER
DATA ELEMENT DEFINITION:
The vehicle ID number (VIN).
FORMAT: Alphanumeric
LENGTH: 20
EDIT CRITERIA
Free form.

SCREEN NAME: VEHICLE MODEL YEAR
ACCESS NAME: GSA-VEHICLE-MODEL-YEAR
ENTITY: REQUESTOR
DESCRIPTIVE NAME: MODEL YEAR
DATA ELEMENT DEFINITION:
The model year of the vehicle.
FORMAT: Alphanumeric
LENGTH: 4
EDIT CRITERIA
Free form.

SCREEN NAME: VEHICLE NUMBER OF CYLINDERS
ACCESS NAME: GSA-VEHICLE-CYLINDERS-NMBR
ENTITY: REQUESTOR
DESCRIPTIVE NAME: NUMBER OF CYLINDERS
DATA ELEMENT DEFINITION:
The number of cylinders of the vehicle.
FORMAT: Alphanumeric
LENGTH: 2
EDIT CRITERIA
Free form.

SCREEN NAME: WAREHOUSE LOC
ACCESS NAME: WRHS-LCTN-ADRS
ENTITY: WAREHOUSE
DESCRIPTIVE NAME: WAREHOUSE LOCATION ADDRESS
DATA ELEMENT DEFINITION:
Contains the physical location of where the personal property is being staged in the warehouse.
FORMAT: Alphanumeric
LENGTH: 12
EDIT CRITERIA
Free form.

SCREEN NAME: WAREHOUSE LOCATION
ACCESS NAME: WRHS-LCTN-ADRS
ENTITY: WAREHOUSE
DESCRIPTIVE NAME: WAREHOUSE LOCATION ADDRESS
DATA ELEMENT DEFINITION:
Contains the physical location of where the personal property is being staged in the warehouse.
FORMAT: Alphanumeric
LENGTH: 12
EDIT CRITERIA
Free form.

SCREEN NAME: WAREHOUSED DATE
ACCESS NAME: WRHS-DATE
ENTITY: WAREHOUSE
DESCRIPTIVE NAME: WAREHOUSE DATE
DATA ELEMENT DEFINITION:
The calendar date that an installation idle property item was staged for re-utilization, transfer, donation or sale.
FORMAT: D
LENGTH:
EDIT CRITERIA
User entered. Display format: MM/DD/YY or MM/DD/YYYY. Stored in Internal Date format.

SCREEN NAME: **WITHDRAWAL APPROVAL DATE**
ACCESS NAME: GSA-WTHDRWL-APRVL-DATE
ENTITY: GSA
DESCRIPTIVE NAME: GSA WITHDRAWAL APPROVAL DATE
DATA ELEMENT DEFINITION:
The calendar date on which GSA approved the withdrawal of previously reported personal property.
FORMAT: D
LENGTH:
EDIT CRITERIA
User entered. Display format: MM = 1-12, DD = 1-31 consistent with the month, YY or YYYY = current year. Stored in Internal Date format.

SCREEN NAME: **WITHDRAWAL/CORRECTION NARR**
ACCESS NAME: GSA-WTHDRWL-CRCTN-TEXT
ENTITY: GSA
DESCRIPTIVE NAME: GSA WITHDRAWAL/CORRECTION TEXT
DATA ELEMENT DEFINITION:
Contains the text to be printed on the SF-120 for withdrawals confirming verbal withdrawal approval by GSA, or an explanation of changes made to previously reported data for corrections.
FORMAT: Alphanumeric
LENGTH: 240
EDIT CRITERIA
Free form.

SCREEN NAME: **WITHDRAWAL/CORRECTION NARRATIVE**
ACCESS NAME: GSA-WTHDRWL-CRCTN-TEXT
ENTITY: GSA
DESCRIPTIVE NAME: GSA WITHDRAWAL/CORRECTION TEXT
DATA ELEMENT DEFINITION:
Contains the text to be printed on the SF-120 for withdrawals confirming verbal withdrawal approval by GSA, or an explanation of changes made to previously reported data for corrections.
FORMAT: Alphanumeric
LENGTH: 240

EDIT CRITERIA

Free form.

SCREEN NAME: **WITNESS NAMES (DSTRCTN WTNS1)**

ACCESS NAME: PROP-DSTRCTN-WTNS1-NAME

ENTITY: IDLE NASA PROPERTY

DESCRIPTIVE NAME: PROPERTY DESTRUCTION WITNESS NAME 1

DATA ELEMENT DEFINITION:

The first of two fields containing the name of the first individual who witnessed the property being destroyed.

FORMAT: Alphanumeric

LENGTH: 30

EDIT CRITERIA

Free form.

SCREEN NAME: **WITNESS NAMES (DSTRCTN WTNS2)**

ACCESS NAME: PROP-DSTRCTN-WTNS2-NAME

ENTITY: IDLE NASA PROPERTY

DESCRIPTIVE NAME: PROPERTY DESTRUCTION WITNESS NAME 2

DATA ELEMENT DEFINITION:

The second of two fields containing the name of the second individual who witnessed the property being destroyed.

FORMAT: Alphanumeric

LENGTH: 30

EDIT CRITERIA

Free form.

SCREEN NAME: **ZIP (ABNDSTRYD)**

ACCESS NAME: PROP-ABNDSTRYD-SITE-ZIP-CODE

ENTITY: IDLE NASA PROPERTY

DESCRIPTIVE NAME: ABANDONED OR DESTROYED PROPERTY SITE ZIP CODE

DATA ELEMENT DEFINITION:

The U.S. Postal Zip Code associated with the street and city address of the site where property was abandoned or destroyed.

FORMAT: Alphanumeric

LENGTH: 9.0

EDIT CRITERIA

Any 5 or 9 digit Zip Code.

SCREEN NAME: ZIP (BIDDER)

ACCESS NAME: PROP-BIDDER-ZIP-CODE

ENTITY: IDLE NASA PROPERTY

DESCRIPTIVE NAME: PROPERTY BIDDER ZIP CODE

DATA ELEMENT DEFINITION:

The U.S. Postal Zip Code code associated with the street and city address of the individual or organization/company submitting a competitive bid for consideration to acquire a specific property lot offered for sale.

FORMAT: Alphanumeric

LENGTH: 9.0

EDIT CRITERIA

User entered. Any 5 or 9 digit zip code. If a particular bidder is awarded the sale, this field is moved to the RQSTR-ZIP-CODE on the transaction record.

SCREEN NAME: ZIP (DRMO DODAAC)

ACCESS NAME: DRMO-DODAAC-ZIP-CODE

ENTITY: DRMO

DESCRIPTIVE NAME: DRMO DODAAC ZIP CODE

DATA ELEMENT DEFINITION:

The U.S. Postal Zip Code associated with the street and city address of a particular DODAAC.

FORMAT: Alphanumeric

LENGTH: 9.0

EDIT CRITERIA

Must be 5 or 9 numeric digits.

SCREEN NAME: ZIP (GSA)
ACCESS NAME: GSA-ZIP-CODE
ENTITY: GSA
DESCRIPTIVE NAME: GSA ZIP CODE
DATA ELEMENT DEFINITION:
The U.S. Postal Zip Code associated with the street and city address of a particular GSA office.
FORMAT: Alphanumeric
LENGTH: 9
EDIT CRITERIA
Maintained in the NPDMS GSA Region Table-005.

SCREEN NAME: ZIP (INST)
ACCESS NAME: INST-ZIP-CODE
ENTITY: NASA INSTALLATION
DESCRIPTIVE NAME: INSTALLATION ZIP CODE
DATA ELEMENT DEFINITION:
The U.S. Postal Zip Code associated with the street and city address of a particular NASA Installation.
FORMAT: Alphanumeric
LENGTH: 9
EDIT CRITERIA
Maintained in the NPDMS Center Profile Table-050.

SCREEN NAME: ZIP (INST RPTNG CNTCT)
ACCESS NAME: INST-RPTNG-CNTCT-ZIP-CODE
ENTITY: NASA INSTALLATION
DESCRIPTIVE NAME: REPORTING INSTALLATION CONTACT ZIP CODE
DATA ELEMENT DEFINITION:
The U.S. Postal Zip Code associated with the street and city address where the reporting installation's contact is located.
FORMAT: Alphanumeric
LENGTH: 9
EDIT CRITERIA
Default maintained in the NPDMS Center Profile Table-050 (INST-ZIP-CODE). If changed, any 5 or 9 digit zip code.

SCREEN NAME: ZIP (LCTN)
ACCESS NAME: PROP-LCTN-ZIP-CODE
ENTITY: IDLE NASA PROPERTY
DESCRIPTIVE NAME: PROPERTY LOCATION ZIP CODE
DATA ELEMENT DEFINITION:
The U.S. Postal Zip Code associated with the street and city address of a particular item of property.
FORMAT: Alphanumeric
LENGTH: 9
EDIT CRITERIA
Any 5 or 9 digit zip code. Generated (pulled) from Center Profile Table-050 (INST-ZIP-CODE) and modifiable.

SCREEN NAME: ZIP (RECIPIENT)
ACCESS NAME: RCPNT-ADRS-ZIP-CODE
ENTITY:
DESCRIPTIVE NAME: RECIPIENT ZIP CODE
DATA ELEMENT DEFINITION:
The U.S. Postal Zip Code associated with the street and city address of a particular recipient.
FORMAT: Alphanumeric
LENGTH: 9
EDIT CRITERIA:
Maintained in NPDMS Recipient Table-170.

SCREEN NAME: ZIP (RQSTR)
ACCESS NAME: RQSTR-ZIP-CODE
ENTITY: REQUESTOR
DESCRIPTIVE NAME: REQUESTOR ZIP CODE
DATA ELEMENT DEFINITION:
The U.S. Postal Zip Code associated with the street and city address of a particular Requestor.
FORMAT: Alphanumeric

LENGTH: 9.0

EDIT CRITERIA

Any 5 or 9 digit Zip Code.

APPENDIX A
ACCESS NAME TO SCREEN NAME
CROSS REFERENCE

NPDMS DATA DICTIONARY
Access Name to Screen Name Cross-Reference
ACCESS NAME **SCREEN NAME**

ADPEPROP-RPTBL-IND	
AGENCY-AVRG-PRCSNG-DAYS-CNT	Average Processing Day
AGENCY-EXTRNL-DSTRBTN-RATE	External (Agncy Extrnl)
AGENCY-ID	Agency Ind
AGENCY-INTRNL-DSTRBTN-RATE	Internal (Agncy Intrnl)
AGENCY-SITE-CODE	Agency/Bureau Code
CMPNT-1348-IND	
CMPNT-ACQSTN-COST-AMT	Tot Acq Cost
CMPNT-ACQSTN-COST-AMT	Total Acq Cost
CMPNT-ARTFCT-IND	Artifact (Component System)
CMPNT-CASE-ENTRY-DATE	
CMPNT-CNDTN-CODE-GRP	CC (Component System)
CMPNT-CNDTN-CODE-GRP	Cond (Component System)
CMPNT-DML-CODE	DML Code (Component System)
CMPNT-DSPSL-CNDTN-CODE; SYS-REC-KEY	
CMPNT-FSC-CODE	FSC Code (Component System)
CMPNT-HAZMAT-IND	Haz Mat Ind
CMPNT-IND	
CMPNT-ITEM-SEQ-NMBR	Tot Components
CMPNT-ITEM-SEQ-NMBR	Total Components
CMPNT-ITEM-SEQ-NMBR	
CMPNT-NAME	Comp System
CMPNT-NAME	Component System Name
CMPNT-NAME	Component Information
CMPNT-NAME	Component System - Name
CMPNT-NEMS-IND	
CMPNT-PRCS-MTLS-IND	Precious Metals Ind
CMPNT-SPLY-CNDTN-CODE	
CNTRCTR-HELD-PROP-IND	Contr Prop
CNTRCTR-IND	
CNTRCTR-PROP-TAG-NMBR	Tag No
CSTDN-ACNT-NMBR; SYS-REC KEY	Cust Acct No
CSTDN-ORGNZTN-NAME	Reporting Activity Name
CSTDN-PRVS-ACNT-NMBR	
DRMO-CNTRLD-INV-CODE; SYS-REC-KEY	Physical Security
DRMO-CNTRLD-INV-DESC	Explanation (DRMO Cntrld Inv)

NPDMS DATA DICTIONARY
Access Name to Screen Name Cross-Reference

<u>ACCESS NAME</u>	<u>SCREEN NAME</u>
DRMO-DODAAC-CITY-ADRS	City (DRMO DoDAAC)
DRMO-DODAAC-CNTCT-NAME	DRMO DoDAAC Contact Name
DRMO-DODAAC-CODE; SYS-REC-KEY	DoDAAC
DRMO-DODAAC-CODE; SYS-REC-KEY	DRMO DoDAAC
DRMO-DODAAC-CODE; SYS-REC-KEY	Supplementary Address
DRMO-DODAAC-LINE1-ADRS	Address (DoDAAC First Line)
DRMO-DODAAC-LINE2-ADRS	Address (DoDAAC Second Line)
DRMO-DODAAC-NAME	DRMO DoDAAC Name
DRMO-DODAAC-PHN-NMBR	DRMO DoDAAC Phone
DRMO-DODAAC-RIC-CODE	DRMO DODAAC RIC
DRMO-DODAAC-STATE-CODE	State (DRMO DoDAAC)
DRMO-DODAAC-ZIP-CODE	Zip (DRMO DoDAAC)
DRMO-DSPSL-ATHRTY-CODE; SYS-REC-KEY	Disposal Authority Code
DRMO-DSPSL-ATHRTY-DESC	Explanation (DRMO DSPSL)
DRMO-RCLMTN-CODE	Reclam Code (DRMO)
DRMO-RCVNG-CODE; SYS-REC-KEY	DRMO Receiving (Additional Data Code)
DRMO-RCVNG-TEXT	Receiving Info
DRMO-RCVNG-TEXT	Explanation (DRMO Receiving)
DRMO-RPT-IND	DRMO
DRMO-SHPNG-CODE; SYS-REC-KEY	Shipping (Additional Data Code)
DRMO-SHPNG-TEXT	Shipping Expl
DRMO-SHPNG-TEXT	Explanation (DRMO Shipping)
DRMO-SPCL-ACNTBLTY-TEXT	
EXCHNGSL-ALWNC-RCVD-AMT	Trade-In Amt Received
EXCHNGSL-FSC-ALWD-IND	FSC Exchange/Sale Allowed
EXCHNGSL-IND	Exc/Sale
EXCHNGSL-REIM-AMT	Reimbursement Amount
EXCSPROP-RPT-IND	
GSA-CITY-ADRS	City (GSA)
GSA-CNTRL-NMBR	GSA Control No
GSA-CNTRL-NMBR	GSA Control Number
GSA-LINE1-ADRS	Address (GSA First Line)
GSA-LINE2-ADRS	Address (GSA Second Line)
GSA-PHOTO-IND	Pictures Included
GSA-PROP-RPT-QTY	
GSA-RGN-CODE; SYS-REC-KEY	GSA Region
GSA-RGNL-OFC-NAME	GSA Name

NPDMS DATA DICTIONARY
Access Name to Screen Name Cross-Reference

<u>ACCESS NAME</u>	<u>SCREEN NAME</u>
GSA-RPT-DATE	GSA Report Date
GSA-RPT-DATE	GSA Rpt Date
GSA-RPT-DATE	GSA Dte
GSA-RPT-IND	Reporting Install GSA
GSA-RPT-PROP-UNIT-COST-AMT	
GSA-SALE-IND	Sell by GSA (Y/N)
GSA-SF120-CRCTN-GNRTN-IND	
GSA-SF120-RPT-ID	
GSA-SF120-WTHDRWL-CRCTN-CODE	Print SF-120 Correction
GSA-SF120-WTHDRWL-CRCTN-CODE	Print SF-120 Withdrawal
GSA-SRD-DATE	Surplus Rel Dt
GSA-SRD-DATE	Surplus Release Date
GSA-STATE-CODE	State (GSA)
GSA-VEHICLE-BODY-STYLE-DESC	Vehicle Body Style
GSA-VEHICLE-CYLINDERS-NMBR	Vehicle Number of Cylinders
GSA-VEHICLE-MODEL-YEAR	Vehicle Model Year
GSA-VEHICLE-VIN-NUMBER	Vehicle ID Number
GSA-WTHDRWL-APRVL-DATE	GSA Withdrawal Approval Date
GSA-WTHDRWL-APRVL-DATE	Withdrawal Approval Date
GSA-WTHDRWL-CRCTN-TEXT	Narrative to GSA
GSA-WTHDRWL-CRCTN-TEXT	Withdrawal/Correction Narrative
GSA-WTHDRWL-CRCTN-TEXT	Withdrawal/Correction Narr
GSA-ZIP-CODE	Zip (GSA)
HQ-APRVNG-OFCL-NAME	NASA HQ Approving Official Name
INST-ACRNM-ID	Installation Acronym
INST-CITY-ADRS	City (Inst))
INST-CNTCT-BLDG-ADRS	Bldg (Inst Cntct)
INST-CNTCT-NAME	Center Contact
INST-CNTRCT-GRANT-NMBR	Contr/Grant No
INST-CNTRCT-GRANT-NMBR	Contr/Grantee No
INST-DFLT-NAME	Center Name
INST-DFLT-PCKP-GNRTN-IND	Pickup Doc Generation Default
INST-DFLT-REIM-CODE; SYS-REC-KEY	Default Reimbursement Code
INST-DFLT-RPT-OUTPUT-CODE	Output Class (Inst Dflt)
INST-DLNQNT-DAYS-NMBR	Days
INST-DLNQNT-DAYS-NMBR	No of Freeze Scrnng Days
INST-DRMO-DODAAC-CODE	DRMO DoDAAC (Inst)
INST-DRMO-RPT-IND	Reporting Install DRMO

NPDMS DATA DICTIONARY
Access Name to Screen Name Cross-Reference

<u>ACCESS NAME</u>	<u>SCREEN NAME</u>
INST-EXTRNL-DSTRBTN-RATE	External (Inst Extrnl)
INST-FAX-NMBR	Rptng Inst Fax
INST-FAX-NMBR	Fax (Inst)
INST-FEDAAC-CODE	FEDSTRIP AAC
INST-FEDAAC-CODE	INST FEADAAC CODE
INST-GSA-RGN-ID; SYS-REC-KEY	GSA Region (Inst)
INST-GSA-RPT-IND	Reporting Install GSA
INST-INTRNL-DSTRBTN-RATE	Installation Redistribution Rate
INST-INTRNL-DSTRBTN-RATE	Internal (Inst Intrnl)
INST-JOB-CARD-TEXT	Job Card
INST-LINE1-ADRS	Address (Inst First Line)
INST-LINE2-ADRS	Address (Inst Second Line)
INST-MAIL-STOP-ADRS	Mail Stop
INST-NAME	Installation Name
INST-NMBR; SYS-REC-KEY	INST NMBR
INST-NMBR; SYS-REC-KEY	Installation Number
INST-PHN-NMBR	Phone (Inst)
INST-PRNTR-ADRS	PRINTER ADDRESS
INST-PRNTR-ADRS	Printer Destination
INST-RPT-BNDNG-CODE	Binding
INST-RPT-QTY	No of Copies
INST-RPT-RQSTR-NAME	Distribution (Center)
INST-RPTNG-CNTCT-CITY-ADRS	City (Inst Rptng Cntct)
INST-RPTNG-CNTCT-LINE1-ADRS	Address (Inst Rptng Cntct First Line)
INST-RPTNG-CNTCT-LINE2-ADRS	Address (Inst Rptng Cntct Second Line)
INST-RPTNG-CNTCT-NAME	Contact Person (Inst Rptng Cntct)
INST-RPTNG-CNTCT-PHN-NMBR	Phone (Inst Rptng Cntct)
INST-RPTNG-CNTCT-STATE-CODE	State (Inst Rptng Cntct)
INST-RPTNG-CNTCT-ZIP-CODE	Zip (Inst Rptng Cntct)
INST-RPTNG-NAME	Reporting NASA Installation
INST-RPTNG-NAME	Reporting NASA Installation Name
INST-RPTNG-POC-EMAIL-ADRS	Point of Contact Email Address
INST-SEMO-NAME	SEMO Name
INST-SPCL-FORM-ID	Special Forms (Center)
INST-SRVY-BRD-CHRPRSN-NAME	Survey Board Chairperson Name
INST-SRVY-BRD-MBR1-NAME	Survey Board Member Name 1
INST-SRVY-BRD-MBR2-NAME	Survey Board Member Name 2
INST-SRVY-BRD-MBR3-NAME	Survey Board Member Name 3

NPDMS DATA DICTIONARY
Access Name to Screen Name Cross-Reference

<u>ACCESS NAME</u>	<u>SCREEN NAME</u>
INST-STATE-CODE	State (Inst)
INST-ZIP-CODE	Zip (Inst)
INTR-NAME	Initiators Name
INTR-ORGNZTN-CODE	Initiators Org Code
INTR-PHN-NMBR	Initiators Phone
NEMS-AVLBLTY-STS-CODE	
NEMS-ECN-NMBR	ECN
NEMS-EQUIP-SUBINST-NMBR	
NEMS-ERN-NMBR	
NEMS-IND	
NEMS-STNDRD-ITEM-NAME-IND	Item Name
NEMS-STNDRD-ITEM-NAME-IND	Std
NEMS-USER-NMBR	NEMS User No
NOT MAINTAINED	DRMO UNIT PACKAGE QUANTITY
NOT MAINTAINED	GSA ITEM DESCRIPTION
NOT MAINTAINED	GSA ITEM NAME
NOT MAINTAINED	MATERIALS SCREENING CODE
NOT MAINTAINED	FIXED SHELF LIFE CODE
NOT MAINTAINED	Total Number of Components
NOT MAINTAINED	Navigation
NOT MAINTAINED	Choice
NOT MAINTAINED	Unfrozen
NOT MAINTAINED	Retain (Y/N)
NOT MAINTAINED	Print Doc (Y/N)
NOT MAINTAINED	Seq
NOT MAINTAINED	Sequence Number
NOT MAINTAINED	Print 1348
NOT MAINTAINED	Total Number of Components
NOT MAINTAINED	Additional Component Items (Y/N)
NOT MAINTAINED	Change another item (Y/N)
NOT MAINTAINED	Number of Components
NOT MAINTAINED	Convert item (Y/N)
NOT MAINTAINED	Next Traded to Vendor Trans (Y/N)
NOT MAINTAINED	Rec No
NOT MAINTAINED	Local
NOT MAINTAINED	GSA
NOT MAINTAINED	Line
NOT MAINTAINED	Function

NPDMS DATA DICTIONARY
Access Name to Screen Name Cross-Reference

<u>ACCESS NAME</u>	<u>SCREEN NAME</u>
NOT MAINTAINED	Choice
NOT MAINTAINED	Next Lot
NOT MAINTAINED	Prev 1348
NOT MAINTAINED	Next Prop Case No
NOT MAINTAINED	Next Item Id
NOT MAINTAINED	Selection (Inventory)
NOT MAINTAINED	Selection (Main Menu)
NOT MAINTAINED	Selection (Sales Process Menu)
NOT MAINTAINED	Selection (Reports Menu)
NOT MAINTAINED	Selection (Transaction Menu)
NOT MAINTAINED	Total Number of Components
NOT MAINTAINED	More Inputs
NOT MAINTAINED	Trans Date
NSMS-INDEX-DESC	
NSMS-PROP-RCVD-ID	
NSMS-TECH-DESC	TECH DESC
NSMS-TECH-HDRS-TEXT	TECH HEADERS
NSMS-TURN-IN-PROP-DCMNT-NMBR	
POC-EMAIL-ADRS (Table)	Point of Contact Email Address
PODI-EMAIL-ADRS (Table)	PODI Email Address
PDO-CSTDN-ACNT-NMBR	PDO Cust Acct No
PDO-NAME	PDO Name
PDO-USER-NMBR	PDO User No
PRIMINST-NMBR	PRIME INSTALLATION NUMBER
PROP-ABNDSTRYD-CITY-ADRS	City (Abndstryd)
PROP-ABNDSTRYD-DATE	Date Prop Abandoned or Destroyed
PROP-ABNDSTRYD-DCMNT-NMBR	Aband/Destruct Doc No
PROP-ABNDSTRYD-IND	Abandoned or Destroyed
PROP-ABNDSTRYD-LINE1-ADRS	Address (Abndstryd First Line)
PROP-ABNDSTRYD-LINE2-ADRS	Address (Abndstryd Second Line)
PROP-ABNDSTRYD-PHN-NMBR	Phone (Abndstryd)
PROP-ABNDSTRYD-SITE-ZIP-CODE	Zip (Abndstryd)
PROP-ABNDSTRYD-SITE-NAME	Agency Name (Abandoned or Destroyed Property)
PROP-ABNDSTRYD-STATE-CODE	State (Abndstryd)
PROP-ADJSTD-ACQSTN-COST-AMT	Acq Cost
PROP-ADJSTD-ACQSTN-COST-AMT	Curr Acq Cost
PROP-ADJSTD-ACQSTN-COST-AMT	Current Acq Cost
PROP-ADJSTD-ACQSTN-COST-AMT	New Unit Cost

NPDMS DATA DICTIONARY
Access Name to Screen Name Cross-Reference

<u>ACCESS NAME</u>	<u>SCREEN NAME</u>
PROP-ADJSTD-ACQSTN-COST-AMT	Cur Acq Cost
PROP-ADJSTD-ACQSTN-COST-AMT	Unit Acq Cost
PROP-ADJSTD-CNDTN-CODE	
PROP-ADJSTD-COST-AMT	
PROP-ADJSTD-ITEM-NAME	
PROP-ADJSTD-QTY	
PROP-ADP-CTGRY-DESC	Explanation (Adp Ctgr)
PROP-ADP-CTGRY-ID	ADPE Identification
PROP-APRPRTN-ACNT-NMBR	Appropriation Data
PROP-APRPRTN-ACNT-NMBR	Appropriation Acct No.
PROP-ARTFCT-IND	Artifact
PROP-BID-AMT	Bid Amounts
PROP-BID-AWARD-DATE	Date Bid Awarded
PROP-BID-MDFCTN-AMT	Bid Modification Amount
PROP-BID-WTHDRWL-IND	
PROP-BIDDER-CITY-ADRS	City (Bidder)
PROP-BIDDER-CMPNY-NAME	Company Name (Bidder)
PROP-BIDDER-FIRST-NAME	First Name (Bidder)
PROP-BIDDER-LAST-NAME	Last Name (Bidder)
PROP-BIDDER-LAST-NAME	MI (Bidder)
PROP-BIDDER-LINE1-ADRS	Address (Bidder First Line)
PROP-BIDDER-LINE2-ADRS	Address (Bidder Second Line)
PROP-BIDDER-NMBR; SYS-REC-KEY	Bidder No
PROP-BIDDER-NMBR; SYS-REC-KEY	Bidder Number
PROP-BIDDER-PHN-NMBR	Phone (Bidder)
PROP-BIDDER-STATE-CODE	State (Bidder)
PROP-BIDDER-ZIP-CODE	Zip (Bidder)
PROP-CASE-ENTRY-DATE	
PROP-CASE-NMBR	PROP CASE NMBR
PROP-CASE-NMBR	Property Case Numbers
PROP-CASE-NMBR	Single Case to Component
PROP-CASE-NMBR	Prop Case No
PROP-CNDTN-ADJSTMNT-DESC	Adj Description
PROP-CNDTN-ADJSTMNT-DESC	Modification Amount Explanation
PROP-CNDTN-ADJSTMNT-DESC	Adjustments Description
PROP-CNDTN-ADJSTMNT-DESC	Adj Desc
PROP-CNDTN-CODE-DESC	Title
PROP-CNDTN-CODE-DFNTN1-TEXT	Definition (Cndtn Code Dfntn1)

NPDMS DATA DICTIONARY
Access Name to Screen Name Cross-Reference

<u>ACCESS NAME</u>	<u>SCREEN NAME</u>
PROP-CNDTN-CODE-DFNTN2-TEXT	Definition (Cndtn Code Dfntn2)
PROP-CNDTN-CODE-GRP	CC
PROP-CNDTN-CODE-GRP	Cond
PROP-CNTCT-NAME	Contact Person
PROP-CNTCT-PHN-NMBR	Phone (Cntct Phn)
PROP-CNTRCT-RMVL-DATE	Contract Prop Removal Date
PROP-CPTL-SNSTVTY-CODE	Cap Sens Code
PROP-CTGRY-CODE	Property Category Code
PROP-CUR-AVLBL-QTY	Curr Qty
PROP-CUR-AVLBL-QTY	Current Available Qty
PROP-CUR-AVLBL-QTY	Current Qty
PROP-CUR-AVLBL-QTY	Qty (Cur Avlbl)
PROP-CUR-AVLBL-QTY	Cur Qty
PROP-CUR-AVLBL-QTY	Adj - Received Qty
PROP-CUR-AVLBL-QTY	New Qty
PROP-DESC	Item Desc
PROP-DESC	PROP DESC
PROP-DML-CODE; SYS-REC-KEY	DML Code
PROP-DML-CODE1-DESC	DML Definition (DML Code Dfntn1)
PROP-DML-CODE2-DESC	DML Definition (DML Code Dfntn2)
PROP-DML-RANK	DML Priority
PROP-DSPSL-APRVL-DATE	Prop Disposal Approval Date
PROP-DSPSL-CNDTN-CODE; SYS-REC-KEY	Disposal CC
PROP-DSPSL-RSN-TEXT	Disposal Reason
PROP-DSPSTN-ACQSTN-COST-AMT	Total Acq Cost (Dspstn Acqstn)
PROP-DSPSTN-ACQSTN-COST-AMT	Disp Cost
PROP-DSPSTN-QTY	Disp Qty
PROP-DSPSTN-QTY	Disposition Qty
PROP-DSPSTN-QTY	Qty (Dspstn)
PROP-DSPSTN-QTY	Qty Sold
PROP-DSPSTN-QTY	Sale Qty
PROP-DSPSTN-QTY	Frozen
PROP-DSPSTN-TXN-DATE	Disposition Date
PROP-DSTRCTN-WTNS1-NAME	Witness Names (Dstrctn Wtns1)
PROP-DSTRCTN-WTNS2-NAME	Witness Names (Dstrctn Wtns2)
PROP-DTRMND-LOST-DATE	Date Prop Determined Lost
PROP-ERN-NMBR	ERN
PROP-FMV-AMT	Fair Mkt

NPDMS DATA DICTIONARY
Access Name to Screen Name Cross-Reference

<u>ACCESS NAME</u>	<u>SCREEN NAME</u>
PROP-FREEZE-DATE	Freeze Date
PROP-FREEZE-DLNQNT-DATE	Delinquent Date
PROP-FREEZE-ERN-NMBR	
PROP-FREEZE-IND	
PROP-FRGN-IND	Foreign Prop Ind
PROP-FRGN-IND	Foreign Prop
PROP-FSC-CLASS-CODE; REC-KEY	
PROP-FSC-CODE; SYS-REC-KEY	FSC Code
PROP-FSC-GROUP-CODE; REC-KEY	
PROP-FSC-GRP-NAME	FSC Group Name
PROP-FSC-MIN-CNDTN-CODE	FSC Minimum Condition
PROP-FSC-MIN-COST-AMT	FSC Minimum Cost
PROP-GRANT-IND	Grantee Prop
PROP-HAZMAT-CLSFCTN-ID	Mark For
PROP-HAZMAT-CODE; SYS-REC-KEY	Haz Mat Code
PROP-HAZMAT-CODE; SYS-REC-KEY	Haz Mat
PROP-HAZMAT-DESC	Explanation (Hazmat)
PROP-HAZMAT-IND; SYS-REC-KEY	Haz Mat Ind
PROP-HAZMAT-IND-TEXT	Definition (Hazmat Ind)
PROP-INST-BGN-DATE	Installation Screening Begin Dates
PROP-INST-BGN-DATE	Install Begin Dt
PROP-INST-END-DATE	Installation Screening End Dates
PROP-INST-END-DATE	Install End Dt
PROP-INST-SCRNG-MTHD-ID	Installation Screening Method
PROP-INST-SCRNG-MTHD-ID	Screening Method Install
PROP-INST-SCRNG-MTHD-ID	Install
PROP-INTL-LIST-DATE	
PROP-INV-BGN-DATE	
PROP-INV-END-DATE	Inventory Date (Inv End Date)
PROP-ITEM-ID	Item ID
PROP-ITEM-NAME	Item Name/Desc
PROP-ITEM-NAME	Item Name
PROP-LCTN-BIN-ID	Bin ID
PROP-LCTN-BLDG-ADRS	Bldg (Lctn)
PROP-LCTN-BLDG-ADRS	Building
PROP-LCTN-BLDG-ADRS	Location Bldg
PROP-LCTN-CITY-ADRS	City (Lctn)
PROP-LCTN-CNTRY-ADRS	Country (Lctn)

NPDMS DATA DICTIONARY
Access Name to Screen Name Cross-Reference

<u>ACCESS NAME</u>	<u>SCREEN NAME</u>
PROP-LCTN-CNTRY-CODE	Country Code
PROP-LCTN-FAX-NMBR	Prop Loc Fax
PROP-LCTN-FAX-NMBR	Fax (Lctn)
PROP-LCTN-INST-NAME	Install Name
PROP-LCTN-LINE1-ADRS	Address (Lctn First Line)
PROP-LCTN-LINE2-ADRS	Address (Lctn Second Line)
PROP-LCTN-PODI-EMAIL-ADRS	PODI Email Address
PROP-LCTN-ROOM-ADRS	Room (Lctn)
PROP-LCTN-STATE-CODE	State (Property Location)
PROP-LCTN-ZIP-CODE	Zip (Lctn)
PROP-LOCAL-RFRNC-NMBR	Local Ref No
PROP-LOT-NMBR	Lot No of Prop
PROP-LOT-NMBR	Sale Lot No
PROP-LOT-NMBR	New Lot No
PROP-LOT-WTHDRWL-IND	
PROP-MFG-CODE	Mfg s Code
PROP-MFG-MODEL-NMBR	Model No
PROP-MFG-NAME	Mfg s Name
PROP-MFG-PART-NMBR	Part No (Mfg)
PROP-MFG-SERIAL-NMBR	Serial No
PROP-MFG-YEAR	Mfg Year
PROP-MMAC-CODE; SYS-REC-KEY	MMA Code
PROP-MMAC-CODE; SYS-REC-KEY Code	Materiel Management Aggregation
PROP-MMAC-DESC	MMAC Nomenclature
PROP-MMAC-MNGR-CODE	MMAC Manager
PROP-MTRLS-INV-IND	Mat Inv
PROP-NASA-ACQRD-DATE	
PROP-NASA-BGN-DATE	NASA-Wide Screening Begin Dates
PROP-NASA-BGN-DATE	NASA-Wide Begin Dt
PROP-NASA-END-DATE	End Dt (NASA Wide Screening)
PROP-NASA-END-DATE	NASA Wide End Date
PROP-NASA-END-DATE	NASA-Wide End Dt
PROP-NASA-END-DATE	NASA-Wide Screening End Dates
PROP-NASA-SCRNG-MTHD-ID	NASA -Wide
PROP-NASA-SCRNG-MTHD-ID	NASA -Wide Screening Method
PROP-NEW-ACPTNC-DATE	New Prop Acceptance Date
PROP-NIIN-NMBR	

NPDMS DATA DICTIONARY
Access Name to Screen Name Cross-Reference

<u>ACCESS NAME</u>	<u>SCREEN NAME</u>
PROP-NSN-NMBR	NSN
PROP-NTFCTN-LTR-SENT-DATE	
PROP-OFA-BGN-DATE	Other Fed Begin Dt
PROP-OFA-BGN-DATE	Other Federal Screening Begin Dates
PROP-OFA-END-DATE	OFA Scrng End Date
PROP-OFA-END-DATE	Other Fed End Dt
PROP-OFA-END-DATE	Other Federal Screening End Dates
PROP-OPTNL-ITEM-NAME	Additional Optional Item Name
PROP-PCKP-DCMNT-GNRTN-DATE	
PROP-PCKP-DCMNT-GNRTN-IND	Printer Pickup Doc
PROP-PCKP-DCMNT-GNRTN-IND	Print Pickup Doc
PROP-PRCRMNT-DCMNT-NMBR	Procurement Doc No
PROP-PRCS-MTLS-CODE; SYS-REC-KEY	Prec Metal
PROP-PRCS-MTLS-CODE; SYS-REC-KEY	Precious Metals Code
PROP-PRCS-MTLS-DESC	Precious Metals Content Description (Line 1)
PROP-PRCS-MTLS-DESC	Precious Metals Content Description (Line 2)
PROP-PRCSNG-PRTY-IND	Priority Ind
PROP-PRVS-ACQSTN-COST-AMT	
PROP-PRVS-CASE-NMBR	Prev Case No
PROP-PRVS-CNDTN-CODE	
PROP-PRVS-CUR-AVLBL-QTY	
PROP-PRVS-ITEM-NAME	
PROP-PYMNT-DATE	Actual Prop Payment Date
PROP-PYMNT-DUE-DATE	Payment Due Date
PROP-QTY	Orig Qty
PROP-RCPNT-AGENCY-NAME	Property Recipient Agency Name
PROP-RCPNT-CLSFCTN-IND	
PROP-REC-CHNG-TYPE-CODE	
PROP-REFER-SUSPD-RPTNG-IND	Priority Freeze Refer Prop Ind
PROP-REFER-SUSPD-RPTNG-IND	Refer Susp
PROP-REIM-CODE	Reimbursement Code
PROP-REIM-CODE-DESC	Reimbursement Code Desc
PROP-REIM-IND	Reimbursable (Y/N)
PROP-RMVL-DATE	Actual Prop Removal Date
PROP-RMVL-DATE	Actual Removal Date
PROP-RMVL-DATE	Prop Rmvl Dt
PROP-RMVL-DATE	Date Sent to GSA Quantity

NPDMS DATA DICTIONARY
Access Name to Screen Name Cross-Reference

<u>ACCESS NAME</u>	<u>SCREEN NAME</u>
PROP-RPTBL-FSC-IND	FSC Reportable Ind
PROP-RQST-DCMNT-NMBR	Doc No
PROP-RVRSL-ERN-NMBR	
PROP-SALE-CNTRCT-NMBR	Sale Contract No
PROP-SALE-DATE	Sale Date
PROP-SALE-MTHD-ID	Sale Method
PROP-SALE-NMBR	Sale No
PROP-SALE-NMBR	Sale No of Prop
PROP-SALE-NMBR	New Sale No
PROP-SALE-PRCDS-AMT	Sale Amount
PROP-SALE-PRCDS-AMT	Proceeds
PROP-SALE-RCPT-DCMNT-NMBR	Sale Receipt Doc No
PROP-SALE-RCPT-IND	Reprint Sales Slip Report
PROP-SCRNG-TYPE-ID	
PROP-SHELF-LIFE-CLSFCTN-ID	Shelf Life Type
PROP-SHELF-LIFE-DRTN	Shelf Life Period
PROP-SHELF-LIFE-EXPRTN-DATE	Exp Date (Exprtn)
PROP-SHELF-LIFE-EXTNSN-DATE	Exp Date (Exptnsn)
PROP-SHELF-LIFE-EXTNSN-DATE	Ext Date (Exptnsn)
PROP-SHELF-LIFE-EXTNSN-CODE;SYS-REC-KEY	Shelf Life Code
PROP-SHPMNT-DATE	Dt Shippd
PROP-SPLY-CNDTN-CODE; SYS-REC KEY	
PROP-SRVY-RPT-NMBR	Survey Report No
PROP-SRVY-TEXT	Survey Comments
PROP-STOCK-STS-CODE	Stock Status code
PROP-THAW-DATE	
PROP-TOT-ADJSTD-COST-AMT	
PROP-TRMNTN-DATE	Termination Dt
PROP-TRNSFR-DCMNT-APRVD-DATE	Approved (Tfr Dcmt)
PROP-TRNSFR-ID	Transferee is Contractor/Grantee (C,G,)
PROP-TURN-IN-DCMNT-NMBR	Turn In Doc Nmbr
PROP-TURN-IN-DCMNT-NMBR	Turn-In Doc No
PROP-TXN-APRVD-NAME	Approved by
PROP-TXN-ATHRTY-TEXT	
PROP-TXN-DATE	
PROP-TXN-DESC	Property Transaction Description
PROP-TXN-DESC	Sale Adjustments
PROP-TXN-DESC	Trx Desc

NPDMS DATA DICTIONARY
Access Name to Screen Name Cross-Reference

<u>ACCESS NAME</u>	<u>SCREEN NAME</u>
PROP-TXN-DESC	Txn Desc
PROP-TXN-DESC	PDO Justification
PROP-TXN-DESC	Transaction Description
PROP-TXN-ID	Trans Id
PROP-UNIT-ACQSTN-COST-AMT	Orig Acq Cost
PROP-UOM-CODE; SYS-REC KEY	UOM
PROP-UOM-CODE; SYS-REC KEY	Unit of Measure
PROP-UOM-TEXT	Unit of Measure (text)
PROP-UPSET-PRICE-AMT	Upset Price
PROP-Y2K-CRTFR-NAME	Property Y2K Certifier's Name
PROP-Y2K-STS-CODE	Property Y2K Status Code
RCPNT-ADRS-LINE1-TEXT	Address (Recipient First Line)
RCPNT-ADRS-LINE2-TEXT	Address (Recipient Second Line)
RCPNT-AGNCY-NAME	Recipient
RCPNT-ADRS-CITY-NAME	City (Recipient)
RCPNT-ADRS-STATE-CODE	State (Recipient)
RCPNT-ADRS-ZIP-CODE	Zip (Recipient)
RCPNT-PHN-NMBR	Phone (Recipient)
RCPNT-TYPE-CODE	Recipient Type
RCPNT-SUBTYPE-CODE	Recipient Subtype
RPT-1348-DCMNT-ID	Document Identifier Code
RPT-1348-DCMNT-NMBR	1348 Doc
RPT-1348-DCMNT-NMBR	DD-1348-1A
RPT-1348-GNRTN-DATE	Drmo Dt
RPT-1348-GNRTN-IND	Print DD-1348-1A (Y)
RPT-1348-TEXT	
RPT-1810-BAL-AMT	
RPT-1820-BAL-AMT	
RPT-623-BAL-AMT	
RPT-811-GNRTN-DATE	
RPT-811-IND	Print NASA 811 (Y)
RPT-812-GNRTN-DATE	
RPT-812-IND	Print NASA 812 (Y)
RPT-BGN-DATE	Begin Date (Reports)
RPT-BGN-DATE-IND	Start Date (Ind)
RPT-BNDNG-CODE	Binding Instructions
RPT-DATA1-TEXT	Criteria 1
RPT-DATA2-TEXT	Criteria 2

NPDMS DATA DICTIONARY
Access Name to Screen Name Cross-Reference

<u>ACCESS NAME</u>	<u>SCREEN NAME</u>
RPT-DATA3-TEXT	Criteria 3
RPT-DATA4-TEXT	Criteria 4
RPT-DATA5-TEXT	Criteria 5
RPT-EFFCTV-DATE	Effective Date
RPT-END-DATE	Ending Date (Reports)
RPT-END-DATE-IND	End Date (Ind)
RPT-EXCTN-SEQ-NMBR	Seq#
RPT-EXCTN-SEQ-NMBR	Report Execution Sequence No
RPT-FREQ	Frequency
RPT-FRGN-DSPSL-APRVL-IND	Print Foreign Disposal Approval Form (Y)
RPT-IMMED-SUBMSN-IND	Allow Immediate Submission
RPT-INST-NAME	
RPT-MAIL-STOP-ADRS	Mail Stop
RPT-MAINT-JOB-IND-SB	Job Type Determination
RPT-MAINT-JOB-NMBR-SB	Report Number
RPT-MAINT-JOB-NMBR-SB	Maintenance Job Number
RPT-MAINT-JOB-NMBR-SB	Report/Maintenance Job No
RPT-MAINT-NAME	Report Name
RPT-MAINT-NAME	Report /Maintenance Name
RPT-MAINT-NAME	Description (Rpt Maint Name)
RPT-MAINT-PGM-ID; SYS-REC-KEY	
RPT-NMBR-DAYS-IND	No. of Days (Ind)
RPT-OUTPUT-CODE	Output Code
RPT-OUTPUT-CODE	Output Class
RPT-OUTPUT-CODE	Report Output Class
RPT-PRMTRS-TEXT	NEMS Accepted External Count
RPT-PRMTRS-TEXT	NEMS Accepted Internal Count
RPT-PRMTRS-TEXT	Number of Days
RPT-PRMTRS-TEXT	NEMS Screening Count
RPT-QTY	No of Copies
RPT-QTY	Number of Copies
RPT-RQSTR-NAME	Distribution (Report)
RPT-SPCL-FORM-ID	Special Forms (Report)
RPT-STS-CODE	New Status
RPT-STS-CODE	Status
RPT-USER-ID	
RQSTR-AGNCY-ID	Requestor Agency Id

NPDMS DATA DICTIONARY
Access Name to Screen Name Cross-Reference

<u>ACCESS NAME</u>	<u>SCREEN NAME</u>
RQSTR-AGNCY-ID	Freeze Type
RQSTR-AGNCY-ID	Type
RQSTR-BLDG-ADRS	Bldg (Rqstr)
RQSTR-CITY-ADRS	City (Rqstr)
RQSTR-CNTRY-ADRS	Country (Rqstr)
RQSTR-CSTDN-ACNT-NMBR	Cust Acct No
RQSTR-INST-NMBR	Installation No (T05, T06 transactions)
RQSTR-LINE1-ADRS	Address (Rqstr First Line)
RQSTR-LINE2-ADRS	Address (Rqstr Second Line)
RQSTR-NAME	Requestor Name
RQSTR-ORGNZTN-CODE	Org Code
RQSTR-ORGNZTN-NAME	Agency Name
RQSTR-ORGNZTN-NAME	Company Name
RQSTR-ORGNZTN-NAME	Donee Agency
RQSTR-PHN-NMBR	Phone (Rqstr)
RQSTR-PRVNC-ADRS	Province (Rqstr)
RQSTR-ROOM-ADRS	Room (Rqstr)
RQSTR-STATE-CODE	State (Rqstr)
RQSTR-ZIP-CODE	Zip (Rqstr)
SRPLSPROP-DNTN-BGN-DATE	Donation Begin Dt
SRPLSPROP-DNTN-BGN-DATE	Donation Screening Begin Dates
SRPLSPROP-DNTN-END-DATE	Donation End Dt
SRPLSPROP-DNTN-END-DATE	Donation Screening End Dates
SUBINST-NMBR	
SYS-AUDIT-DATE	Date Lasted Updated
SYS-AUDIT-ID	User Id
SYS-AUDIT-TIME	
SYS-BATCH-REC-ID	
SYS-BID-ABSTRACT-RPT-IND	
SYS-CASE-SERIAL-NMBR	
SYS-CNTRL-FLAG	
SYS-INST-DAYS-CNT	INST
SYS-INST-DAYS-CNT	Days Installation Screening
SYS-JULIAN-DATE	
SYS-NASA-DAYS-CNT	NASA
SYS-NASA-DAYS-CNT	Days NASA-Wide Screening
SYS-OFA-DAYS-CNT	OFA
SYS-OFA-DAYS-CNT	Days Other Federal Screening

NPDMS DATA DICTIONARY
Access Name to Screen Name Cross-Reference

<u>ACCESS NAME</u>	<u>SCREEN NAME</u>
SYS-PRNTR-DESC	Desc (Prntr)
SYS-PRNTR-DESC	Printer Description
SYS-PRVS-TBL-ID	
SYS-REC-KEY	ADPE Identification Code
SYS-REC-KEY	Controlled Inventory Item Code
SYS-REC-KEY	Cust Acct No
SYS-REC-KEY	Disposal Condition Code
SYS-REC-KEY	DML Code
SYS-REC-KEY	DRMO Disposal Authority Code
SYS-REC-KEY	DRMO DoDAAC
SYS-REC-KEY	FEDSTRIP AAC
SYS-REC-KEY	FSC Code
SYS-REC-KEY	GSA Region
SYS-REC-KEY	Installation No
SYS-REC-KEY	Materiel Management Aggregation
Code	
SYS-REC-KEY	Precious Metals Code
SYS-REC-KEY	Printer Dest
SYS-REC-KEY	Printer Destination
SYS-REC-KEY	Supply Condition Code
SYS-REC-KEY	UOM Abbreviation
SYS-REC-KEY	User Id
SYS-REC-KEY	Haz Mat Code
SYS-REC-KEY	Destination
SYS-REC-KEY	Type (Shelf Life Type II)
SYS-REC-KEY	Type (Shelf Life Type I)
SYS-REC-KEY	Reimbursement Code
SYS-REC-KEY	Hazmat Indicator Code
SYS-SERIAL-NMBR	
SYS-SRPLS-DAYS-CNT	SRPLS
SYS-SRPLS-DAYS-CNT	Days Donation Screening
SYS-STATE-FIPS-CODE;SYS-REC-KEY	
SYS-STATE-NAME	
SYS-TBL-ID	Table Id
SYS-TXN-SORT-KEY	
SYS-TXN-STS-ID	
SYS-TXN-TYPE-ID	
SYS-UNQ-CASE-KEY	

NPDMS DATA DICTIONARY
Access Name to Screen Name Cross-Reference

<u>ACCESS NAME</u>	<u>SCREEN NAME</u>
SYS-UNQ-TBL-KEY-SP	
SYS-UNQ-TXN-KEY	
SYS-USER-CHNG-ATHRTY-CODE	User Change Authority
SYS-USER-ID: SYS- REC-KEY	Scheduled by
SYS-USER-JOB-CARD-TEXT	User Job Card
SYS-USER-NAME	User Name
TRNSFR-SUBTYPE-TEXT	Transfer Subtype Text
TRNSFR-TYPE-TEXT	Transfer Type Text
UNCLMD-FOUND-DATE	Date Found
UNCLMD-IND	Unclaimed Prop
UNCLMD-SPNS-FILE-DATE	
UNCLMD-TITLE-VESTED-DATE	
WRHS-DATE	Warehoused Date
WRHS-LCTN-ADRS	Warehouse Location
WRHS-LCTN-ADRS	Warehouse Loc
WRHS-RCPT-ERN-NMBR	

APPENDIX B
DATABASE FIELDS THAT DO NOT
APPEAR ON SCREEN

NPDMS DATA DICTIONARY
Database Fields That Do Not Appear on Screens

ACCESS NAME: ADPEPROP-RPTBL-IND
ENTITY: IDLE ADPE
DESCRIPTIVE NAME: IDLE ADPE PROPERTY REPORTABLE INDICATOR
DATA ELEMENT DEFINITION:
An indicator automatically set when reportable ADPE reaches Installation Idle to indicate the item is to be reported to the GSA. Once reported, the indicator is reset.
FORMAT: Alphanumeric
LENGTH: 1
EDIT CRITERIA:
Generated. Y = report; Blank = do not report.

ACCESS NAME: AR-FSC-USED-IND
ENTITY: TABLE
DESCRIPTIVE NAME: ARC FEDERAL SUPPLY CODE USED INDICATOR
DATA ELEMENT DEFINITION:
A field indicating whether the FSC is used for ARC in a specified time period.
FORMAT: Alphanumeric
LENGTH: 1
EDIT CRITERIA:

ACCESS NAME: CMPNT-1348-IND
ENTITY:
DESCRIPTIVE NAME: COMPONENT SYSTEM 1348 INDICATOR
DATA ELEMENT DEFINITION:
Indicator set to designate the generation of a single DD-1348-1A for an entire

NPDMS DATA DICTIONARY
Database Fields That Do Not Appear on Screens

component system. Once the report has been generated thru the Report Process, this indicator is reset to its default value.

FORMAT: Alphanumeric

LENGTH: 1

EDIT CRITERIA:

User entered Y = yes, Blank = no. Default is no.

ACCESS NAME: CMPNT-CASE-ENTRY-DATE

ENTITY: COMPONENT SYSTEM

DESCRIPTIVE NAME: COMPONENT SYSTEM CASE ENTRY DATE

DATA ELEMENT DEFINITION:

The calendar date on which a Component System is entered into the NPDMS.

FORMAT: D

LENGTH:

EDIT CRITERIA:

Generated. Display **FORMAT:** MM = any number 1-12; DD = any number 1-31 and consistent with month; YY = current year. Stored in Internal Date format.

ACCESS NAME: CMPNT-IND

ENTITY: COMPONENT SYSTEM

DESCRIPTIVE NAME: COMPONENT SYSTEM INDICATOR

DATA ELEMENT DEFINITION:

Identifies cases as component systems property or as a single case. A component system is a case with more than one associated item.

FORMAT: Alphanumeric

LENGTH: 1

EDIT CRITERIA:

Computer generated, C = Component System, S = Single Case. This indicator is position 11 of the PROP-CASE-NMBR.

NPDMS DATA DICTIONARY
Database Fields That Do Not Appear on Screens

ACCESS NAME: CMPNT-ITEM-SEQ-NMBR
ENTITY: COMPOPONENT SYSTEM
DESCRIPTIVE NAME: COMPONENT SYSTEM ITEM SEQUENCE
NUMBER

DATA ELEMENT DEFINITION:

The field containing the highest Component System PROP-ITEM-ID for a specific PROP-CASE-NMBR.

FORMAT: Numeric

LENGTH: 2.0

EDIT CRITERIA:
Generated, 01-99.

ACCESS NAME: CMPNT-NEMS-IND
ENTITY: COMPONENT SYSTEM
DESCRIPTIVE NAME: NEMS TAGGED COMPONENT SYSTEM
PROPERTY INDICATOR

DATA ELEMENT DEFINITION:

An indicator automatically set if one or more items comprising a Component System is NEMS-tagged (controlled) Idle NASA Property.

FORMAT: Alphanumeric

LENGTH: 1

EDIT CRITERIA:
Computer generated, Y = yes, Blank = no. Default is no.

ACCESS NAME: CMPNT-SPLY-CNDTN-CODE
ENTITY: IDLE NASA PROPERTY
DESCRIPTIVE NAME: COMPONENT SYSTEM SUPPLY CONDITION
CODE

DATA ELEMENT DEFINITION:

The first position of the CMPNT-CNDTN-CODE-GRP indicating to the DRMO the

NPDMS DATA DICTIONARY
Database Fields That Do Not Appear on Screens

physical condition and usability of a personal property item. Also used with the SYS-TBL-ID providing access to the NPDMS Table File.

FORMAT: Alphanumeric

LENGTH: 1

EDIT CRITERIA:

See PROP-CNDTN-CODE-GRP. Must be in the NPDMS Supply Condition Code Table-030.

ACCESS NAME: CNTRCTR-IND

ENTITY: CONTRACTOR

DESCRIPTIVE NAME: CONTRACTOR INDICATOR

DATA ELEMENT DEFINITION:

Used to complete a data field on the computer tape, reporting to the General Services Administration, indicating that the property is contractor inventory.

FORMAT: Alphanumeric

LENGTH: 1

EDIT CRITERIA:

C or blank.

ACCESS NAME: CSTDN-PRVS-ACNT-NMBR

ENTITY: CUSTODIAN

DESCRIPTIVE NAME: CUSTODIAN PREVIOUS ACCOUNT NUMBER

DATA ELEMENT DEFINITION:

This field contains the reporting custodian's account number on the X90 Transaction that is written to the NEMS Daily Transaction File when a X90 Transaction is processed against the NEMS Active Equipment File.

FORMAT: Alphanumeric

LENGTH: 5

EDIT CRITERIA:

Generated.

NPDMS DATA DICTIONARY
Database Fields That Do Not Appear on Screens

ACCESS NAME: DF-FSC-USED-IND
ENTITY: TABLE
DESCRIPTIVE NAME: DFRC FEDERAL SUPPLY CODE
USED INDICATOR

DATA ELEMENT DEFINITION:

A field indicating whether the FSC is used for DFRC in a specified time period.

FORMAT: Alphanumeric

LENGTH: 1

EDIT CRITERIA:

ACCESS NAME: DRMO-SPCL-ACNTBLTY-TEXT
ENTITY: DRMO
DESCRIPTIVE NAME: DRMO SPECIAL ACCOUNTABILITY TEXT

DATA ELEMENT DEFINITION:

The category specified in DoD 4160.21M identifying excess personal property in block D, of the DD-1348, as requiring special handling by the DRMO.

FORMAT: Alphanumeric

LENGTH: 51

EDIT CRITERIA:

Free form. Default is 'In the Clear'.

ACCESS NAME: EXCSPROP-RPT-IND
ENTITY: EXCESS PROPERTY
DESCRIPTIVE NAME: EXCESS PROPERTY REPORT INDICATOR

DATA ELEMENT DEFINITION:

The field that indicates that all personal property items for the PROP-CASE-NMBR are to be reported to or withdrawn from the GSA or are available for transfer to the DRMO. It will be set automatically at the end of NASA Screening if the item is to be reported to the GSA. It must be set through the Change Transaction for those items being transferred to the DRMO. Once reported or

NPDMS DATA DICTIONARY
Database Fields That Do Not Appear on Screens

transferred, the indicator is reset if the PROP-REFER-SPND-RPTNG-IND is set to 'R'.

FORMAT: Alphanumeric

LENGTH: 1

EDIT CRITERIA:

Generated. Y = report; Blank = do not report.

ACCESS NAME: GR-FSC-USED-IND

ENTITY: TABLE

DESCRIPTIVE NAME: GRC FEDERAL SUPPLY CODE USED
INDICATOR

DATA ELEMENT DEFINITION:

A filed indicating whether the FSC is used for GRC in a specified time period.

FORMAT: Alphanumeric

LENGTH: 1

EDIT CRITERIA:

ACCESS NAME: GSA-PROP-RPT-QTY

ENTITY: GSA

DESCRIPTIVE NAME: QUANTITY OF PROPERTY REPORTED TO GSA

DATA ELEMENT DEFINITION:

The quantity of Idle NASA Property initially reported to GSA via electronic media or hardcopy SF-120.

FORMAT: Numeric

LENGTH: 5.0

EDIT CRITERIA:

Generated and stored on the Transaction (E04) File.

NPDMS DATA DICTIONARY
Database Fields That Do Not Appear on Screens

ACCESS NAME: GSA-RPT-PROP-UNIT-COST-AMT
ENTITY: GSA
DESCRIPTIVE NAME: GSA REPORTED PROPERTY UNIT COST AMOUNT
DATA ELEMENT DEFINITION:
The Adjusted Acquisition Cost Amount of Idle NASA Property initially reported to GSA via hardcopy SF-120 or electronic media.
FORMAT: Packed
LENGTH: 10.2
EDIT CRITERIA:
Generated and stored on the Transaction File.

ACCESS NAME: GSA-SF120-CRCTN-GNRTN-IND
ENTITY: GSA
DESCRIPTIVE NAME: GSA SF120 CORRECTION GENERATION INDICATOR
DATA ELEMENT DEFINITION:
The field in the NPDMS Item Record that triggers the generation of a SF-120 withdraw/correction form to be sent to GSA.
FORMAT: Alphanumeric
LENGTH: 1
EDIT CRITERIA:
Y = yes; Blank = no.

ACCESS NAME: GSA-SF120-RPT-ID
ENTITY: GSA
DESCRIPTIVE NAME: SF-120 GSA WITHDRAWAL/CORRECTION REPORT IDENTIFIER
DATA ELEMENT DEFINITION:
A letter used to identify the number of successive correcting or withdrawing SF-120 reports generated for a specific case record and forwarded to GSA.
FORMAT: Alphanumeric

NPDMS DATA DICTIONARY
Database Fields That Do Not Appear on Screens

LENGTH: 1
EDIT CRITERIA:
Initially set to 'blank' (none) then 'a' (1). 'b', (2), 'c' (3), etc.

ACCESS NAME: GS-FSC-USED-IND
ENTITY: TABLE
DESCRIPTIVE NAME: GSFC FEDERAL SUPPLY CODE
USED INDICATOR
DATA ELEMENT DEFINITION:
A field indicating whether the FSC is used for GSFC in a specified time period.
FORMAT: Alphanumeric
LENGTH: 1
EDIT CRITERIA:

ACCESS NAME: J5-FSC-USED-IND
ENTITY: TABLE
DESCRIPTIVE NAME: JSC FEDERAL SUPPLY CODE USED INDICATOR
DATA ELEMENT DEFINITION:
A field indicating whether the FSC is used for JSC in a specified time period.
FORMAT: Alphanumeric
LENGTH: 1
EDIT CRITERIA:

ACCESS NAME: KS-FSC-CODE-USED-IND
ENTITY: TABLE
DESCRIPTIVE NAME: KSC FEDERAL SUPPLY CODE USED INDICATOR
DATA ELEMENT DEFINITION:
A field indicating whether the FSC is used for KSC in a specified time period.

NPDMS DATA DICTIONARY
Database Fields That Do Not Appear on Screens
Alphanumeric

FORMAT:

LENGTH:

1

EDIT CRITERIA:

NPDMS DATA DICTIONARY
Database Fields That Do Not Appear on Screens

ACCESS NAME: LA-FSC-CODE-USED-IND
ENTITY: TABLE
DESCRIPTIVE NAME: LaRC FEDERAL SUPPLY CODE USED INDICATOR
DATA ELEMENT DEFINITION:
A field indicating whether the FSC is used for LaRC in a specified time period.
FORMAT: Alphanumeric
LENGTH: 1
EDIT CRITERIA:

ACCESS NAME: MS-FSC-CODE-USED-IND
ENTITY: TABLE
DESCRIPTIVE NAME: MSFC FEDERAL SUPPLY CODE USED INDICATOR
DATA ELEMENT DEFINITION:
A field indicating whether the FSC is used for MSFC in a specified time period.
FORMAT: Alphanumeric
LENGTH: 1
EDIT CRITERIA

ACCESS NAME: NEMS-AVLBLTY-STS-CODE
ENTITY: NEMS
DESCRIPTIVE NAME: NEMS AVAILABILITY STATUS CODE
DATA ELEMENT DEFINITION:
A key to the relative availability of NEMS reportable equipment by codes: A = Active B = Inactive-assigned C = Active-unassigned D = Excess.
FORMAT: Alphanumeric
LENGTH: 1
EDIT CRITERIA:
Must be on NEMS Table 410: A = Active; B = Inactive-assigned; C = Active-unassigned; D = Excess.

NPDMS DATA DICTIONARY
Database Fields That Do Not Appear on Screens

ACCESS NAME: NEMS-EQUIP-SUBINST-NMBR

ENTITY: NEMS

DESCRIPTIVE NAME: NEMS EQUIPMENT SUBINSTALLATION NUMBER

DATA ELEMENT DEFINITION:

The subinstallation where an item of NEMS equipment is located prior to being added to the PDO's holdings.

FORMAT: Alphanumeric

LENGTH: 2.0

EDIT CRITERIA:

Generated (pulled) from the NEMS Equipment record at the time of initial add to NPDMS.

ACCESS NAME: NEMS-ERN-NMBR

ENTITY: NEMS

DESCRIPTIVE NAME: NP/NEMS INTERFACE ENTRY REFERENCE
NUMBER

DATA ELEMENT DEFINITION:

A unique computer generated aggregate number assigned each NPDMS/NEMS interface transaction for audit trail purposes. This number is used to locate the corresponding documents on the microfilm reader. The NEMS-ERN-NMBR consists of: the subinstallation number; Julian date (YDDD); and a sequence (serial) number assigned each transaction during the day, starting each day with 0001.

FORMAT: Alphanumeric

LENGTH: 10.0

EDIT CRITERIA:

Generated for NPDMS interface transactions with NEMS and written to the NEMS Daily Transaction File. The serial number is generated using the next available sequence number contained on the NPDMS Table-115.

NPDMS DATA DICTIONARY
Database Fields That Do Not Appear on Screens

ACCESS NAME: NEMS-IND

ENTITY: NEMS

DESCRIPTIVE NAME: NEMS INDICATOR

DATA ELEMENT DEFINITION:

An indicator automatically set at the time of the Add to identify personal property as being NEMS-tagged (controlled).

FORMAT: Alphanumeric

LENGTH: 1

EDIT CRITERIA:

Generated: 'Y' or 'blank'. Automatically set to 'Y' if a record is found on the NEMS equipment file matching the entered NEMS-ECN-NMBR.

ACCESS NAME: NSMS-INDEX-DESC

ENTITY: NSMS

DESCRIPTIVE NAME: NSMS INDEX DESDCRIPTION

DATA ELEMENT DEFINITION:

Text description of a NSMS catalog index grouping of stock items.

FORMAT: Alphanumeric

LENGTH: 60 (1:40)

EDIT CRITERIA:

Provided by NSMS (INDEX-DESC) during electronic interface and stored on the NPDMS Text Descriptions File in a MU (PROP-DESC) field with up to 40 occurrences.

ACCESS NAME: NSMS-PROP-RCVD-ID

ENTITY: NSMS

DESCRIPTIVE NAME: NSMS PROPERTY RECEIVED IDENTIFIER

DATA ELEMENT DEFINITION:

Set at the time of a receipt transaction to identify the physical count of materials inventory property received at a NASA Storage facility, that was electronically added to NPDMS from NSMS.

NPDMS DATA DICTIONARY
Database Fields That Do Not Appear on Screens

FORMAT: Alphanumeric

LENGTH: 1

EDIT CRITERIA:

Generated.

U = Quantity received is less than quantity originally reported.

O = Quantity received was greater than quantity originally reported.

Blank = Quantity received was equal to the quantity originally reported.

ACCESS NAME: NSMS-TURN-IN-PROP-DCMNT-NMBR

ENTITY: NSMS

DESCRIPTIVE NAME: NSMS TURN IN PROPERTY DOCUMENT NUMBER

DATA ELEMENT DEFINITION:

Document number supplied by NSMS to identify the turn-in of idle supply property from NSMS to NPDMS. This number is comprised of the NSMS fields DOMAIN (A2) and DOCUMENT NUMBER (A15)

FORMAT: Alphanumeric

LENGTH: 17

EDIT CRITERIA:

Supplied by NSMS. Consists of DOMAIN (A2) and DOCUMENT NUMBER (A15) fields.

ACCESS NAME: PROP-ADJSTD-CNDTN-CODE

ENTITY: IDLE NASA PROPERTY

DESCRIPTIVE NAME: PROPERTY ADJUSTED CONDITION CODE

DATA ELEMENT DEFINITION:

A code that indicates the physical condition and serviceability of personal property. This is a change to the original Property Condition Code entered at the time of an add.

FORMAT: Alphanumeric

LENGTH: 2

EDIT CRITERIA:

See CONDITION CODE edit criteria

NPDMS DATA DICTIONARY
Database Fields That Do Not Appear on Screens

ACCESS NAME: PROP-ADJSTD-COST-AMT

ENTITY: IDLE NASA PROPERTY

DESCRIPTIVE NAME: AMOUNT PROPERTY COST ADJUSTED

DATA ELEMENT DEFINITION:

The amount that a property item's cost is adjusted during a Receipt (T02) or Change (E02) transaction.

FORMAT: Packed

LENGTH: 10.2

EDIT CRITERIA:

Calculated. Value obtained by subtracting the PROP-ADJSTD-ACQSTN-COST-AMT on the case record from the user-entered 'new' Cost. This may result in either a positive or negative dollar amount.

ACCESS NAME: PROP-ADJSTD-ITEM-NAME

ENTITY: IDLE NASA PROPERTY

DESCRIPTIVE NAME: PROPERTY ADJUSTED ITEM NAME

DATA ELEMENT DEFINITION:

The field containing the change to the original name of the personal property item.

FORMAT: Alphanumeric

LENGTH: 60

EDIT CRITERIA:

Standard used is the Federal Cataloging Handbook, H-6 series.

ACCESS NAME: PROP-ADJSTD-QTY

ENTITY: IDLE NASA PROPERTY

DESCRIPTIVE NAME: PROPERTY ADJUSTED QUANTITY

NPDMS DATA DICTIONARY
Database Fields That Do Not Appear on Screens

DATA ELEMENT DEFINITION:

An adjustment to the quantity of property entered at the time of a Receipt (T02) or Change (E02) transaction, if different than the quantity originally reported.

FORMAT: Numeric

LENGTH: 5.0

EDIT CRITERIA:

Calculated. Value obtained by subtracting the PROP-CUR-AVLBL-QTY on the case record from the user-entered 'new' Quantity. This may result in either a positive or negative number.

ACCESS NAME: PROP-BID-WTHDRWL-IND

ENTITY: IDLE NASA PROPERTY

DESCRIPTIVE NAME: PROPERTY BID WITHDRAWAL INDICATOR

DATA ELEMENT DEFINITION:

An indicator set to indicate that a competitive bid for consideration to acquire property offered for sale has been withdrawn or deleted.

FORMAT: Alphanumeric

LENGTH: 1

EDIT CRITERIA:

User entered. valid values are 'W' (withdrawal), 'D' (delete), or 'blank'.

ACCESS NAME: PROP-CASE-ENTRY-DATE

ENTITY: IDLE NASA PROPERTY

DESCRIPTIVE NAME: PROPERTY CASE ENTRY DATE

DATA ELEMENT DEFINITION:

The calendar date on which the idle personal property is entered into NPDMS.

FORMAT: D

LENGTH:

EDIT CRITERIA:

Generated. Display **FORMAT:** MM = any number 1-12; DD = any number 1-31 and consistent with month; YY = current year. Stored in Internal Date format.

NPDMS DATA DICTIONARY
Database Fields That Do Not Appear on Screens

ACCESS NAME: PROP-FREEZE-ERN-NMBR
ENTITY: IDLE NASA PROPERTY
DESCRIPTIVE NAME: FREEZE PROPERTY TRANSACTION ENTRY
REFERENCE NUMBER

DATA ELEMENT DEFINITION:

The Entry Reference Number of the freeze transaction record that a final disposition transaction was processed against.

FORMAT: Alphanumeric

LENGTH: 10

EDIT CRITERIA:

Generated. Entry Reference Number on the 'F00' record is moved to this field on the final disposition 'Tnn' record.

ACCESS NAME: PROP-FREEZE-IND
ENTITY: IDLE NASA PROPERTY
DESCRIPTIVE NAME: PROPERTY FREEZE INDICATOR

DATA ELEMENT DEFINITION:

Used to identify if there are one or more existing freezes against a case.

FORMAT: Alphanumeric

LENGTH: 1

EDIT CRITERIA:

F = freeze status; Blank = no freezes

ACCESS NAME: PROP-FSC-CLASS-CODE; REC-KEY
ENTITY: IDLE NASA PROPERTY
DESCRIPTIVE NAME: PROPERTY FSC CLASS CODE

DATA ELEMENT DEFINITION:

The third and fourth positions of the Federal Supply Classification Code portion

NPDMS DATA DICTIONARY
Database Fields That Do Not Appear on Screens

of the PROP-FSC-CODE, which identify the classes within each group. The PROP-FSC-CLASS-CODE identifies the area of commodities in respect to their physical or performance characteristics.

FORMAT: Alphanumeric

LENGTH: 2.0

EDIT CRITERIA:

Valid codes maintained in the NPDMS FSC Code Table-020.

ACCESS NAME: PROP-FSC-GROUP-CODE; REC-KEY

ENTITY: IDLE NASA PROPERTY

DESCRIPTIVE NAME: PROPERTY FSC GROUP CODE

DATA ELEMENT DEFINITION:

The first 2 positions of the Federal Supply Classification Code portion of the PROP-FSC-CODE. The FSC Group identifies the commodity area covered by classes within the group.

FORMAT: Alphanumeric

LENGTH: 2.0

EDIT CRITERIA:

Valid codes for this sub-descriptor maintained in the NPDMS FSC Code Table-020.

ACCESS NAME: PROP-INTL-LIST-DATE

ENTITY: IDLE NASA PROPERTY

DESCRIPTIVE NAME: INITIAL SCREENING LIST DATE OF PROPERTY

DATA ELEMENT DEFINITION:

The date of the first successful run (including printing) of the first screening list that the item appears on.

FORMAT: D

LENGTH:

EDIT CRITERIA:

Generated. Display **FORMAT:** MM/DD/YY. Stored in Internal Date format.

NPDMS DATA DICTIONARY
Database Fields That Do Not Appear on Screens

ACCESS NAME: PROP-INV-BGN-DATE
ENTITY: IDLE NASA PROPERTY
DESCRIPTIVE NAME: PROPERTY INVENTORY BEGIN DATE
DATA ELEMENT DEFINITION:
The calendar date on which the PDO began a 'wall-to-wall' inventory of all Idle NASA Personal Property.
FORMAT: D
LENGTH:
EDIT CRITERIA:
User entered. Display **FORMAT:** MM/DD/YY. Stored in Internal Date format.

ACCESS NAME: PROP-LOT-WTHDRWL-IND
ENTITY: IDLE NASA PROPERTY
DESCRIPTIVE NAME: PROPERTY LOT WITHDRAWAL INDICATOR
DATA ELEMENT DEFINITION:
An indicator set to indicate that a bid for consideration to acquire a specific property lot offered for sale has been withdrawn; the bidder who was awarded a lot has defaulted; or there were no bids for the lot.
FORMAT: Alphanumeric
LENGTH: 1
EDIT CRITERIA:
User entered, valid values are 'W' (withdraw), 'D' (Defaulted), or 'N' (no bids).

ACCESS NAME: PROP-NASA-ACQRD-DATE
ENTITY: IDLE NASA PROPERTY
DESCRIPTIVE NAME: PROPERTY NASA ACQUIRED DATE

NPDMS DATA DICTIONARY
Database Fields That Do Not Appear on Screens

DATA ELEMENT DEFINITION:

The calendar date NASA or a NASA contractor initially received or identified an item of equipment.

FORMAT: D

LENGTH:

EDIT CRITERIA:

Pulled from the NEMS Equipment File (DATE-NASA-ACQ) at the time of a controlled add. Stored in Internal Date format. This date is not displayed nor is it modifiable.

ACCESS NAME: PROP-NIIN-NMBR

ENTITY: IDLE NASA PROPERTY

DESCRIPTIVE NAME: PROPERTY NATIONAL ITEM IDENTIFICATION
NUMBER

DATA ELEMENT DEFINITION:

A standard National Item Identification Number portion of the PROP-NSN-NMBR that appears after the Federal Supply Classification Code.

FORMAT: Alphanumeric

LENGTH: 9

EDIT CRITERIA:

See NATIONAL STOCK NUMBER.

ACCESS NAME: PROP-NTFCTN-LTR-SENT-DATE

ENTITY: IDLE NASA PROPERTY

DESCRIPTIVE NAME: DATE PROPERTY BIDDER NOTIFICATION LETTER
SENT

DATA ELEMENT DEFINITION:

The calendar date that the individual, or the organization/company, who submitted a competitive bid for consideration to acquire a specific property lot that has been offered for sale is notified of the sales award.

FORMAT: D

LENGTH:

NPDMS DATA DICTIONARY
Database Fields That Do Not Appear on Screens

EDIT CRITERIA:

Generated. Display **FORMAT:** MM/DD/YY. Stored in Internal Date format.

ACCESS NAME: PROP-PCKP-DCMNT-GNRTN-DATE

ENTITY: IDLE NASA PROPERTY

DESCRIPTIVE NAME: PROPERTY PICKUP DOCUMENT GENERATION
DATE

DATA ELEMENT DEFINITION:

The calendar date on which the pickup document (NF-1638) is generated for an item of idle personal property.

FORMAT: D

LENGTH:

EDIT CRITERIA:

Current system date at the time of generation. Display **FORMAT:** MM = any number 1-12; DD = any number 1-31 and consistent with month; YY = current year. Stored in Internal Date format.

ACCESS NAME: PROP-PRVS-ACQSTN-COST-AMT

ENTITY: IDLE NASA PROPERTY

DESCRIPTIVE NAME: PREVIOUS ADJUSTED ACQUISITION COST
AMOUNT OF PROPERTY

DATA ELEMENT DEFINITION:

Contains the previous Adjusted Acquisition Cost Amount of Property on the case record changed as the result of a clerical or managerial adjustment.

FORMAT: Packed

LENGTH: 10.2

EDIT CRITERIA:

Generated (moved) from the case record and stored on the A02 transaction record.

NPDMS DATA DICTIONARY
Database Fields That Do Not Appear on Screens

ACCESS NAME: PROP-PRVS-CNDTN-CODE
ENTITY: IDLE NASA PROPERTY
DESCRIPTIVE NAME: PROPERTY PREVIOUS CONDITION CODE
DATA ELEMENT DEFINITION:
Contains the PROP-CNDTN-CODE value that was changed by a Receipt (T02) or change transaction.
FORMAT: Alphanumeric
LENGTH: 2
EDIT CRITERIA:
Generated.

ACCESS NAME: PROP-PRVS-CUR-AVLBL-QTY
ENTITY: IDLE NASA PROPERTY
DESCRIPTIVE NAME: PREVIOUS CURRENT AVAILABLE QUANTITY OF PROPERTY
DATA ELEMENT DEFINITION:
Contains the previous Current Available Quantity of Property on the case record changed as the result of a clerical or managerial adjustment.
FORMAT: Numeric
LENGTH: 5.0
EDIT CRITERIA:
Generated (moved) from the case record and stored on the E02 transaction record.

ACCESS NAME: PROP-PRVS-ITEM-NAME
ENTITY: IDLE NASA PROPERTY
DESCRIPTIVE NAME: PROPERTY PREVIOUS ITEM NAME
DATA ELEMENT DEFINITION:
Contains the previous item name of the property that was changed by a Receipt (T02) or change transaction.
FORMAT: Alphanumeric

NPDMS DATA DICTIONARY
Database Fields That Do Not Appear on Screens

LENGTH: 60

EDIT CRITERIA:
Generated.

ACCESS NAME: PROP-RCPNT-CLSFCTN-IND

ENTITY: IDLE NASA PROPERTY

DESCRIPTIVE NAME: PROPERTY RECIPIENT CLASSIFICATION
INDICATOR

DATA ELEMENT DEFINITION:

This field indicates if the recipient of the property is a Federal or non-Federal entity. Blank = Federal N = Non-federal.

FORMAT: Alphanumeric

LENGTH: 1

EDIT CRITERIA:
Possible values are 'N' or blank.

ACCESS NAME: PROP-REC-CHNG-TYPE-CODE

ENTITY: IDLE NASA PROPERTY

DESCRIPTIVE NAME: PROPERTY RECORD CHANGE TYPE CODE

DATA ELEMENT DEFINITION:

A code that indicates the type of record change being made based on the System User Change Authority Code and Property Case Entry Date; C = clerical change (Corrections to data within the first 10 days of the Property Case Entry Date); M = Managerial (adjustment) change (Adjustments to Quantity and/or Cost occurring more than 10 days after the Property Case Entry Date).

FORMAT: Alphanumeric

LENGTH: 1

EDIT CRITERIA:
Generated based on the SYS-USER-CHNG-ATHRTY-CODE of the User and the PROP-CASE-ENTRY-DATE. Possible values are 'C' and 'M'.

NPDMS DATA DICTIONARY
Database Fields That Do Not Appear on Screens

ACCESS NAME: PROP-RVRSL-ERN-NMBR
ENTITY: IDLE NASA PROPERTY
DESCRIPTIVE NAME: PROPERTY REVERSAL TRANSACTION ENTRY
REFERENCE NUMBER

DATA ELEMENT DEFINITION:

The field in the reversal transaction (RTxx) containing the PROP-ERN-NMBR of the transaction that is being reversed.

FORMAT: Alphanumeric

LENGTH: 12.0

EDIT CRITERIA:

Value is obtained from a valid Disposition Transaction Record.

ACCESS NAME: PROP-SCRNG-TYPE-ID
ENTITY: IDLE NASA PROPERTY
DESCRIPTIVE NAME: PROPERTY SCREENING TYPE IDENTIFIER

DATA ELEMENT DEFINITION:

Indicates the type of internal screening the personal property item should undergo. 1 = Controlled NEMS screenable; 2 = Controlled non-NEMS screenable; 3 = Non-controlled screenable.

FORMAT: Alphanumeric

LENGTH: 1.0

EDIT CRITERIA:

Generated. 1 = Controlled NEMS screenable; 2 = Controlled non-NEMS screenable; 3 = Non-controlled screenable.

ACCESS NAME: PROP-SPLY-CNDTN-CODE; SYS-REC KEY
ENTITY: IDLE NASA PROPERTY
DESCRIPTIVE NAME: PROPERTY SUPPLY CONDITION CODE

DATA ELEMENT DEFINITION:

The first position of the PROP-CNDTN-CODE-GRP indicating to the DRMO the

NPDMS DATA DICTIONARY
Database Fields That Do Not Appear on Screens

physical condition and usability of a personal property item. Also used with the SYS-TBL-ID providing access to the NPDMS Table File.

FORMAT: Alphanumeric

LENGTH: 1

EDIT CRITERIA:

See PROP-CNDTN-CODE-GRP. Must be in the NPDMS Supply Condition Code Table-030.

ACCESS NAME: PROP-THAW-DATE

ENTITY: IDLE NASA PROPERTY

DESCRIPTIVE NAME: PROPERTY THAW DATE

DATA ELEMENT DEFINITION:

The calendar date on which the thawing of a freeze (F00) transaction was entered.

FORMAT: D

LENGTH:

EDIT CRITERIA:

Generated. Display **FORMAT:** MM/DD/YY. Stored in Internal Date format.

ACCESS NAME: PROP-TOT-ADJSTD-COST-AMT

ENTITY: IDLE NASA PROPERTY

DESCRIPTIVE NAME: PROPERTY TOTAL ADJUSTED COST AMOUNT

DATA ELEMENT DEFINITION:

The total amount (difference) that a property item's cost is adjusted during a Receipt (T02) or Change (E02) transaction.

FORMAT: Packed

LENGTH: 10.2

EDIT CRITERIA:

Calculated. This may result in either a positive or negative dollar amount.

NPDMS DATA DICTIONARY
Database Fields That Do Not Appear on Screens

ACCESS NAME: PROP-TXN-ATHRTY-TEXT
ENTITY: IDLE NASA PROPERTY
DESCRIPTIVE NAME: PROPERTY TRANSACTION AUTHORITY TEXT
DATA ELEMENT DEFINITION:
Provides for a narrative description of the authority to dispose of excess property.
FORMAT: Alphanumeric
LENGTH: 240
EDIT CRITERIA:
Free form.

ACCESS NAME: PROP-TXN-DATE
ENTITY: IDLE NASA PROPERTY
DESCRIPTIVE NAME: PROPERTY TRANSACTION DATE
DATA ELEMENT DEFINITION:
The Julian date on which a specific transaction occurred.
FORMAT: Numeric
LENGTH: 4.0
EDIT CRITERIA:
Generated. Stored in YDDD format. This sub-descriptor is position 3-6 of the PROP-TXN-ERN-NMBR.

ACCESS NAME: RPT-1348-TEXT
ENTITY: REPORT
DESCRIPTIVE NAME: REPORT 1348 TEXT
DATA ELEMENT DEFINITION:
A free form field used in the generation of DD-1348-1A forms.
FORMAT: Alphanumeric
LENGTH: 196
EDIT CRITERIA:
Free form.

NPDMS DATA DICTIONARY
Database Fields That Do Not Appear on Screens

ACCESS NAME: RPT-1810-BAL-AMT

ENTITY: REPORT

DESCRIPTIVE NAME: REPORT 1810 BALANCE AMOUNT

DATA ELEMENT DEFINITION:

The amount on the 1810 Account Record containing the ending balance for a specific month and is the beginning balance for the next generation of the 1800 report.

FORMAT: Packed

LENGTH: 11.2

EDIT CRITERIA:

Calculated and stored on NPDMS Table 130. Includes all property entered into NPDMS with a PROP-STOCK-STS-CODE of 4 and 5.

ACCESS NAME: RPT-1820-BAL-AMT

ENTITY: REPORT

DESCRIPTIVE NAME: REPORT 1820 BALANCE AMOUNT

DATA ELEMENT DEFINITION:

The amount on the 1820 Account Record containing the ending balance for a specific month and is the beginning balance for the next generation of the 1800 report.

FORMAT: Packed

LENGTH: 11.2

EDIT CRITERIA:

Calculated and stored on NPDMS Table 130. Includes all property entered into NPDMS with a PROP-STOCK-STS-CODE of 1, 2 and 3.

ACCESS NAME: RPT-623-BAL-AMT

ENTITY: REPORT

NPDMS DATA DICTIONARY
Database Fields That Do Not Appear on Screens

DESCRIPTIVE NAME: REPORT 623 BALANCE AMOUNT

DATA ELEMENT DEFINITION:

This field contains the Ending Balance from the annual and monthly NASA 623 reports, and is carried over as the Beginning Balance for the next generation of the NASA 623 report.

FORMAT: Packed

LENGTH: 11.2

EDIT CRITERIA:

Calculated and stored on NPDMS Table120 for the monthly 623 report and Table125 for the annual 623 report.

ACCESS NAME: RPT-811-GNRTN-DATE

ENTITY: REPORT

DESCRIPTIVE NAME: REPORT 811 GENERATION DATE

DATA ELEMENT DEFINITION:

The calendar date on which the NPDMS 811 report is generated to dispose of personal property determined to be salvage or scrap.

FORMAT: D

LENGTH:

EDIT CRITERIA:

Generated. Displayed in MM/DD/YY format. Stored in Internal Date format.

ACCESS NAME: RPT-812-GNRTN-DATE

ENTITY: REPORT

DESCRIPTIVE NAME: REPORT 812 GENERATION DATE

DATA ELEMENT DEFINITION:

The calendar date on which the NPDMS 812 report is generated to dispose of personal property to be abandoned, destroyed, or Donated to Public Bodies Without Prior GSA Approval.

FORMAT: D

LENGTH:

NPDMS DATA DICTIONARY
Database Fields That Do Not Appear on Screens

EDIT CRITERIA:

Generated. Displayed in format MM/DD/YY. Stored in Internal Date format.

ACCESS NAME: RPT-INST-NAME

ENTITY: REPORT

DESCRIPTIVE NAME: REPORT INSTALLATION NAME

DATA ELEMENT DEFINITION:

Contains the installation name that is to appear in the report title for a specific NPDMS report or maintenance job.

FORMAT: Alphanumeric

LENGTH: 40

EDIT CRITERIA:

Installation specific. The default is maintained in the NPDMS Center Profile Table-050.

ACCESS NAME: RPT-INST-NO

ENTITY: REPORT

DESCRIPTIVE NAME: REPORT INSTALLATION NUMBER

DATA ELEMENT DEFINITION:

Contains the installation number that is to appear in the report for a specific report or maintenance job.

FORMAT: Alphanumeric

LENGTH: 4

EDIT CRITERIA:

ACCESS NAME: RPT-MAINT-PGM-ID; SYS-REC-KEY

ENTITY: SYSTEM

DESCRIPTIVE NAME: REPORT/MAINTENANCE PROGRAM IDENTIFIER

NPDMS DATA DICTIONARY
Database Fields That Do Not Appear on Screens

DATA ELEMENT DEFINITION:

The program id designated for a specific NPDMS report or maintenance job. Positions 1-2 contain the NPDMS system identifier 'ND', position 3 designates the RPT-MAINT-JOB-IND and contains either an 'R' for report or an 'M' for maintenance, positions 4-6 contain the RPR-MAINT-JOB-NMBR. Also used with the SYS-TBL-ID providing access to the NPDMS Table File.

FORMAT: Alphanumeric

LENGTH: 8

EDIT CRITERIA:

ACCESS NAME: RPT-USER-ID

ENTITY: REPORT

DESCRIPTIVE NAME: REPORT USER IDENTIFIER

DATA ELEMENT DEFINITION:

The USER ID of the individual that created the NPDMS Report Record.

FORMAT: Alphanumeric

LENGTH: 8

EDIT CRITERIA:

Generated.

ACCESS NAME: SS-FSC-USED-IND

ENTITY: TABLE

DESCRIPTIVE NAME: SSC FEDERAL SUPPLY CODE USED
INDICATOR

DATA ELEMENT DEFINITION:

A field indicating whether the FSC is used for SSC in a specific time period.

FORMAT: Alphanumeric

LENGTH: 1

EDIT CRITERIA:

NPDMS DATA DICTIONARY
Database Fields That Do Not Appear on Screens

ACCESS NAME: SUBINST-NMBR
ENTITY: NASA SUB-INSTALLATION
DESCRIPTIVE NAME: SUBINSTALLATION NUMBER

DATA ELEMENT DEFINITION:

A two-digit number identifying the subinstallation of a NASA Installation. This is the last 2 positions of the INST-NMBR.

FORMAT: Alphanumeric

LENGTH: 2.0

EDIT CRITERIA:

Must match NPDMS Table-105:

- 01 - Langley Research Center
 - 02 - Ames Research Center
 - 03 - John H. Glen Research Center
 - 04 - Dryden Flight Research Center
 - 05 - Goddard Space Flight Center
 - 07 - Jet Propulsion Laboratory
 - 08 - Marshall Space Flight Center
 - 81 - Program Info. Systems Mission SNS (PrISMS)
 - 09 - Johnson Space Center
 - 91 - White Sands Test Facility
 - 92 - Johnson Space Center (SPOC-USA West)
 - 10 - Kennedy Space Center
 - 15 - Kennedy Space Center (J-BOSC)
 - 16 - Kennedy Space Center (SFOC)
 - 18 - Kennedy Space Center (PGOC)
 - 11 - Headquarters
 - 13 - Stennis Space Center.
-

ACCESS NAME: SYS-AUDIT-TIME
ENTITY: SYSTEM
DESCRIPTIVE NAME: SYSTEM AUDIT TIME

DATA ELEMENT DEFINITION:

For audit purposes, the calendar date a case or table record was last updated in the system by a user.

FORMAT: T

LENGTH:

NPDMS DATA DICTIONARY
Database Fields That Do Not Appear on Screens

EDIT CRITERIA:

Generated. *TIMX (Internal Date format).

ACCESS NAME: SYS-BATCH-REC-ID

ENTITY: SYSTEM

DESCRIPTIVE NAME: BATCH SYSTEM RECORD IDENTIFIER

DATA ELEMENT DEFINITION:

This field identifies the 4 record types on the Batch Case Data Entry File that are used in the NSMS Interface process. It is used to uniquely identify each record. Batch Record Id 1 identifies records that are input into NPDMS. Batch Record Id's 2, 3, and 4 are those NSMS records accepted, rejected, or receipted by NPDMS.

FORMAT: Alphanumeric

LENGTH: 1.0

EDIT CRITERIA:

Type 1 - NSMS Property submitted for Disposal; Type 2 - Accepted NSMS items; Type 3 - Rejected NSMS items; Type 4 - NPDMS Receipt of NSMS items.

ACCESS NAME: SYS-BID-ABSTRACT-RPT-IND

ENTITY: SYSTEM

DESCRIPTIVE NAME: SYSTEM SEALED BID ABSTRACT REPORT INDICATOR

DATA ELEMENT DEFINITION:

If the TYPE PROP-SALE-MTHD-ID is set to '1' (Sealed Bid sale), this indicator is set to "Y" to automatically generate a complete abstract of all bidders' information on bids accepted and processed for a specific PROP-SALE-DATE to determine high bidders.

FORMAT: Alphanumeric

LENGTH: 1.0

EDIT CRITERIA:

Generated if PROP-SALE-MTHD-ID equals '1'. Values are 'Y' or Blank.

NPDMS DATA DICTIONARY
Database Fields That Do Not Appear on Screens

ACCESS NAME: SYS-CASE-SERIAL-NMBR

ENTITY: SYSTEM

DESCRIPTIVE NAME: SYSTEM CASE SERIAL NUMBER

DATA ELEMENT DEFINITION:

The next available serial (or sequence) number for the generation of the PROP-CASE-NMBR.

FORMAT: Alphanumeric

LENGTH: 3

EDIT CRITERIA:

Generated using NPDMS Table-100.

note: The SYS-SERIAL-NMBR on the table is a numeric 4. The value of this field is moved to variable numeric 4, which is redefined as numeric 1 and alpha 3, respectively. The 3 position alpha field is then moved to the SYS-CASE-SERIAL-NMBR. The three positions of the serial number would be used numerically up to 999. After that the first position "A" and proceed thru the alphabet and the last 2 positions will start over at 01.

ACCESS NAME: SYS-CNTRL-FLAG

ENTITY: SYSTEM

DESCRIPTIVE NAME: SYSTEM CONTROL FLAG

DATA ELEMENT DEFINITION:

Flag set by NSMS on the Batch Interface File to aid NSMS in identifying processing actions required.

FORMAT: Alphanumeric

LENGTH: 1.0

EDIT CRITERIA:

Value set to 'blank' by NPDMS when a record electronically passed to NPDMS is rejected.

NPDMS DATA DICTIONARY
Database Fields That Do Not Appear on Screens

ACCESS NAME: SYS-JULIAN-DATE

ENTITY: SYSTEM

DESCRIPTIVE NAME: SYSTEM JULIAN DATE

DATA ELEMENT DEFINITION:

The system variable *DATJ is retrieved as Julian format YYDDD, which is moved into format YDDD.

FORMAT: Alphanumeric

LENGTH: 4.0

EDIT CRITERIA:

Generated and stored in YDDD format.

ACCESS NAME: SYS-PRVS-TBL-ID

ENTITY: SYSTEM

DESCRIPTIVE NAME: PREVIOUS SYSTEM TABLE IDENTIFIER

DATA ELEMENT DEFINITION:

The previous table id of a table record deleted by a user.

FORMAT: Alphanumeric

LENGTH: 3

EDIT CRITERIA:

001 = User Access Table;
005 = GSA Region Table;
010 = DRMO DODAAC Table;
015 = Exception Processing Table;
020 = Federal Supply Classification Code Table;
025 = Unit of Measure Table;
030 = Supply Condition Code Table;
035 = Disposal Condition Code Table;
040 = Performance Measures Table;
045 = Demilitarization Code Table;
050 = Center Profile Table;
051 = Property Location Table;
055 = Report/Maintenance Table;
060 = Fixed Shelf Life Code Table;
062 = Shelf Life Extension Code Table;
065 = Hazardous Materials Code Table;

NPDMS DATA DICTIONARY
Database Fields That Do Not Appear on Screens

070 = Controlled Inventory Item Code Table;
075 = ADPE Identification Code Table;
080 = Precious Metals Code Table;
085 = Materiel Management Aggregation Code Table;
090 = DRMO Disposal Authority Code Table;
095 = DRMO Additional Data Code Table;
100 = Property Case Number Serial Number Record;
105 = Installation Code Table;
110 = Entry Reference Number Serial Number Record;
112 = DRMO 1348 Serial Number Record;
113 = Sale Number Serial Number record;
115 = NEMS Entry Reference Number Serial Number Record;
120 = Monthly 623 Report Balance Record;
125 = Annual 623 Report Balance Record;
130 = 1800 Report Balance Record;
135 = Sale Slip Serial Number Record;
140 = JCL Table; 150 = State Table;
155 = Screening Days Table;
160 = Reimbursement Code Table;
165 = Hazardous Materials Indicator Code Table;
170 = Recipient Name Table;
180 = Transfer Type Table;
190 = Transfer Subtype Table.

ACCESS NAME: SYS-SERIAL-NMBR
ENTITY: SYSTEM
DESCRIPTIVE NAME: SYSTEM SERIAL NUMBER

DATA ELEMENT DEFINITION:

The next available serial (or sequence) number for the generation of the PROP-CASE-NMBR, PROP-ERN-NMBR, NEMS-ERN-NMBR, RPT-1348-DCMNT-NMBR, and PROP-SALE-RCPT-DCMNT-NMBR.

FORMAT: Numeric

LENGTH: 4.0

EDIT CRITERIA:
Generated.

NPDMS DATA DICTIONARY
Database Fields That Do Not Appear on Screens

ACCESS NAME: SYS-STATE-FIPS-CODE;SYS-REC-KEY

ENTITY: SYSTEM

DESCRIPTIVE NAME: SYSTEM STATE FEDERAL INFORMATION
PROCESSING STANDARDS CODE

DATA ELEMENT DEFINITION:

2 character Federal Information Processing Standards (FIPS) Code assigned by the US Postal Service to each State and U.S. Territory/Possession. Each SYS-STATE-FIPS-CODE has a two character abbreviation for States and Territories that is used as the SYS-REC-KEY when accessing NPDMS Table 150. Each State has an associated GSA Region to which Idle NASA Property is normally reported to, based on the physical location of the property in accordance with Federal Property Management Regulations.

FORMAT: Alphanumeric

LENGTH: 2

EDIT CRITERIA:

FIPS codes as listed in Publication 28, Postal Addressing Standards (May 1990). Must be in the NPDMS State Table-150.

NPDMS DATA DICTIONARY
Database Fields That Do Not Appear on Screens

FIPS CODE*	RECORD KEY	STATE NAME	GSA REGION
01	AL	Alabama	04
02	AK	Alaska	10
04	AZ	Arizona	09
05	AR	Arkansas	07
06	CA	California	09
08	CO	Colorado	08
09	CT	Connecticut	01
10	DE	Delaware	03
11	DC	District of Columbia	W
12	FL	Florida	04
13	GA	Georgia	04
15	HI	Hawaii	09
16	ID	Idaho	10
17	IL	Illinois	05
18	IN	Indiana	05
19	IA	Iowa	06
20	KS	Kansas	06
21	KY	Kentucky	04
22	LA	Louisiana	07
23	ME	Maine	01
24	MD	Maryland	03
25	MA	Massachusetts	01
26	MI	Michigan	05
27	MN	Minnesota	05
28	MS	Mississippi	04
30	MT	Montana	08
31	NE	Nebraska	06
32	NV	Nevada	09
33	NH	New Hampshire	02
35	NM	New Mexico	07

NPDMS DATA DICTIONARY
Database Fields That Do Not Appear on Screens

FIPS CODE*	RECORD KEY	STATE NAME	GSA REGION
36	NY	New York	02
37	NC	North Carolina	04
38	ND	North Dakota	08
39	OH	Ohio	05
40	OK	Oklahoma	07
41	OR	Oregon	10
42	PA	Pennsylvania	03
44	RI	Rhode Island	01
45	SC	South Carolina	04
46	SD	South Dakota	08
47	TN	Tennessee	04
48	TX	Texas	07
49	UT	Utah	08
50	VT	Vermont	01
51	VA	Virginia	03
53	WA	Washington	10
54	WV	West Virginia	03
55	WI	Wisconsin	05
56	WY	Wyoming	08
60	AS	American Samoa	09
66	GU	Guam	09
69	MP	Northern Marianas	09
72	PR	Puerto Rico	02
75	MH	Marshall Islands	09
78	VI	Virgin Islands	02
??	FM	States of Micronesia	09

NOTE: *Federal Information Processing Standards Code.

NPDMS DATA DICTIONARY
Database Fields That Do Not Appear on Screens

ACCESS NAME: SYS-STATE-NAME

ENTITY: SYSTEM

DESCRIPTIVE NAME: SYSTEM STATE NAME

DATA ELEMENT DEFINITION:

The name of a particular State or U.S. Territory/Possession.

FORMAT: Alphanumeric

LENGTH: 30

EDIT CRITERIA:

As listed in Publication 28, Postal Addressing Standards (May 1990). See SYS-STATE-FIPS-CODE for listing of the names.

ACCESS NAME: SYS-TXN-SORT-KEY

ENTITY: SYSTEM

DESCRIPTIVE NAME: SYSTEM TRANSACTION SORT KEY

DATA ELEMENT DEFINITION:

A sort sequence key stored on each NPDMS transaction record generated by the system to identify the order and section where the record will be printed on the Daily Transaction Report.

FORMAT: Alphanumeric

LENGTH: 3

EDIT CRITERIA:

'A05' /* SINGLE ITEM CONTROLLED ADD

'A10' /* SINGLE ITEM NON-CONTROLLED ADD

'A15' /* SINGLE ITEM MATERIALS INVNT ADD

'A20' /* COMPONENT SYSTEM CONTROL ADD

'A25' /* COMPONENT SYSTEM NON-CONTROLLED ADD

'A30' /* SINGLE ITEM CHANGE

'A35' /* COMPONENT SYSTEM CASE CHANGES

'A40' /* COMPONENT SYSTEM ITEM CHANGES

'A45' /* SINGLE ITEM DELETES

'A50' /* COMPONENT SYSTEM CASE DELETES

'A55' /* COMPONENT SYSTEM ITEM DELETES

'A60' /* GSA WITHDRAWALS

'A65' /* ADJUSTMENT

'B05' /* RECEIPT

NPDMS DATA DICTIONARY
Database Fields That Do Not Appear on Screens

'B10' /* EXPANDED TO SCRAP
'B15' /* SURVEY LOST PERSONAL PROPERTY
'B20' /* UTILIZED BY GENERATE NASA CENTER
'B25' /* UTILIZED BY OTHER NASA CENTERS
'B30' /* TRANSFER FOR USE OF OFA WITH PRIOR GSA APPROVAL
'B35' /* TRANSFER FOR USE OF OFA W/O PRIOR GSA APPROVAL
'B40' /* TRANSFERRED TO DRMO FOR FURTHER DISPOSAL PROCESSING
'B45' /* TRANSFER OF FOREIGN EXCESS PROPERTY FOR DONATION
'B50' /* DONATION FOR PUBLIC BODIES WITHOUT PRIOR GSA APPROVAL
'B55' /* TRANSFERRED TO GSA FOR FURTHER DISPOSAL PROCESSING
'B60' /* DONATION APPROVED BY GSA
'B65' /* SOLD BY NASA OR AGENT
'B70' /* SOLD BY GSA
'B75' /* TRANSFERRED TO OTHER WITHOUT PRIOR GSA APPROVAL
'B80' /* ABANDONED OR DESTROYED PROPERTY
'B85' /* EXCHANGE/SALE OF PROPERTY
'B90' /* DONATION TO OTHER WITHOUT PRIOR GSA APPROVAL
'C05' /* DELETE AN EXISTING FREEZE
'C10' /* FREEZE FOR NASA ACTIVITY
'C15' /* FREEZE FOR OFA
'C20' /* FREEZE FOR DONATION
'C25' /* FREEZE FOR SALES
'D05' /* RECEIPT RT02
'D10' /* EXPANDED TO SCRAP RT03
'D15' /* SURVEY LOST PERSONAL PROPERTY RT04
'D20' /* UTILIZED BY GENERATE NASA CENTER RT05
'D25' /* UTILIZED BY OTHER NASA CENTERS RT06
'D30' /* TRANSFER FOR USE OF OFA WITH PRIOR GSA APPROVAL RT07
'D35' /* TRANSFER FOR USE OF OFA WITHOUT PRIOR GSA APPROVAL RT08
'D40' /* TRANSFERRED TO DRMO FOR FURTHER DISPOSAL PROCESSING RT09
'D45' /* TRANSFER OF FOREIGN EXCESS PROPERTY FOR DONATION RT10
'D50' /* DONATION FOR PUBLIC BODIES WITHOUT PRIOR GSA APPROVAL RT11
'D55' /* TRANSFERRED TO GSA FOR FURTHER DISPOSAL PROCESSING RT12
'D60' /* DONATION APPROVED BY GSA RT13
'D65' /* SOLD BY NASA OR AGENT RT14
'D70' /* SOLD BY GSA RT15
'D75' /* TRANSFERRED TO OTHER WITHOUT PRIOR GSA APPROVAL RT16
'D80' /* ABANDONED OR DESTROYED PROPERTY RT18
'D85' /* EXCHANGE/SALE OF PROPERTY RT19
'D90' /* DONATION TO OTHER WITHOUT PRIOR GSA APPROVAL RT20

NPDMS DATA DICTIONARY
Database Fields That Do Not Appear on Screens

ACCESS NAME: SYS-TXN-STS-ID
ENTITY: SYSTEM
DESCRIPTIVE NAME: SYSTEM TRANSACTION STATUS IDENTIFIER
DATA ELEMENT DEFINITION:
A one character identifier identifying status of transaction being processed by the system. This is the first character of the PROP-TXN-ID.
FORMAT: Alphanumeric
LENGTH: 1
EDIT CRITERIA:
Generated. R = Reversal or Blank = Not reversed.

ACCESS NAME: SYS-TXN-TYPE-ID
ENTITY: SYSTEM
DESCRIPTIVE NAME: SYSTEM TRANSACTION TYPE IDENTIFIER
DATA ELEMENT DEFINITION:
A one character sub-descriptor identifying type of transaction being processed by the system, this is the second character position of the PROP-TXN-ID.
FORMAT: Alphanumeric
LENGTH: 1
EDIT CRITERIA:
Generated. (Pos 2-2 of PROP-TXN-ID)
E = Add/Change/Delete
F = Freeze
T = Final dispositions
X = NP/NEMS transactions.

ACCESS NAME: SYS-UNQ-CASE-KEY
ENTITY: SYSTEM
DESCRIPTIVE NAME: SYSTEM UNIQUE CASE KEY

NPDMS DATA DICTIONARY
Database Fields That Do Not Appear on Screens

DATA ELEMENT DEFINITION:

Unique super-descriptor system key comprised of the PROP-CASE-NMBR and PROP-ITEM-ID.

FORMAT: Alphanumeric

LENGTH: 16

EDIT CRITERIA:
System

ACCESS NAME: SYS-UNQ-TBL-KEY-SP

ENTITY: SYSTEM

DESCRIPTIVE NAME: SYSTEM UNIQUE TABLE KEY

DATA ELEMENT DEFINITION:

Unique super-descriptor system key comprised of a valid SYS-TBL-ID and SYS-REC-KEY.

FORMAT: Alphanumeric

LENGTH: 13

EDIT CRITERIA:
System

ACCESS NAME: SYS-UNQ-TXN-KEY

ENTITY: SYSTEM

DESCRIPTIVE NAME: SYSTEM UNIQUE TRANSACTION KEY

DATA ELEMENT DEFINITION:

Unique super-descriptor system key comprised of the PROP-CASE-NMBR and PROP-ITEM-ID.

FORMAT: Alphanumeric

LENGTH: 16

EDIT CRITERIA:
System

NPDMS DATA DICTIONARY
Database Fields That Do Not Appear on Screens

ACCESS NAME: UNCLMD-SPNS-FILE-DATE
ENTITY: ABANDONED OR OTHER UNCLAIMED PROPERTY
DESCRIPTIVE NAME: UNCLAIMED PROPERTY SUSPENSE FILE DATE

DATA ELEMENT DEFINITION:

The calendar date by which a former owner of unclaimed property may be reimbursed its Fair Market Value Amount (less the costs incident to the care and handling of such property) from a special fund, based upon proper claim made to the finding (NASA) or transferor agency and filed within 3 years from the date of vesting title in the United States (UNCLMD-TITLE-VESTED-DATE).

FORMAT: D

LENGTH:

EDIT CRITERIA:

Calculated (3 years from the UNCLMD-TITLE-VESTED-DATE). Display format MM/DD/YY, stored in Internal Date format.

ACCESS NAME: UNCLMD-TITLE-VESTED-DATE
ENTITY: ABANDONED OR OTHER UNCLAIMED PROPERTY
DESCRIPTIVE NAME: UNCLAIMED PROPERTY VESTED TITLE DATE

DATA ELEMENT DEFINITION:

The calendar date on which title to the unclaimed property vests to the United States, except that title reverts to the owner where a proper claim is filed by the owner prior to official use of the property and, if there is no official use or transfer for official use, prior to sale of the property. This date is 30 days from the DATE UNCLMD-FOUND-DATE.

FORMAT: D

LENGTH:

EDIT CRITERIA:

Generated (30 days from DATE UNCLMD-FOUND-DATE). Display format MM/DD/YY, stored in Internal Date format.

ACCESS NAME: WEB-COST-CASE-ITEM
ENTITY: CASE

NPDMS DATA DICTIONARY
Database Fields That Do Not Appear on Screens

DESCRIPTIVE NAME: WEB COST CASE ITEM

DATA ELEMENT DEFINITION:

Unique super-descriptor system key comprised of PROP-ADJSTD-ACQSTN-COST-AMT, PROP-CASE-NMBR and PROP-ITEM-ID.

FORMAT: Alphanumeric

LENGTH: 28

EDIT CRITERIA:
System

ACCESS NAME: WEB-FSC-CASE-ITEM

ENTITY: CASE

DESCRIPTIVE NAME: WEB FEDERAL SUPPLY CODE CASE ITEM

DATA ELEMENT DEFINITION:

Unique super-descriptor system key comprised of PROP-FSC-CODE, PROP-CASE-NMBR and PROP-ITEM-ID.

FORMAT: Alphanumeric

LENGTH: 20

EDIT CRITERIA:
System

NPDMS DATA DICTIONARY
Database Fields That Do Not Appear on Screens

ACCESS NAME: WEB-ITEM-NAME-CASE-ITEM
ENTITY: CASE
DESCRIPTIVE NAME: WEB ITEM NAME CASE ITEM
DATA ELEMENT DEFINITION:
Unique super-descriptor system key comprised of PROP-ITEM-NAME, PROP-CASE-NMBR and PROP-ITEM-ID.
FORMAT: Alphanumeric
LENGTH: 76
EDIT CRITERIA:
System

ACCESS NAME: WEB-MFG-CODE-CASE-ITEM
ENTITY: CASE
DESCRIPTIVE NAME: WEB MANUFACTURING CODE CASE
ITEM
DATA ELEMENT DEFINITION:
Unique super-descriptor system key comprised of PROP-MFG-CODE, PROP-CASE-NMBR and PROP-ITEM-ID.
FORMAT: Alphanumeric
LENGTH: 21
EDIT CRITERIA:
System

ACCESS NAME: WEB-MFG-MODEL-NO-CASE-ITEM
ENTITY: CASE
DESCRIPTIVE NAME: WEB MANUFACTURING MODEL
NUMBER CASE ITEM
DATA ELEMENT DEFINITION:
Unique super-descriptor system key comprised of PROP-MFG-MODEL-NMBR, PROP-CASE-NMBR and PROP-ITEM-ID.
FORMAT: Alphanumeric

NPDMS DATA DICTIONARY
Database Fields That Do Not Appear on Screens

LENGTH:

36

EDIT CRITERIA:

System

NPDMS DATA DICTIONARY
Database Fields That Do Not Appear on Screens

ACCESS NAME: WRHS-RCPT-ERN-NMBR

ENTITY: WAREHOUSE

DESCRIPTIVE NAME: WAREHOUSE RECEIPT ENTRY REFERENCE
NUMBER

DATA ELEMENT DEFINITION:

Field on the adjustment (A02) transaction record containing the PROP-ERN-NMBR of the Receipt (T02) transaction that was processed against the case record.

FORMAT: Alphanumeric

LENGTH: 10.0

EDIT CRITERIA:
Generated.

APPENDIX C
ENTITY DEFINITIONS

ENTITY: ABANDONED OR OTHER UNCLAIMED PROPERTY

ENTITY ABBREVIATION: UNCLMD

ENTITY DEFINITION: "Abandoned or other unclaimed property" means personal property that is found on premises owned or leased by the Government and which is subject to the filing of a claim by the former owner(s) within 3 years from the vesting of title in the United States (Ref: FPMR 41 CFR Ch. 101-48.001-1).

ENTITY: AGENT

ENTITY ABBREVIATION: * THERE ARE NO ATTRIBUTES DIRECTLY ASSOCIATED WITH THIS ENTITY.

ENTITY DEFINITION: The NASA Installation or their Agent, authorized by the GSA to conduct the sale of Surplus Property.

ENTITY: COMPONENT SYSTEM PROPERTY

ENTITY ABBREVIATION: CMPNT

ENTITY DEFINITION: Component System Property is a collection of personal property items, designed and operated to accomplish specific functions, that undergo reutilization screening as a single entity (e.g., ADP equipment or 'matched pair' calibrated electronic equipment).

ENTITY: CONTRACTOR

ENTITY ABBREVIATION: CNTRCTR

ENTITY DEFINITION: A supplier of goods or services purchased through the NASA procurement process and that is contractually responsible to NASA for government furnished property.

ENTITY: DEFENSE REUTILIZATION AND MARKETING OFFICE

ENTITY ABBREVIATION: DRMO

ENTITY DEFINITION: A Department of Defense facility to which NASA Excess Property can be transferred to for further processing (e.g., demilitarization, precious metals reclamation).

ENTITY: EXCHANGE/SALE PROPERTY

ENTITY ABBREVIATION: EXCHNGSL

ENTITY DEFINITION: Used NASA personal property still needed to perform the duties of the agency, which is replaced with similar new property. Exchange/Sale property may be transferred to another organization within a center, to another NASA center, or to another Federal Agency, with a reimbursement of fair market value returned to NASA to offset the procurement cost of new replacement personal property. Exchange/Sale property can also be exchanged (traded-in) to a vendor when procuring similar new property. The reduction in procurement cost associated with the exchange is the trade-in value of the old used personal property. Exchange/Sale property that is not transferred or exchanged may be sold by GSA or NASA with the sale proceeds returned to NASA to offset the procurement cost of new replacement personal property.

ENTITY: FEDERAL AGENCY

ENTITY ABBREVIATION: AGNCY

ENTITY DEFINITION: "Federal Agency" means any executive agency or any establishment in the legislative or judicial branch of the Government (except the Senate, the House of Representatives, and the Architect of the Capital and any activities under his direction).

ENTITY: GENERAL SERVICES ADMINISTRATION

ENTITY ABBREVIATION: GSA

ENTITY DEFINITION: "GSA" means the General Service Administration, acting by or through the Administrator of General Services, a designated official to whom functions under FPMR 41 CFR Chapter 101 have been delegated by the Administrator of General Services. The General Services Administration establishes policy and provides for the Government an economical and efficient system for the management of its property and records, including construction and operation of buildings, procurement and distribution of supplies, utilization and disposal of property, transportation, traffic, and communications

management, and management of the Government-wide automatic data processing resources program. This is the federal agency to which NASA Installations report all specified classes of equipment for screening, reutilization, sale or donation.

ENTITY: IDLE NASA PROPERTY

ENTITY ABBREVIATION: PROP

ENTITY DEFINITION: This is personal property owned by NASA that is no longer needed by the Program Office that acquired the property or the custodian and is made available for reutilization, can be expended to Scrap/Salvage, can be determined Lost, Abandoned or Destroyed, can be staged in a NASA Warehouse Facility, may be Exchanged/Sold for replacement, or may be donated.

ENTITY: INITIATOR

ENTITY ABBREVIATION: INTR

ENTITY DEFINITION: This is an individual who reports Installation Idle Property to the Property Disposal Officer.

ENTITY: INSTALLATION IDLE ADPE REPORTABLE PROPERTY

ENTITY ABBREVIATION: ADPEPROP

ENTITY DEFINITION: This is Controlled and Non-controlled Automated Data Processing Equipment (ADPE) reported with a Federal Supply Classification (FSC) group code of '70' and current acquisition cost of one million dollars or more and is less than 9 years old that is immediately reported to the GSA at the time of an Add for concurrent screening.

ENTITY: INSTALLATION IDLE CONTROLLED PROPERTY

ENTITY ABBREVIATION: * THERE ARE NO ATTRIBUTES DIRECTLY ASSOCIATED WITH THIS ENTITY.

ENTITY DEFINITION: This is NASA Equipment Management System (NEMS) tracked Installation Controlled (NEMS-tagged) Property reported by the Property Custodian as Idle Property.

ENTITY: INSTALLATION IDLE NON-CONTROLLED PROPERTY

ENTITY ABBREVIATION: * THERE ARE NO ATTRIBUTES DIRECTLY ASSOCIATED WITH THIS ENTITY.

ENTITY DEFINITION: This is Non-controlled (Non-NEMS tagged) personal property reported as Installation Idle Property by a Property Custodian or Initiator.

ENTITY: INSTALLATION IDLE PROPERTY

ENTITY ABBREVIATION: * THERE ARE NO ATTRIBUTES DIRECTLY ASSOCIATED WITH THIS ENTITY.

ENTITY DEFINITION: Personal Property accountable to an Installation and determined unnecessary to the needs and discharge of the holding organization and, therefore, reported to the Property Disposal Officer for reutilization or disposal in accordance with established Agency policy. Installation Idle Property is Idle NASA Property that consists of Installation Idle ADPE Reportable, Installation Idle Controlled Property and Installation Idle Non-Controlled Property. Property enters Idle Property status and begins the internal NASA screening process. Through the NASA Screening Catalog, Installation Idle Property is made available for reutilization on-site or transfer to other NASA Installations. Select items are available for direct transfer to other Federal Agencies without prior GSA approval. Installation Idle ADPE Reportable is immediately reported to the GSA for concurrent screening.

ENTITY: INSTALLATION IDLE SUPPLY PROPERTY

ENTITY ABBREVIATION: * THERE ARE NO ATTRIBUTES DIRECTLY ASSOCIATED WITH THIS ENTITY.

ENTITY DEFINITION: Materials Inventory Items determined unnecessary to the needs of NASA Stock Systems (i.e., NSMS, KIMS, ALS) and reported as Installation Idle Supply Property.

ENTITY: LOST/ABANDONED/DESTROYED

ENTITY ABBREVIATION: * THERE ARE NO ATTRIBUTES DIRECTLY ASSOCIATED WITH THIS ENTITY.

ENTITY DEFINITION: This is Idle NASA Property which, through physical inventory, is determined by the Property Disposal Officer to be Lost, Abandoned or Destroyed.

ENTITY: NASA EQUIPMENT MANAGEMENT SYSTEM

ENTITY ABBREVIATION: NEMS

ENTITY DEFINITION: This is a standard agency-wide equipment management system designed to track information and activity pertaining to NASA's controlled equipment, following the procedures outlined in *NASA Equipment Management Manual (NHB4200.1B)*.

ENTITY: NASA EXCESS PROPERTY

ENTITY ABBREVIATION: EXCSPROP

ENTITY DEFINITION: This is Idle NASA Personal Property that has completed NASA Installation screening and been reported to GSA without being reutilized or transferred. At this time, the property enters NASA Excess Property Status and the property begins the other federal agency screening process. For NASA Installation's reporting to GSA, Excess Property can be transferred to all Federal Agencies with GSA approval. If not reported to GSA, Excess Property is transferred to the DRMO. Ref: 41 CFR 101.43 and DoD 4160.21-M.

ENTITY: NASA HEADQUARTERS

ENTITY ABBREVIATION: HQ

ENTITY DEFINITION: Those collective NASA organizational elements which are responsible for managing agency-wide programs and functions and are located in Washington DC.

ENTITY: NASA INSTALLATION

ENTITY ABBREVIATION: INST

ENTITY DEFINITION: Those NASA field installations responsible for implementing and maintaining agency programs and functions.

ENTITY: NASA PERSONAL PROPERTY

ENTITY ABBREVIATION: * THERE ARE NO ATTRIBUTES DIRECTLY ASSOCIATED WITH THIS ENTITY.

ENTITY DEFINITION: NASA "Personal property" means any property, except real property, records of the Federal Government, and naval vessels of the following categories: battleships, cruisers, aircraft carriers, destroyers, and submarines.

ENTITY: NASA SUB-INSTALLATION

ENTITY ABBREVIATION: SUBINST

ENTITY DEFINITION: Those NASA/NASA Contractor organizations that are separated from the parent NASA installation to which they are assigned.

ENTITY: NASA SUPPLY MANAGEMENT SYSTEM

ENTITY ABBREVIATION: NSMS

ENTITY DEFINITION: A standard agency-wide supply information management system designed to assist NASA Supply and Equipment Management Officers in reporting and maintaining control over materials handled in the day-to-day operations of NASA Installations.

ENTITY: NPDMS WAREHOUSE FACILITY

ENTITY ABBREVIATION: WRHS

ENTITY DEFINITION: This is a secure building where Idle NASA Property can be staged for reutilization, transfer, donation, sale or disposal.

ENTITY: PROPERTY CUSTODIAN

ENTITY ABBREVIATION: CSTDN

ENTITY DEFINITION: This is an individual organizationally responsible for all controlled equipment assigned to a designated property management area.

ENTITY: PROPERTY DISPOSAL OFFICER

ENTITY ABBREVIATION: PDO

ENTITY DEFINITION: This is the official appointed by the Installation Director responsible for managing the installation's screening, redistribution, and property disposal functions.

ENTITY: REPORTS

ENTITY ABBREVIATION: RPT

ENTITY DEFINITION: Several types of standard reports, and Ad Hoc queries and reports. Standard reports are categorized into GSA Reporting, DRMO reporting, NEMS interface, NASA forms, NSMS interface, and other statistical reporting. Ad Hoc queries and reports allow the user the on-line capability to view data and produce reports pertaining to both active and historical property disposal data.

ENTITY: REQUESTOR

ENTITY ABBREVIATION: RQSTR

ENTITY DEFINITION: An individual representing a federal agency, state agency or non-profit group who initiates a request to acquire or have donated Idle NASA Personal Property. For NPDMS purposes a donation recipient ("Donee") means a service educational activity; a State political subdivision, municipality, or tax-supported institution acting on behalf of a public airport; a public agency using surplus personal property in carrying out or promoting for the residents of a given political area one or more public purposes, such as conservation, economic development, education, parks and recreation, public health, and public safety; an eligible nonprofit tax-exempt educational or public health institution or organization; the American National Red Cross; a public body; an eleemosynary institution; or any State or local government agency, and any nonprofit organization or institution, which receives funds appropriated for

programs or older individuals under the Older Americans Act of 1965, as amended, under title IV or title XX of the Social Security Act, or under title VIII and X of the Economic Opportunity Act of 1964 and the Community Services Block Grant Act.

ENTITY: SCRAP/SALVAGE

ENTITY ABBREVIATION: * THERE ARE NO ATTRIBUTES DIRECTLY ASSOCIATED WITH THIS ENTITY.

ENTITY DEFINITION: "Scrap " means personal property that has no value except for its basic material content. Conversely, " Salvage" means personal property having value greater than its basic material content but which is in such condition that it has no reasonable prospect of use for any purpose as a unit (either by the holding or other Federal Agency), and its repair or rehabilitation for use as a unit is clearly impracticable. Repairs or rehabilitation estimated to cost in excess of 65 percent of acquisition cost would be considered "clearly impracticable" for purposes of this definition (ref: 41 CFR 101-43.001-28 and 29).

ENTITY: SURPLUS PROPERTY

ENTITY ABBREVIATION: SRPLSPROP

ENTITY DEFINITION: "Surplus Personal Property" means any excess personal property not required for the needs and the discharge of the responsibilities of all Federal Agencies, as determined by the Administrator of General Services. Personal property still unutilized after all screening has been accomplished is to be disposed of in accordance with 41 CFR 101.44 and 101.45.

ENTITY: SYSTEM

ENTITY ABBREVIATION: SYS

ENTITY DEFINITION: Automated system specific data that accomplishes a group of tasks such as control breaks, record counts, date and time stamps, etc., which are relatively independent of other assigned tasks and are transparent to the user.

APPENDIX D
DESCRIPTIVE NAME TO ACCESS NAME
CROSS-REFERENCE

Descriptive Name to Access Name Cross-Reference

<u>Descriptive Name</u>	<u>Access Name</u>
ABANDONED OR DESTROYED PROPERTY DOCUMENT NUMBER	PROP-ABNDSTRYD-DCMNT-NMBR
ABANDONED OR DESTROYED PROPERTY INDICATOR	PROP-ABNDSTRYD-IND
ABANDONED OR DESTROYED PROPERTY SITE ADDRESS LINE 1	PROP-ABNDSTRYD-LINE1-ADRS
ABANDONED OR DESTROYED PROPERTY SITE ADDRESS LINE 2	PROP-ABNDSTRYD-LINE2-ADRS
ABANDONED OR DESTROYED PROPERTY SITE CITY ADDRESS	PROP-ABNDSTRYD-CITY-ADRS
ABANDONED OR DESTROYED PROPERTY SITE NAME	PROP-ABNDSTRYD-SITE-NAME
ABANDONED OR DESTROYED PROPERTY SITE PHONE NUMBER	PROP-ABNDSTRYD-PHN-NMBR
ABANDONED OR DESTROYED PROPERTY SITE STATE CODE	PROP-ABNDSTRYD-STATE-CODE
ABANDONED OR DESTROYED PROPERTY SITE ZIP CODE	PROP-ABNDSTRYD-SITE-ZIP-CODE
ACTUAL DATE PROPERTY ABANDONED OR DESTROYED	PROP-ABNDSTRYD-DATE
ACTUAL PROPERTY PAYMENT DATE	PROP-PYMNT-DATE
ACTUAL PROPERTY REMOVAL DATE	PROP-RMVL-DATE
ADDRESS (RECIPIENT FIRST LINE)	RCPNT-ADRS-LINE1-TEXT
ADDRESS (RECIPIENT SECOND LINE)	RCPNT-ADRS-LINE2-TEXT
ADJUSTED ACQUISITION COST AMOUNT OF PROPERTY	PROP-ADJSTD-ACQSTN-COST-AMT
ADPE PROPERTY CATEGORY DESCRIPTION	PROP-ADP-CTGRY-DESC
ADPE PROPERTY CATEGORY IDENTIFICATION	PROP-ADP-CTGRY-ID
AGENCY AVERAGE PROCESSING DAYS COUNT	AGNCY-AVRG-PRCSNG-DAYS-CNT
AMOUNT PROPERTY COST ADJUSTED	PROP-ADJSTD-COST-AMT
ARC FEDERAL SUPPLY CODE USED INDICATOR	AR-FSC-USED-IND
BATCH SYSTEM RECORD IDENTIFIER	SYS-BATCH-REC-ID
BODY STYLE	GSA-VEHICLE-BODY-STYLE-DESC
CAPITAL PROPERTY SENSITIVITY CODE	PROP-CPTL-SNSTVTY-CODE
COMPONENT SYSTEM ACQUISITION COST AMOUNT	CMPNT-ACQSTN-COST-AMT
COMPONENT SYSTEM ARTIFACT INDICATOR	CMPNT-ARTFCT-IND
COMPONENT SYSTEM CASE ENTRY DATE	CMPNT-CASE-ENTRY-DATE

Descriptive Name to Access Name Cross-Reference

<u>Descriptive Name</u>	<u>Access Name</u>
COMPONENT SYSTEM CONDITION CODE	CMPNT-CNDTN-CODE-GRP
COMPONENT SYSTEM DEMILITARIZATION CODE	CMPNT-DML-CODE
COMPONENT SYSTEM FSC CODE	CMPNT-FSC-CODE
COMPONENT SYSTEM HAZARDOUS MATERIALS INDICATOR	CMPNT-HAZMAT-IND
COMPONENT SYSTEM INDICATOR	CMPNT-IND
COMPONENT SYSTEM ITEM SEQUENCE NUMBER	CMPNT-ITEM-SEQ-NMBR
COMPONENT SYSTEM NAME	CMPNT-NAME
COMPONENT SYSTEM PRECIOUS METALS INDICATOR	CMPNT-PRCS-MTLS-IND
COMPONENT SYSTEM SUPPLY CONDITION CODE	CMPNT-SPLY-CNDTN-CODE
CONTRACT PROPERTY REMOVAL DATE	PROP-CNTRCT-RMVL-DATE
CONTRACTOR HELD PROPERTY INDICATOR	CNTRCTR-HELD-PROP-IND
CONTRACTOR INDICATOR	CNTRCTR-IND
CONTRACTOR PROPERTY TAG NUMBER	CNTRCTR-PROP-TAG-NMBR
COUNTRY CODE	PROP-LCTN-CNTRY-CODE
CUSTODIAN ACCOUNT NUMBER	CSTDN-ACNT-NMBR; SYS-REC-KEY
CUSTODIAN PREVIOUS ACCOUNT NUMBER	CSTDN-PRVS-ACNT-NMBR
DATE PROPERTY BID AWARDED	PROP-BID-AWARD-DATE
DATE PROPERTY BIDDER NOTIFICATION LETTER SENT	PROP-NTFCTN-LTR-SENT-DATE
DATE PROPERTY DETERMINED TO BE LOST	PROP-DTRMND-LOST-DATE
DATE PROPERTY TRANSFER DOCUMENT APPROVED	PROP-TRNSFR-DCMNT-APRVD-DATE
DFRC FEDERAL SUPPLY CODE USED INDICATOR	DF-FSC-USED-IND
DRMO CONTROLLED INVENTORY ITEM CODE	DRMO-CNTRLD-INV-CODE; SYS-REC-KEY
DRMO CONTROLLED INVENTORY ITEM CODE DESCRIPTION	DRMO-CNTRLD-INV-DESC
DRMO DEPARTMENT OF DEFENSE AREA ACTIVITY CODE	DRMO-DODAAC-CODE; SYS-REC-KEY
DRMO DISPOSAL AUTHORITY CODE	DRMO-DSPSL-ATHRTY-CODE; SYS-REC-KEY

Descriptive Name to Access Name Cross-Reference

<u>Descriptive Name</u>	<u>Access Name</u>
DRMO DISPOSAL AUTHORITY CODE DESCRIPTION	DRMO-DSPSL-ATHRTY-DESC
DRMO DODAAC ADDRESS LINE 1	DRMO-DODAAC-LINE1-ADRS
DRMO DODAAC ADDRESS LINE 2	DRMO-DODAAC-LINE2-ADRS
DRMO DODAAC CITY ADDRESS	DRMO-DODAAC-CITY-ADRS
DRMO DODAAC CONTACT NAME	DRMO-DODAAC-CNTCT-NAME
DRMO DODAAC NAME	DRMO-DODAAC-NAME
DRMO DODAAC PHONE NUMBER	DRMO-DODAAC-PHN-NMBR
DRMO DODAAC ROUTING IDENTIFIER CODE	DRMO-DODAAC-RIC-CODE
DRMO DODAAC STATE CODE	DRMO-DODAAC-STATE-CODE
DRMO DODAAC ZIP CODE	DRMO-DODAAC-ZIP-CODE
DRMO PROPERTY UNIT PACKAGE QUANTITY	NOT MAINTAINED
DRMO RECEIVING CODE	DRMO-RCVNG-CODE; SYS-REC-KEY
DRMO RECEIVING INFORMATION TEXT	DRMO-RCVNG-TEXT
DRMO RECLAMATION CODE	DRMO-RCLMTN-CODE
DRMO REPORT INDICATOR	DRMO-RPT-IND
DRMO SHIPPING CODE	DRMO-SHPNG-CODE; SYS-REC-KEY
DRMO SHIPPING EXPLANATION TEXT	DRMO-SHPNG-TEXT
DRMO SPECIAL ACCOUNTABILITY TEXT	DRMO-SPCL-ACNTBLTY-TEXT
EXCESS PROPERTY REPORT INDICATOR	EXCSPROP-RPT-IND
EXCHANGE PROPERTY ALLOWANCE AMOUNT RECEIVED	EXCHNGSL-ALWNC-RCVD-AMT
EXCHANGE/SALE PROPERTY FSC ALLOWED INDICATOR	EXCHNGSL-FSC-ALWD-IND
EXCHANGE/SALE PROPERTY INDICATOR	EXCHNGSL-IND
EXCHANGE/SALE REIMBURSEMENT AMOUNT	EXCHNGSL-REIM-AMT
EXTERNAL AGENCY DISTRIBUTION RATE	AGENCY-EXTRNL-DSTRBTN-RATE
FAIR MARKET VALUE AMOUNT OF PROPERTY	PROP-FMV-AMT
FEDERAL AGENCY IDENTIFIER	AGENCY-ID
FEDERAL AGENCY SITE CODE	AGENCY-SITE-CODE

Descriptive Name to Access Name Cross-Reference

<u>Descriptive Name</u>	<u>Access Name</u>
FIXED SHELF LIFE CODE OF PROPERTY	NOT MAINTAINED
FOREIGN DISPOSAL APPROVAL REPORT INDICATOR	RPT-FRGN-DSPSL-APRVL-IND
FOREIGN PROPERTY INDICATOR	PROP-FRGN-IND
FREEZE PROPERTY TRANSACTION DELINQUENT DATE	PROP-FREEZE-DLNQNT-DATE
FREEZE PROPERTY TRANSACTION ENTRY REFERENCE NUMBER	PROP-FREEZE-ERN-NMBR
FREEZE REFERRAL/SUSPEND PROPERTY REPORTING INDICATOR	PROP-REFER-SUSPD-RPTNG-IND
GENERATE SALES RECEIPT PROPERTY INDICATOR	PROP-SALE-RCPT-IND
GRANTEE PROPERTY INDICATOR	PROP-GRANT-IND
GRC FEDERAL SUPPLY CODE USED INDICATOR	GR-FSC-USED-IND
GSA LINE 1 ADDRESS	GSA-LINE1-ADRS
GSA LINE 2 ADDRESS	GSA-LINE2-ADRS
GSA CITY ADDRESS	GSA-CITY-ADRS
GSA CONTROL NUMBER	GSA-CNTRL-NMBR
GSA ITEM DESCRIPTION	NOT MAINTAINED
GSA ITEM NAME	NOT MAINTAINED
GSA REGIONAL OFFICE NAME	GSA-RGNL-OFC-NAME
GSA REGION CODE	GSA-RGN-CODE; SYS-REC-KEY
GSA REPORT DATE	GSA-RPT-DATE
GSA REPORT INDICATOR	GSA-RPT-IND
GSA REPORTED PROPERTY UNIT COST AMOUNT	GSA-RPT-PROP-UNIT-COST-AMT
GSA SF120 CORRECTION GENERATION INDICATOR	GSA-SF120-CRCTN-GNRTN-IND
GSA STATE CODE	GSA-STATE-CODE
GSA SURPLUS RELEASE DATE	GSA-SRD-DATE
GSA WITHDRAWAL APPROVAL DATE	GSA-WTHDRWL-APRVL-DATE
GSA WITHDRAWAL/CORRECTION TEXT	GSA-WTHDRWL-CRCTN-TEXT
GSA WITHDRAWAL/CORRECTION TEXT	GSA-WTHDRWL-CRCTN-TEXT

Descriptive Name to Access Name Cross-Reference

<u>Descriptive Name</u>	<u>Access Name</u>
GSA ZIP CODE	GSA-ZIP-CODE
GSFC FEDERAL SUPPLY CODE USED INDICATOR	GS-FSC-USED-IND
HAZARDOUS MATERIALS PROPERTY CLASSIFICATION IDENTIFIER	PROP-HAZMAT-CLSFCTN-ID
HAZARDOUS MATERIALS PROPERTY CODE	PROP-HAZMAT-CODE; SYS-REC-KEY
HAZARDOUS MATERIALS PROPERTY DESCRIPTION	PROP-HAZMAT-DESC
IDLE ADPE PROPERTY REPORTABLE INDICATOR	ADPEPROP-RPTBL-IND
IDENTIFICATION NUMBER	GSA-VEHICLE-VIN-NUMBER
INITIAL SCREENING LIST DATE OF PROPERTY	PROP-INTL-LIST-DATE
INITIATORS NAME	INTR-NAME
INITIATORS ORGANIZATION CODE	INTR-ORGNZTN-CODE
INITIATORS PHONE NUMBER	INTR-PHN-NMBR
INSTALLATION ACRONYM IDENTIFIER	INST-ACRNM-ID
INSTALLATION CITY ADDRESS	INST-CITY-ADRS
INSTALLATION CONTACT NAME	INST-CNTCT-NAME
INSTALLATION CONTACT BUILDING ADDRESS	INST-CNTCT-BLDG-ADRS
INSTALLATION CONTRACT/GRANT NUMBER	INST-CNTRCT-GRANT-NMBR
INSTALLATION DEFAULT NAME	INST-DFLT-NAME
INSTALLATION DEFAULT NUMBER OF FREEZE DELINQUENT DAYS	INST-DLNQNT-DAYS-NMBR
INSTALLATION DEFAULT PICKUP DOCUMENT GENERATION INDICATOR	INST-DFLT-PCKP-GNRTN-IND
INSTALLATION DEFAULT PRINTER ADDRESS	INST-PRNTR-ADRS
INSTALLATION DEFAULT REPORT OUTPUT CODE	INST-DFLT-RPT-OUTPUT-CODE
INSTALLATION DRMO DODAAC CODE	INST-DRMO-DODAAC-CODE
INSTALLATION DRMO REPORT INDICATOR	INST-DRMO-RPT-IND
INSTALLATION EXTERNAL DISTRIBUTION RATE	INST-EXTRNL-DSTRBTN-RATE
INSTALLATION FEDERAL ACTIVITY ADDRESS CODE	INST-FEDAAC-CODE
INSTALLATION GSA REPORT INDICATOR	INST-GSA-RPT-IND
INSTALLATION GSA REPORTING REGION ID	INST-GSA-RGN-ID; SYS-REC-KEY

Descriptive Name to Access Name Cross-Reference

<u>Descriptive Name</u>	<u>Access Name</u>
INSTALLATION INTERNAL DISTRIBUTION RATE	INST-INTRNL-DSTRBTN-RATE
INSTALLATION JOB CARD TEXT	INST-JOB-CARD-TEXT
INSTALLATION LINE 1 ADDRESS	INST-LINE1-ADRS
INSTALLATION LINE 2 ADDRESS	INST-LINE2-ADRS
INSTALLATION MAIL STOP ADDRESS	INST-MAIL-STOP-ADRS
INSTALLATION NAME	INST-NAME
INSTALLATION NUMBER	INST-NMBR; SYS-REC-KEY
INSTALLATION PHONE NUMBER	INST-PHN-NMBR
INSTALLATION REPORT BINDING CODE	INST-RPT-BNDNG-CODE
INSTALLATION REPORT QUANTITY	INST-RPT-QTY
INSTALLATION REPORT REQUESTOR NAME	INST-RPT-RQSTR-NAME
INSTALLATION SCREENING BEGIN DATE OF PROPERTY	PROP-INST-BGN-DATE
INSTALLATION SCREENING END DATE OF PROPERTY	PROP-INST-END-DATE
INSTALLATION SCREENING METHOD IDENTIFIER FOR PROPERTY	PROP-INST-SCRNG-MTHD-ID
INSTALLATION SPECIAL FORM IDENTIFIER	INST-SPCL-FORM-ID
INSTALLATION STATE CODE	INST-STATE-CODE
INSTALLATION SUPPLY EQUIPMENT MANAGEMENT OFFICER'S NAME	INST-SEMO-NAME
INSTALLATION SURVEY BOARD CHAIRPERSON NAME	INST-SRVY-BRD-CHRPRSN-NAME
INSTALLATION SURVEY BOARD MEMBER NAME 1	INST-SRVY-BRD-MBR1-NAME
INSTALLATION SURVEY BOARD MEMBER NAME 2	INST-SRVY-BRD-MBR2-NAME
INSTALLATION SURVEY BOARD MEMBER NAME 3	INST-SRVY-BRD-MBR3-NAME
INSTALLATION ZIP CODE	INST-ZIP-CODE
INTERNAL AGENCY DISTRIBUTION RATE	AGENCY-INTRNL-DSTRBTN-RATE
JSFC FEDERAL SUPPLY CODE USED INDICATOR	JS-FSC-USED-IND
KSC FEDERAL SUPPLY CODE USED INDICATOR	KS-FSC-USED-IND
LARC FEDERAL SUPPLY CODE USED INDICATOR	LA-FSC-USED-IND
LOT NUMBER OF PROPERTY	PROP-LOT-NMBR

Descriptive Name to Access Name Cross-Reference

<u>Descriptive Name</u>	<u>Access Name</u>
MATERIEL MANAGEMENT AGGREGATION PROPERTY CODE	PROP-MMAC-CODE; SYS-REC-KEY
MATERIEL MANAGEMENT AGGREGATION PROPERTY CODE DESCRIPTION	PROP-MMAC-DESC
MATERIEL MANAGEMENT AGGREGATION PROPERTY MANAGER CODE	PROP-MMAC-MNGR-CODE
MATERIALS SCREENING CODE	NOT MAINTAINED
MODEL YEAR	GSA-VEHICLE-MODEL-YEAR
MSFC FEDERAL SUPPLY CODE USED INDICATOR	MS-FSC-USED-IND
NASA HEADQUARTERS APPROVING OFFICIAL NAME	HQ-APRVNG-OFCL-NAME
NASA WIDE SCREENING BEGIN DATE OF PROPERTY	PROP-NASA-BGN-DATE
NASA WIDE SCREENING END DATE OF PROPERTY	PROP-NASA-END-DATE
NASA WIDE SCREENING METHOD IDENTIFIER FOR PROPERTY	PROP-NASA-SCRNG-MTHD-ID
NEW PROPERTY ACCEPTANCE DATE	PROP-NEW-ACPTNC-DATE
NEMS AVAILABILITY STATUS CODE	NEMS-AVLBLTY-STS-CODE
NEMS EQUIPMENT CONTROL NUMBER	NEMS-ECN-NMBR
NEMS EQUIPMENT SUBINSTALLATION NUMBER	NEMS-EQUIP-SUBINST-NMBR
NEMS INDICATOR	NEMS-IND
NEMS STANDARD ITEM NAME INDICATOR	NEMS-STNDRD-ITEM-NAME-IND
NEMS TAGGED COMPONENT SYSTEM PROPERTY INDICATOR	CMPNT-NEMS-IND
NEMS USER NUMBER	NEMS-USER-NMBR
NP/NEMS INTERFACE ENTRY REFERENCE NUMBER	NEMS-ERN-NMBR
NSMS INDEX DESDCRIPTION	NSMS-INDEX-DESC
NSMS PROPERTY RECEIVED IDENTIFIER	NSMS-PROP-RCVD-ID
NSMS TECHNICAL DESDCRIPTION	NSMS-TECH-DESC
NSMS TECHNICAL DESDCRIPTION HEADERS TEXT	NSMS-TECH-HDRS-TEXT
NSMS TURN IN PROPERTY DOCUMENT NUMBER	NSMS-TURN-IN-PROP-DCMNT-NMBR
PICTURES INCLUDED	GSA-PHOTO-IND
OTHER FEDERAL AGENCY SCREENING BEGIN DATE OF PROPERTY	PROP-OFA-BGN-DATE
OTHER FEDERAL AGENCY SCREENING END DATE OF PROPERTY	PROP-OFA-END-DATE

Descriptive Name to Access Name Cross-Reference

<u>Descriptive Name</u>	<u>Access Name</u>
PDO CUSTODIAN ACCOUNT NUMBER	PDO-CSTDN-ACNT-NMBR
PDO USER NUMBER	PDO-USER-NMBR
NUMBER OF CYLINDERS	GSA-VEHICLE-CYLINDERS-NMBR
PRECIOUS METALS PROPERTY CODE	PROP-PRCS-MTLS-CODE; SYS-REC-KEY
PRECIOUS METALS PROPERTY CONTENT DESCRIPTION	PROP-PRCS-MTLS-DESC
PREVIOUS ADJUSTED ACQUISITION COST AMOUNT OF PROPERTY	PROP-PRVS-ACQSTN-COST-AMT
PREVIOUS SYSTEM TABLE IDENTIFIER	SYS-PRVS-TBL-ID
PREVIOUS CURRENT AVAILABLE QUANTITY OF PROPERTY	PROP-PRVS-CUR-AVLBL-QTY
PREVIOUS PROPERTY CASE NUMBER	PROP-PRVS-CASE-NMBR
PRIME INSTALLATION NUMBER	PRIMINST-NMBR
PROPERTY ADJUSTED CONDITION CODE	PROP-ADJSTD-CNDTN-CODE
PROPERTY ADJUSTED ITEM NAME	PROP-ADJSTD-ITEM-NAME
PROPERTY ADJUSTED QUANTITY	PROP-ADJSTD-QTY
PROPERTY APPROPRIATION ACCOUNT NUMBER	PROP-APRPRTN-ACNT-NMBR
PROPERTY ARTIFACT INDICATOR	PROP-ARTFCT-IND
PROPERTY BID AMOUNT	PROP-BID-AMT
PROPERTY BID AMOUNT MODIFICATION	PROP-BID-MDFCTN-AMT
PROPERTY BID WITHDRAWAL INDICATOR	PROP-BID-WTHDRWL-IND
PROPERTY BIDDER LINE 1 ADDRESS	PROP-BIDDER-LINE1-ADRS
PROPERTY BIDDER LINE 2 ADDRESS	PROP-BIDDER-LINE2-ADRS
PROPERTY BIDDER CITY ADDRESS	PROP-BIDDER-CITY-ADRS
PROPERTY BIDDER COMPANY NAME	PROP-BIDDER-CMPNY-NAME
PROPERTY BIDDER FIRST NAME	PROP-BIDDER-FIRST-NAME
PROPERTY BIDDER LAST NAME	PROP-BIDDER-LAST-NAME
PROPERTY BIDDER NUMBER	PROP-BIDDER-NMBR; SYS-REC-KEY
PROPERTY BIDDER PHONE NUMBER	PROP-BIDDER-PHN-NMBR

Descriptive Name to Access Name Cross-Reference

<u>Descriptive Name</u>	<u>Access Name</u>
PROPERTY BIDDER STATE CODE	PROP-BIDDER-STATE-CODE
PROPERTY BIDDER ZIP CODE	PROP-BIDDER-ZIP-CODE
PROPERTY CASE ENTRY DATE	PROP-CASE-ENTRY-DATE
PROPERTY CASE NUMBER	PROP-CASE-NMBR
PROPERTY CONDITION ADJUSTMENT DESCRIPTION	PROP-CNDTN-ADJSTMNT-DESC
PROPERTY CONDITION CODE	PROP-CNDTN-CODE-GRP
PROPERTY CONDITION CODE DEFINITION 1 TEXT	PROP-CNDTN-CODE-DFNTN1-TEXT
PROPERTY CONDITION CODE DEFINITION 2 TEXT	PROP-CNDTN-CODE-DFNTN2-TEXT
PROPERTY CONDITION CODE DESCRIPTION	PROP-CNDTN-CODE-DESC
PROPERTY CONTACT NAME	PROP-CNTCT-NAME
PROPERTY CURRENT AVAILABLE QUANTITY	PROP-CUR-AVLBL-QTY
PROPERTY DEMILITARIZATION CODE	PROP-DML-CODE; SYS-REC-KEY
PROPERTY DEMILITARIZATION CODE 1 DESCRIPTION	PROP-DML-CODE1-DESC
PROPERTY DEMILITARIZATION CODE 2 DESCRIPTION	PROP-DML-CODE2-DESC
PROPERTY DEMILITARIZATION CODE RANK	PROP-DML-RANK
PROPERTY DESCRIPTION	PROP-DESC
PROPERTY DESTRUCTION WITNESS NAME 1	PROP-DSTRCTN-WTNS1-NAME
PROPERTY DESTRUCTION WITNESS NAME 2	PROP-DSTRCTN-WTNS2-NAME
PROPERTY DISPOSAL APPROVAL DATE	PROP-DSPSL-APRVL-DATE
PROPERTY DISPOSAL CONDITION CODE, RECORD KEY	PROP-DSPSL-CNDTN-CODE; SYS-REC-KEY
PROPERTY DISPOSAL OFFICER NAME	PDO-NAME
PROPERTY DISPOSITION ACQUISITION COST AMOUNT	PROP-DSPSTN-ACQSTN-COST-AMT
PROPERTY DISPOSITION TRANSACTION DATE	PROP-DSPSTN-TXN-DATE
PROPERTY DISPOSITION QUANTITY	PROP-DSPSTN-QTY
PROPERTY FREEZE TRANSACTION DATE	PROP-FREEZE-DATE
PROPERTY FREEZE INDICATOR	PROP-FREEZE-IND

Descriptive Name to Access Name Cross-Reference

<u>Descriptive Name</u>	<u>Access Name</u>
PROPERTY FSC CLASS CODE	PROP-FSC-CLASS-CODE; REC-KEY
PROPERTY FSC CODE	PROP-FSC-CODE; SYS-REC-KEY
PROPERTY FSC GROUP CODE	PROP-FSC-GROUP-CODE; REC-KEY
PROPERTY FSC GROUP NAME	PROP-FSC-GRP-NAME
PROPERTY FSC MINIMUM DISPOSAL CONDITION CODE	PROP-FSC-MIN-CNDTN-CODE
PROPERTY FSC MINIMUM COST AMOUNT	PROP-FSC-MIN-COST-AMT
PROPERTY INVENTORY BEGIN DATE	PROP-INV-BGN-DATE
PROPERTY INVENTORY END DATE	PROP-INV-END-DATE
PROPERTY ITEM IDENTIFIER	PROP-ITEM-ID
PROPERTY ITEM NAME	PROP-ITEM-NAME
PROPERTY ITEM OPTIONAL NAME	PROP-OPTNL-ITEM-NAME
PROPERTY LOCAL REFERENCE NUMBER	PROP-LOCAL-RFRNC-NMBR
PROPERTY LOCATION BIN IDENTIFICATION	PROP-LCTN-BIN-ID
PROPERTY LOCATION BUILDING ADDRESS	PROP-LCTN-BLDG-ADRS
PROPERTY LOCATION BUILDING ADDRESS	PROP-LCTN-BLDG-ADRS
PROPERTY LOCATION CITY ADDRESS	PROP-LCTN-CITY-ADRS
PROPERTY LOCATION CONTACT PHONE NUMBER	PROP-CNTCT-PHN-NMBR
PROPERTY LOCATION COUNTRY ADDRESS	PROP-LCTN-CNTRY-ADRS
PROPERTY LOCATION INSTALLATION NAME	PROP-LCTN-INST-NAME
PROPERTY LOCATION LINE 1 ADDRESS	PROP-LCTN-LINE1-ADRS
PROPERTY LOCATION LINE 2 ADDRESS	PROP-LCTN-LINE2-ADRS
PROPERTY LOCATION ROOM ADDRESS	PROP-LCTN-ROOM-ADRS
PROPERTY LOCATION STATE CODE	PROP-LCTN-STATE-CODE
PROPERTY LOCATION ZIP CODE	PROP-LCTN-ZIP-CODE
PROPERTY LOT WITHDRAWAL INDICATOR	PROP-LOT-WTHDRWL-IND
PROPERTY MANUFACTURER CODE	PROP-MFG-CODE
PROPERTY MANUFACTURER MODEL NUMBER	PROP-MFG-MODEL-NMBR

Descriptive Name to Access Name Cross-Reference

<u>Descriptive Name</u>	<u>Access Name</u>
PROPERTY MANUFACTURER NAME	PROP-MFG-NAME
PROPERTY MANUFACTURER PART NUMBER	PROP-MFG-PART-NMBR
PROPERTY MANUFACTURER SERIAL NUMBER	PROP-MFG-SERIAL-NMBR
PROPERTY MATERIALS INVENTORY INDICATOR	PROP-MTRLs-INV-IND
PROPERTY NASA ACQUIRED DATE	PROP-NASA-ACQRD-DATE
PROPERTY NATIONAL ITEM IDENTIFICATION NUMBER	PROP-NIIN-NMBR
PROPERTY NATIONAL STOCK NUMBER	PROP-NSN-NMBR
PROPERTY PAYMENT DUE DATE	PROP-PYMNT-DUE-DATE
PROPERTY PICKUP DOCUMENT GENERATION DATE	PROP-PCKP-DCMNT-GNRTN-DATE
PROPERTY PICKUP DOCUMENT GENERATION INDICATOR	PROP-PCKP-DCMNT-GNRTN-IND
PROPERTY PREVIOUS CONDITION CODE	PROP-PRVS-CNDTN-CODE
PROPERTY PREVIOUS ITEM NAME	PROP-PRVS-ITEM-NAME
PROPERTY PROCESSING PRIORITY INDICATOR	PROP-PRCSNG-PRTY-IND
PROPERTY PROCUREMENT DOCUMENT NUMBER	PROP-PRCRMNT-DCMNT-NMBR
PROPERTY QUANTITY	PROP-QTY
PROPERTY RECIPIENT CLASSIFICATION INDICATOR	PROP-RCPNT-CLSFCTN-IND
PROPERTY RECORD CHANGE TYPE CODE	PROP-REC-CHNG-TYPE-CODE
PROPERTY REIMBURSEMENT CODE	PROP-REIM-CODE
PROPERTY REPORTABLE FSC INDICATOR	PROP-RPTBL-FSC-IND
PROPERTY REQUEST DOCUMENT NUMBER	PROP-RQST-DCMNT-NMBR
PROPERTY REVERSAL TRANSACTION ENTRY REFERENCE NUMBER	PROP-RVRSL-ERN-NMBR
PROPERTY SALE CONTRACT NUMBER	PROP-SALE-CNTRCT-NMBR
PROPERTY SALE DATE	PROP-SALE-DATE
PROPERTY SALE METHOD IDENTIFIER	PROP-SALE-MTHD-ID
PROPERTY SALE PROCEEDS AMOUNT	PROP-SALE-PRCDS-AMT
PROPERTY SALE RECEIPT DOCUMENT NUMBER	PROP-SALE-RCPT-DCMNT-NMBR
PROPERTY SCREENING TYPE IDENTIFIER	PROP-SCRNG-TYPE-ID

Descriptive Name to Access Name Cross-Reference

<u>Descriptive Name</u>	<u>Access Name</u>
PROPERTY SHIPMENT DATE	PROP-SHPMNT-DATE
PROPERTY SUPPLY CONDITION CODE	PROP-SPLY-CNDTN-CODE; SYS-REC KEY
PROPERTY SURVEY REPORT NUMBER	PROP-SRVY-RPT-NMBR
PROPERTY TERMINATION DATE	PROP-TRMNTN-DATE
PROPERTY THAW DATE	PROP-THAW-DATE
PROPERTY TOTAL ADJUSTED COST AMOUNT	PROP-TOT-ADJSTD-COST-AMT
PROPERTY TRANSACTION APPROVED NAME	PROP-TXN-APRVD-NAME
PROPERTY TRANSACTION AUTHORITY TEXT	PROP-TXN-ATHRTY-TEXT
PROPERTY TRANSACTION DATE	PROP-TXN-DATE
PROPERTY TRANSACTION IDENTIFIER	PROP-TXN-ID
PROPERTY TRANSACTION DESCRIPTION	PROP-TXN-DESC
PROPERTY TRANSACTION ENTRY REFERENCE NUMBER	PROP-ERN-NMBR
PROPERTY TRANSFEREE IDENTIFIER	PROP-TRNSFR-ID
PROPERTY UNIT ACQUISITION COST AMOUNT	PROP-UNIT-ACQSTN-COST-AMT
PROPERTY UNIT OF MEASURE TEXT	PROP-UOM-TEXT
PROPERTY UPSET PRICE AMOUNT	PROP-UPSET-PRICE-AMT
QUANTITY OF PROPERTY REPORTED TO GSA	GSA-PROP-RPT-QTY
RECIPIENT	RCPNT-AGNCY-NAME
REPORT 1348 DOCUMENT IDENTIFIER	RPT-1348-DCMNT-ID
REPORT 1348 DOCUMENT NUMBER	RPT-1348-DCMNT-NMBR
REPORT 1348 GENERATION DATE	RPT-1348-GNRTN-DATE
REPORT 1348 GENERATION INDICATOR	RPT-1348-GNRTN-IND
REPORT 1348 TEXT	RPT-1348-TEXT
REPORT 1810 BALANCE AMOUNT	RPT-1810-BAL-AMT
REPORT 1820 BALANCE AMOUNT	RPT-1820-BAL-AMT
REPORT 623 BALANCE AMOUNT	RPT-623-BAL-AMT

Descriptive Name to Access Name Cross-Reference

<u>Descriptive Name</u>	<u>Access Name</u>
REPORT 811 GENERATION DATE	RPT-811-GNRTN-DATE
REPORT 811 GENERATION INDICATOR	RPT-811-IND
REPORT 812 GENERATION DATE	RPT-812-GNRTN-DATE
REPORT 812 GENERATION INDICATOR	RPT-812-IND
REPORT BEGIN DATE	RPT-BGN-DATE
REPORT BINDING CODE	RPT-BNDNG-CODE
REPORT EFFECTIVE DATE	RPT-EFFCTV-DATE
REPORT END DATE	RPT-END-DATE
REPORT EXECUTION SEQUENCE NUMBER	RPT-EXCTN-SEQ-NMBR
REPORT FREQUENCY	RPT-FREQ
REPORT INSTALLATION NAME	RPT-INST-NAME
REPORT INSTALLATION NUMBER	RPT-INST-NO
REPORT MAIL STOP ADDRESS	RPT-MAIL-STOP-ADRS
REPORT OUTPUT CODE	RPT-OUTPUT-CODE
REPORT PARAMETERS TEXT	RPT-PRMTRS-TEXT
REPORT QUANTITY	RPT-QTY
REPORT REQUESTOR NAME	RPT-RQSTR-NAME
REPORT SPECIAL FORM IDENTIFIER	RPT-SPCL-FORM-ID
REPORT STATUS CODE	RPT-STS-CODE
REPORT USER IDENTIFIER	RPT-USER-ID
REPORT/MAINTENANCE JOB INDICATOR	RPT-MAINT-JOB-IND-SB
REPORT/MAINTENANCE JOB NUMBER	RPT-MAINT-JOB-NMBR-SB
REPORT/MAINTENANCE NAME	RPT-MAINT-NAME
REPORT/MAINTENANCE PROGRAM IDENTIFIER	RPT-MAINT-PGM-ID; SYS-REC-KEY
REPORTING INSTALLATION CONTACT ADDRESS LINE 1	INST-RPTNG-CNTCT-LINE1-ADRS
REPORTING INSTALLATION CONTACT ADDRESS LINE 2	INST-RPTNG-CNTCT-LINE2-ADRS
REPORTING INSTALLATION CONTACT CITY ADDRESS	INST-RPTNG-CNTCT-CITY-ADRS

Descriptive Name to Access Name Cross-Reference

<u>Descriptive Name</u>	<u>Access Name</u>
REPORTING INSTALLATION CONTACT NAME	INST-RPTNG-CNTCT-NAME
REPORTING INSTALLATION CONTACT PHONE NUMBER	INST-RPTNG-CNTCT-PHN-NMBR
REPORTING INSTALLATION CONTACT STATE CODE	INST-RPTNG-CNTCT-STATE-CODE
REPORTING INSTALLATION CONTACT ZIP CODE	INST-RPTNG-CNTCT-ZIP-CODE
REPORTING INSTALLATION NAME	INST-RPTNG-NAME
REQUESTOR ADDRESS LINE 1	RQSTR-LINE1-ADRS
REQUESTOR ADDRESS LINE 2	RQSTR-LINE2-ADRS
REQUESTOR AGENCY IDENTIFIER	RQSTR-AGNCY-ID
REQUESTOR BUILDING ADDRESS	RQSTR-BLDG-ADRS
REQUESTOR CITY ADDRESS	RQSTR-CITY-ADRS
REQUESTOR CONTACT PHONE NUMBER	RQSTR-PHN-NMBR
REQUESTOR COUNTRY ADDRESS	RQSTR-CNTRY-ADRS
REQUESTOR CUSTODIAN ACCOUNT NUMBER	RQSTR-CSTDN-ACNT -NMBR
REQUESTOR INSTALLATION NUMBER	RQSTR-INST-NMBR
REQUESTOR NAME	RQSTR-NAME
REQUESTOR ORGANIZATION CODE	RQSTR-ORGNZTN-CODE
REQUESTOR ORGANIZATION NAME	RQSTR-ORGNZTN-NAME
REQUESTOR PROVINCE ADDRESS	RQSTR-PRVNC-ADRS
REQUESTOR ROOM ADDRESS	RQSTR-ROOM-ADRS
REQUESTOR STATE CODE	RQSTR-STATE-CODE
REQUESTOR ZIP CODE	RQSTR-ZIP-CODE
SALE NUMBER OF PROPERTY	PROP-SALE-NMBR
SF-120 GSA WITHDRAWAL/CORRECTION REPORT IDENTIFIER	GSA-SF120-RPT-ID
SF-120 WITHDRAWAL/CORRECTION TO GSA CODE	GSA-SF120-WTHDRWL-CRCTN-CODE
SHELF LIFE DURATION OF PROPERTY	PROP-SHELF-LIFE-DRTN
SHELF LIFE EXTENSION CODE OF PROPERTY	PROP-SHELF-LIFE-EXTNSN-CODE; SYS-REC-KEY

Descriptive Name to Access Name Cross-Reference

<u>Descriptive Name</u>	<u>Access Name</u>
SHELF LIFE PROPERTY EXPIRATION DATE	PROP-SHELF-LIFE-EXPRTN-DATE
SHELF LIFE PROPERTY CLASSIFICATION IDENTIFIER	PROP-SHELF-LIFE-CLSFACTN-ID
SSC FEDERAL SUPPLY CODE USED INDICATOR	SS-FSC-USED-IND
STOCK STATUS PROPERTY CODE	PROP-STOCK-STS-CODE
SUBINSTALLATION NUMBER	SUBINST-NMBR
SURPLUS PROPERTY DONATION SCREENING BEGIN DATE	SRPLSPROP-DNTN-BGN-DATE
SURPLUS PROPERTY DONATION SCREENING END DATE	SRPLSPROP-DNTN-END-DATE
SYSTEM AUDIT DATE	SYS-AUDIT-DATE
SYSTEM AUDIT IDENTIFIER	SYS-AUDIT-ID
SYSTEM AUDIT TIME	SYS-AUDIT-TIME
SYSTEM CASE SERIAL NUMBER	SYS-CASE-SERIAL-NMBR
SYSTEM CONTROL FLAG	SYS-CNTRL-FLAG
SYSTEM PRINTER LOCATION DESCRIPTION	SYS-PRNTR-DESC
SYSTEM COUNT OF INSTALLATION SCREENING DAYS	SYS-INST-DAYS-CNT
SYSTEM COUNT OF NASA SCREENING DAYS	SYS-NASA-DAYS-CNT
SYSTEM COUNT OF SURLUS PROPERTY DONATION SCREENING DAYS	SYS-SRPLS-DAYS-CNT
SYSTEM COUNT OF OTHER FEDERAL AGENCY SCREENING DAYS	SYS-OFA-DAYS-CNT
SYSTEM JULIAN DATE	SYS-JULIAN-DATE
SYSTEM SEALED BID ABSTRACT REPORT INDICATOR	SYS-BID-ABSTRCT-RPT-IND
SYSTEM SERIAL NUMBER	SYS-SERIAL-NMBR
SYSTEM STATE FEDERAL INFORMATION PROCESSING STANDARDS CODE	SYS-STATE-FIPS-CODE;SYS-REC-KEY
SYSTEM STATE NAME	SYS-STATE-NAME
SYSTEM TABLE IDENTIFIER INSTALLATION NUMBER RECORD KEY	SYS-TBL-ID-INST-NO-REC-KEY
SYSTEM TRANSACTION STATUS IDENTIFIER	SYS-TXN-STS-ID
SYSTEM TRANSACTION TYPE IDENTIFIER	SYS-TXN-TYPE-ID
SYSTEM UNIQUE CASE KEY	SYS-UNQ-CASE-KEY
SYSTEM UNIQUE TABLE KEY	SYS-UNQ-TBL-KEY-SP

Descriptive Name to Access Name Cross-Reference

<u>Descriptive Name</u>	<u>Access Name</u>
SYSTEM UNIQUE TRANSACTION KEY	SYS-UNQ-TXN-KEY
SYSTEM USER CHANGE AUTHORITY CODE	SYS-USER-CHNG-ATHRTY-CODE
SYSTEM USER IDENTIFIER	SYS-USER-ID: SYS- REC-KEY
SYSTEM USER JOB CARD TEXT	SYS-USER-JOB-CARD-TEXT
SYSTEM USER NAME	SYS-USER-NAME
TURN IN PROPERTY DOCUMENT NUMBER	PROP-TURN-IN-DCMNT-NMBR
UNCLAIMED PROPERTY FOUND DATE	UNCLMD-FOUND-DATE
UNCLAIMED PROPERTY INDICATOR	UNCLMD-IND
UNCLAIMED PROPERTY SUSPENSE FILE DATE	UNCLMD-SPNS-FILE-DATE
UNCLAIMED PROPERTY VESTED TITLE DATE	UNCLMD-TITLE-VESTED-DATE
WAREHOUSE LOCATION ADDRESS	WRHS-LCTN-ADRS
WAREHOUSE RECEIPT ENTRY REFERENCE NUMBER	WRHS-RCPT-ERN-NMBR
WAREHOUSE DATE	WRHS-DATE
WEB COST CASE ITEM	WEB-COST-CASE-ITEM
WEB FEDERAL SUPPLY CODE CASE ITEM	WEB-FSC-CASE-ITEM
WEB ITEM NAME CASE ITEM	WEB-ITEM-NAME-CASE-ITEM
WEB MANUFACTURING CODE CASE ITEM	WEB-MFG-CODE-CASE-ITEM
WEB MANUFACTURING MODEL NUMBER CASE ITEM	WEB-MFG-MODEL-NO-CASE-ITEM
YEAR PROPERTY MANUFACTURED	PROP-MFG-YEAR

APPENDIX E
NPDMS STANDARD WORDS

ABANDONED OR DESTROYED	ABNDSTRYD	M
ABANDONED OR OTHER UNCLAIMED PROPERTY	UNCLMD	P
ABSTRACT	ABSTRCT	M
ACCEPTANCE	ACPTNC	M
ACCOUNT	ACNT	M
ACCOUNTABILITY	ACNTBLTY	M
ACQUISITION	ACQSTN	M
ACTIVITY	ACTVTY	M
ACRONYM	ACRNM	M
ADDRESS	ADRS	C
ADJUSTED	ADJSTD	M
ADJUSTMENT	ADJSTMNT	M
AGENCY	AGNCY	M
ALLOWANCE	ALWNC	M
ALLOWED	ALWD	M
AMOUNT	AMT	C
APPROPRIATION	APRPRTN	M
APPROVAL	APRVL	M
APPROVED	APRVD	M
APPROVING	APRVNG	M
ARTIFACT	ARTFCT	M
AUDIT	AUDIT	M
AUTHORITY	ATHRTY	M
AUTOMATED DATA PROCESSING EQUIPMENT	ADPE	M
AVAILABILITY	AVLBLTY	M
AVAILABLE	AVLBL	M
AVERAGE	AVRG	M
AWARDED	AWARD	M
BALANCE	BAL	M
BEGIN	BGN	M
BID	BID	M
BIDDER	BIDDER	M
BIN	BIN	M
BINDING	BNDNG	M
BOARD	BRD	M
BODY	BODY	M
BUILDING	BLDG	M
CAPITAL	CPTL	M
CARD	CARD	M
CASE	CASE	M
CATEGORY	CTGRY	M
CHAIRPERSON	CHRPRSN	M
CHANGE	CHNG	M
CITY	CITY	M

CLASS	CLASS	M
CLASSIFICATION	CLSFCTN	M
CODE	CODE	C
COMPANY	CMPNY	M
COMPLIMENT	CMPLMNT	M
COMPONENT SYSTEM PROPERTY	CMPNT	P
CONDITION	CNDTN	M
CONTACT	CNTCT	M
CONTRACT	CNTRCT	M
CONTRACTOR	CNTRCTR	M
CONTROL	CNTRL	M
CONTROLLED	CNTRLD	M
COPY	CPY	M
CORRECTION	CRCTN	M
COST	COST	M
COUNT	COUNT	C
COUNTRY	CNTRY	M
CUMULATIVE	CUMLTV	M
CURRENT	CUR	M
CUSTODIAN	CSTDN	P
CYLINDERS	CYLINDERS	M
DATA	DATA	M
DATE	DATE	C
DAYS	DAYS	M
DEFAULT	DFLT	M
DD-1348-1A	1348	M
DEFENSE REGIONAL MARKETING OFFICE	DRMO	P
DEFINITION 1	DFNTN1	M
DEFINITION 2	DFNTN2	M
DELINQUENT	DLNQNT	M
DEMILITIZATION	DML	M
DESCRIPTION	DESC	C
DESTROYED	DSTRYD	M
DESTRUCTION	DSTRCTN	M
DETERMINED	DTRMND	M
DISPOSAL	DSPSL	M
DISPOSITION	DSPSTN	M
DISTRIBUTION	DSTRBTN	M
DOCUMENT	DCMNT	M
DoD AREA ACTIVITY CODE	DODAAC	M
DONATION	DNTN	M
DUE	DUE	M
DURATION	DRTN	C
EFFECTIVE	EFCTV	M
ELECTRONIC MAIL	EMAIL	M
END	END	M

ENDING	END	M
ENTRY	ENTRY	M
ENTRY REFERENCE NUMBER	ERN	M
EQUIPMENT	EQUIP	M
EQUIPMENT CONTROL NUMBER	ECN	M
EXCHANGE/SALE PROPERTY	EXCHNGSL	P
EXECUTION	EXCTN	M
EXPIRATION	EXPRTN	M
EXPLANATION	EXPLNTN	M
EXTENSION	EXTNSN	M
EXTERNAL	EXTRNL	M
FCSIMILE	FAX	M
FAIR MARKET VALUE	FMV	M
FEDERAL	FDRL	M
FEDERAL INFORMATION PROCESSING STANDARDS	FIPS	M
FEDERAL SUPPLY CLASSIFICATION	FSC	M
FILE	FILE	M
FIRST	FIRST	M
FIXED	FIXED	M
FLAG	FLAG	C
FOREIGN	FRGN	M
FORM	FORM	M
FOUND	FOUND	M
FREEZE	FREEZE	M
FREQUENCY	FREQ	C
FURTHER	FRTHR	M
GENERAL SERVICES ADMINISTRATION	GSA	P
GENERATION	GNRTN	M
GRANTEE	GRANT	M
GROUP	GROUP	M
HAZARDOUS MATERIALS	HAZMAT	M
HEADERS	HDRS	M
HELD	HELD	M
IDENTIFIER	ID	C
IDENTIFICATION	IDENTIFICATION	M
IDLE NASA PROPERTY	PROP	P
IMMEDIATE	IMMED	M
IN	IN	M
INDEX	INDEX	M
INDICATOR	IND	C
INFORMATION	INFO	M
INITIATOR	INTR	P
INSTALLATION	INST	M
INSTALLATION FEDERAL ACTIVITY ADDRESS CODE	FEDAAC	M

INSTALLATION IDLE ADPE REPORTABLE	ADPEPROP	P
INSTRUCTIONS	INSTRCTNS	M
INTERNAL	INTRNL	M
INVENTORY	INV	M
ITEM	ITEM	M
JOB	JOB	M
JULIAN	JULIAN	M
LAST	LAST	M
LETTER	LTR	M
LIFE	LIFE	M
LOCAL	LOCAL	M
LOCATION	LCTN	M
LOST	LOST	M
LOT	LOT	M
MAIL	MAIL	M
MAINTENANCE	MAINT	M
MANAGER	MNGR	M
MANUFACTURER	MFG	M
MATERIALS	MTRLs	M
MATERIEL MANAGEMENT AGGREGATION	MMAC	M
CODE		
MEMBER 1	MBR1	M
MEMBER 2	MBR2	M
MEMBER 3	MBR3	M
METALS	MTLS	M
METHOD	MTHD	M
MINIMUM	MIN	M
MODEL	MODEL	M
MODIFICATION	MDFCTN	M
NAME	NAME	C
NASA EQUIPMENT MANAGEMENT	NEMS	P
SYSTEM		
NASA EXCESS PROPERTY	EXCSPROP	P
NASA FORM 811	811	M
NASA FORM 812	812	M
NASA HEADQUARTERS	HQ	P
NASA INSTALLATION	INST	P
NASA SUB-INSTALLATION	SUBINST	P
NASA SUPPLY MANAGEMENT SYSTEM	NSMS	P
NATIONAL AERONAUTICS AND	NASA	M
	SPACE	
	ADMINISTRATION	
NATIONAL ITEM IDENTIFICATION NUMBER	NIIN	M
NATIONAL STOCK NUMBER	NSN	M
NEW	NEW	M
NOTIFICATION	NTFCTN	M

NPDMS WAREHOUSE FACILITY	WRHS	P
NUMBER	NMBR	C
OFFICE	OFC	M
OFFICIAL	OFCL	M
OPTIONAL	OPTNL	M
ORGANIZATION	ORGNZTN	M
OTHER FEDERAL AGENCY	OFA	M
OUTPUT	OUTPUT	M
PACKAGE	PKG	M
PARAMETERS	PRMTRS	M
PART	PART	M
PAYMNET	PYMNT	M
PHONE	PHN	M
PHOTO	PHOTO	M
PICKUP	PCKP	M
PICTURES	PICTURE	M
POINT OF CONTACT	POC	M
PURCHASE ORDER DISPOSAL INSTRUCTIONS	PODI	M
PRECIOUS	PRCS	M
PREVIOUS	PRVS	M
PRICE	PRICE	M
PRINTER	PRNTR	M
PRIORITY	PRTY	M
PROCEEDS	PRCDS	M
PROCESS	PRCS	M
PROCESSING	PRCSNG	M
PROCUREMENT	PRCRMNT	M
PROGRAM	PGM	M
PROPERTY	PROP	M
PROPERTY DISPOSAL OFFICER	PDO	P
PROVINCE	PRVNC	M
QUANTITY	QTY	C
RANK	RANK	C
RATE	RATE	C
REASON	RSN	M
RECEIPT	RCPT	M
RECEIVED	RCVD	M
RECEIVING	RCVNG	M
RECIPIENT	RCPNT	M
RECLAMATION	RCLMTN	M
RECORD	REC	M
REFERENCE	RFRNC	M
REFFERRAL	REFER	M
REGION	RGN	M
REGIONAL	RGNL	M
REIMBURSEMENT	REIM	M

RELEASE	RLS	M
REMOVAL	RMVL	M
REPORT	RPT	P
REPORTABLE	RPTBL	M
REPORTING	RPTNG	M
REQUEST	RQST	M
REQUESTOR	RQSTR	P
ROOM	ROOM	M
ROUTING IDENTIFIER CODE	RIC	M
SALE	SALE	M
SCREENING	SCRNG	M
SEND	SEND	M
SENSITIVITY	SNSTVTY	M
SENT	SENT	M
SEQUENCE	SEQ	M
SERIAL	SERIAL	M
SF-120	SF120	M
SHELF	SHELF	M
SHIPMENT	SHPMNT	M
SHIPPING	SHPNG	M
SITE	SITE	M
SPECIAL	SPCL	M
STANDARD	STNDRD	M
STATE	STATE	M
STATUS	STS	M
STOCK	STOCK	M
STOP	STOP	M
STYLE	STYLE	M
SUBMISSION	SUBMSN	M
SUPPLY	SPLY	M
SUPPLY EQUIPMENT MANAGEMENT OFFICER	SEMO	M
SURPLUS PROPERTY	SRPLSPROP	P
SURPLUS RELEASE DATE	SRD	M
SURVEY	SRVY	M
SUSPEND	SUSPD	M
SUSPENSE	SPNS	M
SYSTEM	SYS	P
TABLE	TBL	M
TAG	TAG	M
TECHNICAL	TECH	M
TERMINATION	TRMNTN	M
TEXT	TEXT	C
THAW	THAW	M
TIME	TIME	C
TITLE	TITLE	M
TO	TO	M

TOTAL	TOTAL	M
TRANSACTION	TXN	M
TRANSFER	TRNSFR	M
TURN	TURN	M
TYPE	TYPE	M
UNIT OF MEASURE	UOM	M
UNIT	UNIT	M
UPSET	UPSET	M
USER	USER	M
VEHICLE	VEHICLE	M
VESTED	VESTED	M
WITHDRAW	WTHDRW	M
WITHDRAWAL	WTHDRWL	M
WITNESS 1	WTNS1	M
WITNESS 2	WTNS2	M
YEAR	YEAR	C
ZIP	ZIP	M